

# Adhesives

# Mixed Media

Milliken

ADHESIVE TYPE	RH LEVEL	ADHESIVE	FOR
<b>ROLL-ON/ TROWEL*</b>   <i>*Roll-On for carpet tile only Trowel for LVT only</i>	up to 95%	<b>Mosaic 95</b> <ul style="list-style-type: none"> <li>Approved for all grade renovations where concrete pH levels are between 5-11 and RH is equal to or less than 95%</li> </ul> <div style="border: 1px solid black; padding: 2px; display: inline-block;">INSTALL</div> 45 days after new pour with RH testing	Carpet Tile 5 mm FlexForm™ LVT 5 mm FlexForm Sound™ LVT 4.5 mm RigidForm Free™
	up to 98%	<b>Mosaic 98 - Spray</b> <ul style="list-style-type: none"> <li>Approved for all grade renovations where concrete pH levels are between 5-11 and RH is equal to or less than 98%.</li> </ul> <div style="border: 1px solid black; padding: 2px; display: inline-block;">INSTALL</div> 45 days after new pour with RH testing	Carpet Tile 2 mm, 2.5 mm, 5 mm FlexForm™ LVT 5 mm FlexForm Sound™ LVT* <i>*Hospitality Rooms only, no public areas</i>
<b>SPRAY</b> 	over 95%	<b>Mosaic Moisture XT-Spray</b> <ul style="list-style-type: none"> <li>For use where very high moisture is a concern.</li> <li>NO moisture testing is required.</li> <li>NO RH or pH limits.</li> </ul> <div style="border: 1px solid black; padding: 2px; display: inline-block;">INSTALL</div> 45 days after new pour / NO testing required	Carpet Tile 5 mm FlexForm™ LVT