



Mixed Media



ADHESIVE TYPE	RH LEVEL	ADHESIVE	FOR
<p>ROLL-ON/ TROWEL*</p>  <p>*Roll-On for carpet tile only Trowel for LVT only</p>	<p>up to 95%</p>	<p>Mosaic 95</p> <ul style="list-style-type: none"> Approved for all grade renovations where concrete pH levels are between 5-11 and RH is equal to or less than 95% <p>INSTALL 45 days after new pour with RH testing</p>	<p>Carpet Tile</p> <ul style="list-style-type: none"> 5 mm FlexForm™ LVT 5 mm FlexForm Sound™ LVT
<p>SPRAY</p> 	<p>up to 98%</p>	<p>Mosaic 98 - Spray</p> <ul style="list-style-type: none"> Approved for all grade renovations where concrete pH levels are between 5-11 and RH is equal to or less than 98%. <p>INSTALL 45 days after new pour with RH testing</p>	<p>Carpet Tile</p> <ul style="list-style-type: none"> 2 mm, 2.5 mm, 5 mm FlexForm™ LVT 5 mm FlexForm Sound™ LVT* <p>*Hospitality Rooms only, no public areas</p>
	<p>over 98%</p>	<p>Mosaic Moisture XT-Spray</p> <ul style="list-style-type: none"> For use where very high moisture is a concern. NO moisture testing is required. NO RH or pH limits. <p>INSTALL 45 days after new pour / NO testing required</p>	<p>Carpet Tile</p> <ul style="list-style-type: none"> 5 mm FlexForm™ LVT