




Adhesives

Modular Carpet

Milliken™

ADHESIVE TYPE	RH LEVEL	ADHESIVE
ROLL-ON/ TROWEL 	NO limit for new construction & above-grade renovations 95% for on-grade renovations	Non-Reactive Standard <ul style="list-style-type: none"> NEW CONSTRUCTION: Approved for all new construction installations with NO pH or RH limits <div>INSTALL</div> 60 days after new pour with RH testing RENOVATION: Above-grade renovations: NO pH or RH limits / On-grade renovations (without vapor retarder): RH of 95%, NO pH limit
SPRAY 	over 95%	Mosaic Moisture XT-Spray <ul style="list-style-type: none"> NEW CONSTRUCTION: Approved for all new construction installations with no pH or RH limits <div>INSTALL</div> 30 days after new pour / NO testing required RENOVATION: Approved for all renovation installations with no pH or RH limits
ADHESIVE-FREE  Milliken TractionBack®	NO limit for new construction 85% for on-grade renovations	TractionBack® <ul style="list-style-type: none"> NEW CONSTRUCTION: Approved for all new construction installations with no pH or RH limits NO pH or RH testing required <div>INSTALL</div> 90 days after new pour RENOVATION: Above-grade renovations: NO pH or RH limits / On-grade renovations: RH of 85%, no pH limit
	NO limit	TractionBack® Plus <ul style="list-style-type: none"> NEW CONSTRUCTION/RENOVATION: Approved for all installations with NO pH or RH limits <div>INSTALL</div> 30 days after new pour (new construction)