


# Akustische Werte

## OUT OF THE SHADOWS 2.0 / Scattergraph / Shadowbox / Shardlines



### Schallabsorptionsgrad (ISO 354)


### Trittschallverbesserungsmaß (ISO 140-8 / ISO 10140-3)

Out of the Shadows 2.0  
Comfort Plus® Polsterrücken  $\alpha_w$  0.30 Klasse D

Out of the Shadows 2.0  
Comfort Plus® Polsterrücken  $\Delta L_w$  33dB

### Alpha $\alpha_s$ Schallabsorptionsgrad

Frequenz (Hz)	Comfort Plus® Polsterrücken $\alpha_s$
100	0.04
125	0.03
160	0.04
200	0.06
250	0.09
315	0.18
400	0.50
500	0.42
630	0.32
800	0.27
1000	0.26
1250	0.26
1600	0.29
2000	0.32
2500	0.32
3150	0.38
4000	0.41
5000	0.46



### $\alpha_p$ Werte (Comfort Plus® Polsterrücken)

125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
0.05	0.10	0.40	0.25	0.30	0.40

### $\alpha_w$ Klasse

$\alpha_w$ (Gesamtwert)	Klasse
0.30	D