

# Non-Reactive Standard

Milliken™

## ADHESIVE

### For Carpet

Non-reactive adhesive for most applications.  
(Exception: Extreme Moisture)



NO LIMIT



NO LIMIT  
Renovations



NO LIMIT  
New Construction



DRY TIME  
10-20 Min



WORKING TIME  
Indefinite  
When Clean



CURE TIME  
10-20 Min



LIGHT TRAFFIC  
Immediate



HEAVY TRAFFIC  
Immediate



HEAVY ROLLING  
LOADS: Immediate  
with protection



4-Gallon Pail  
Trowel / Roll-on

## Non-Reactive Pressure Sensitive Adhesive

NEW CONSTRUCTION OR RENOVATION:

For use with RH up to: **No Limit**

Installation after new pour: **45 days**

No testing required. No pH/RH limit.



The Benefits of  
Milliken Adhesives

Milliken offers adhesive solutions for any scenario:

- Modular carpet, LVT, mixed-media
- Normal RH and pH
- Extreme RH and no-testing solutions
- Trowel-on and Spray options for most applications
- No primers, no sealants, limited floor prep required



1.6mm x 1.6mm "V1"  
Notch Towel

### FLOORING TYPE

Modular Carpet Tile

ESTIMATED COVERAGE  
4.5 to 5.5m<sup>2</sup>/litre



25mm  
Nap Roller

### FLOORING TYPE

Modular Carpet Tile

ESTIMATED COVERAGE  
approximately 8.5m<sup>2</sup>/litre

# Non-Reactive Standard Adhesive



PRODUCT CHARACTERISTICS	Product Classification	Roll or Trowel Pressure Sensitive Adhesive
	Base Chemistry	Acrylic Emulsion
	Appearance	Mint Green to Green Tint as adhesive dries
	Consistency	Thin Syrup
	Application	Trowel or Roller
	Flammability	Non-flammable
	Freeze/Thaw	Protect From Freezing
	Shelf Life	2 Years (Unopened)
MOISTURE	RH	Renovation or New Construction: No limit, no testing if installed 45 days after a new pour.
	pH	No limit, no testing
	Bond Test	Must perform bond test
TIME/TRAFFIC	Open Time	Indefinite when clean
	Dry Time	10-20 Min
	Working Time	Indefinite when clean
	Traffic	Immediately
SUSTAINABILITY	Solvents	None
	Compliant with Certifications	CRI Green Label Plus

**STORAGE** This product should be stored at temperatures between 40-100°F (4-38° C). While this product is freeze-thaw stable, it is necessary to protect it from freezing. Freeze/thaw stable to 10°F (-12°C).

**CAUTION** DO NOT take internally. If swallowed, DO NOT induce vomiting. Call a physician immediately. KEEP OUT OF REACH OF CHILDREN.

**WARRANTY** For Milliken installation instructions and warranties, visit [millikenfloors.com.au](https://millikenfloors.com.au)

