

# Declare.



## WellBAC Function Carpet Tile - AUS Milliken

**Final Assembly:** Sydney, New South Wales, Australia

**Life Expectancy:** 15 Year(s)

**End of Life Options:** Take Back Program, Recyclable (100%)

### Ingredients:

Calcium carbonate; Nylon 6; POLYETHYLENE TEREPHTHALATE/POLYBUTYLENE TEREPHTHALATE; 1-Butene, polymer with ethene and 1-propene; Hydrocarbons, C6-20, polymers, hydrogenated; Polypropylene; 1-Propene, polymer with ethene; 2,5-Furandione, polymer with 1-propene; Carbonic acid, magnesium salt (1:1); Glass Fiber; Stearic Acid; Quartz; Salt of polycarboxylic acid; DIHYDROGEN OXIDE; Carbon black; Polyethylene; Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl); Diiron Trioxide; Poly(oxy-1,2-ethanediyl),  $\alpha$ -[4-(1-phenylethyl)phenyl]- $\omega$ -hydroxy-; 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate; Amylopectin, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride; Distillates, petroleum, hydrotreated light; Titanium dioxide; Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]methyl]-1,3-propanediyl ester; 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate; Glycerin-Kokos- $\div$ -l-Transester-EO/PO-random, (mittlere Molmasse 1000 g/mol); Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts; Benzenesulfonic acid, dimethyl-, sodium salt

**Living Building Challenge Criteria:** Compliant

### I-13 Red List:

- LBC Red List Free                      % Disclosed: 100% at 100ppm
- LBC Red List Approved                VOC Content: Not Applicable
- Declared

**I-10 Interior Performance:** CDPH Standard Method v1.1-2010

**I-14 Responsible Sourcing:** Not Applicable

MKN-0024  
EXP. 01 OCT 2023  
Original Issue Date: 2018

