


ON THE TRAC OPEN RAIL/ SIGNAL LINE/ FAST LANE

545 1995

R

ON THE TRACKS

Life is like an open rail with no set route, allowing you to choose your own direction and experience the unexpected turns and destinations that come with it.



Open Rail

OPR118-153 Quartz

.

Tile size: 25cm x 100cm

Signal Line

SNL189-118-153 Quartz with Tropics

Tile size: 25cm x 100cm



FSL189-118-153 Quartz with Tropics Tile size: 25cm x 100cm







Open Rail



OPR208-218 Sandstone



OPR206-212 Pebble



OPR118-153 Quartz



OPR13-118 Flint

Signal Line

SNL231-208-218 Sandstone with Gold

SNL202-208-218 Sandstone with Forest



SNL252-206-212 Pebble with Energy

SNL189-206-212 Pebble with True Blue

SNL141-118-153 Quartz with Chartreuse



SNL189-118-153 Quartz with Tropics



SNL196-13-118 Flint with Navy


SNL109-13-118 Flint with Exotic Red






















FSL231-208-218 Sandstone with Gold



FSL202-208-218 Sandstone with Forest




FSL252-206-212 Pebble with Energy




FSL189-206-212 Pebble with True Blue

FSL141-118-153 Quartz with Chartreuse



FSL189-118-153 Quartz with Tropics

FSL196-13-118 Flint with Navy



FSL109-13-118 Flint with Exotic Red








INSTALLATION



SNL231-208-218 Sandstone with Gold



INSTALLATION



OPR208-218 Sandstone

FSL202-208-218 Sandstone with Forest

SNL202-208-218 Sandstone with Forest

Open Rail in Sandstone, Signal Line in Sandstone with Forest, Fast Lane in Sandstone with Forest, herringbone installation



INSTALLATION



FRM251 Clay Terra Collection

(from left to right) Fast Lane in Pebble with True Blue, Signal Line in Signal Line in, Open Rail in Pebble, Signal Line in Pebble with Energy, Fast Lane in Pebble with Energy, (back) Terra collection, Firma in clay, ashlar installation







(from left to right) Signal Line in Pebble with Energy, Open Rail in Pebble, Fast Lane in Pebble with Energy, custom installation





Signal Line in Quartz with Tropics, ashlar installation







(from left to right) Signal Line in Quartz with Tropics, Open Rail in Quartz, custom installation Fast Lane in Quartz with Tropics, Design Destinations Collection, Solid Play in Energy Play, ashlar installation





SNL141-118-153 Quartz with Chartreuse



(border) Open Rail in Flint, ashlar installation (field) Signal Line in Flint with Navy, Fast Lane in Flint with Navy, Design Destinations Collection, Solid Play in Sea Play, herringbone installation







M/PACT[™] CARBON NEUTRAL PROGRAM

ON THE TRACKS | A CARBON NEUTRAL COLLECTION

Climate change is one of the greatest threats facing humanity.

Today, our carpet, LVT and entryway tiles are carbon neutral everywhere in the world. We invite you to learn more about the significant changes we've made, then let's work together to design a better future.



的。这些新原源是自己是自己的意思。如果你是自己的意思。

The second second second second


HERE PARTY AND A DESCRIPTION OF A DESCRI INTERNAL DISAFTERIAL DISA



VIEW ON THE TRACKS IN YOUR SPACE

Use the online visualiser to view different layouts of On The Tracks. Simply upload a photograph of your space and let the visualiser do the rest.

	Milliken	FLOOR COVERING VIZUALISER PRODUCT DETAILS CHANGE ROOM	FAVOURITES ORDE
	PRODUCT DETAILS		
		ON THE TRACKS Modular Carpet 25cm x 100cm SNL196-13-118 FLINT WITH NAVY ORDER SAMPLE GO TO DETAILS PAGE ON THE TRACKS Modular Carpet 25cm x 100cm OPR13-118 FLINT ORDER SAMPLE GO TO DETAILS PAGE	6
•		ON THE TRACKS Modular Carpet 25cm x 100cm FSL196-13-118 FLINT WITH NAVY ORDER SAMPLE GO TO DETAILS PAGE	
9	SAVE COMBINA	COPY LINK	
•			
	n an	антана на на на такти си за на	ens fest (400/1014/1014/1014/100/





ON THE TRACKS

Open Rail / Signal Line / Fast Lane

SPECIFICATION

Construction - Tufted, Textured Loop Tile Size - 25cm X 100cm Face Fiber - 100% Milliken Certified Nylon Dye Method - Solution Dyed Standard Backing - PVC-Free WellBAC[™] Function Available with TractionBack[®] Nominal Total Thickness - 5.6 mm Flammability - ≥ 0.45 (Class I) Texture Appearance Retention Rating (TARR) - Heavy Indoor Air Quality - CRI Green Label Plus[™] GLP3200, Carpet Category 14X

技术指标

 结构 - 簇绒织造圈绒结构
产品尺寸 - 25厘米 X 100厘米
表层纤维 - 100% 美利肯认证尼龙
染色技术 - 原液染色
标准底垫 - 不含PVC之 WellBAC[™] Function 可选装TractionBack[®] 免胶
额定总厚度 - 5.6 毫米
阻燃性 - ≥ 0.45 (一级)
外观保持等级 (TARR) - 频繁商业使用
室内空气质量 CRI Green Label Plus[™] - GLP3200, 地毯类别 14X

Installation Method 安装方式:



所有板条安装

TractionBack® Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peeland-stick carpet tile.



Follow us on social media:

WeChat

Instagram