

APPENDIX 2: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Finish	Edge Profile	Tile Size	Base	Wear Layer Thickness	Overall Thickness	CRF	CRF Test Report	Slip Resistance Classification	Use Classification (ISO 10582)	Recommended Area of Use	Best Practice PVC and GreenRate Level A
Metro Park - Wood	APPLEWOOD	APL77	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	EUCALYPTUS SALIGNA	ESC114	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	EUCALYPTUS SALIGNA	ECS112	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	HERITAGE WOOD	HTG145	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	HERITAGE WOOD	HTG208	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	HERITAGE WOOD	HTG218	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	KOKUTAN	KKT121	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	KOKUTAN	KKT145	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	PIKE	PKK144	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	PIKE	PKK121-204	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	PIKE	PKK124-208	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	SHENANDOAH	SHN145	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	CHARTER OAK	COK144	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	BEECH	BEH21-121	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	LIVE OAK	LOK18	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	HICKORY	HCR22-20	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	GOLDEN OAK	GOK22	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Wood	ROYAL OAK	ROK176	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.14" x 48.6" (18.14cm x 123.50cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	TANGIBLE	TGB6	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	TANGIBLE	TGB250	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	CHALKBOARD	CKB5	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	CHALKBOARD	CKB133	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	PORCELAIN	POR48	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	SLATE	SLA209	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	SLATE	SLA145	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	POLISHED CONCRETE	PLC67	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	POLISHED CONCRETE	PLC144	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	ARTS AVENUE	ASA209	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Metro Park - Stone	ARTS AVENUE	ASA180	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES

APPENDIX 2: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Finish	Edge Profile	Tile Size	Base	Wear Layer Thickness	Overall Thickness	CRF	CRF Test Report	Slip Resistance Classification	Use Classification (ISO 10582)	Recommended Area of Use	Best Practice PVC and GreenRate Level A
Metro Park - Stone	ARTS AVENUE	ASA153	High performance Rigid Core Flooring	RIGIDFORM™ SPC	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.7cm x 91.4cm)	LVT	0.55mm	6.2mm	CHF/CRF = 9.6kW/m²	AWTA PRODUCT TESTING Test #: 19-006845 Date: 19/03/2020	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	OPEN FRAGMENTS	OPF234-208	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	OPEN FRAGMENTS	OPF250-217	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	CLOSE FRAGMENTS	CLF250-165	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	CLOSE FRAGMENTS	CLF13-209	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	CLOSE FRAGMENTS	CLF209-215	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	PURE SLAB	PSL250	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	PURE SLAB	PSL217	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	PURE SLAB	PSL208	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	PURE SLAB	PSL153	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	PURE SLAB	PSL219	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	FINE GRAIN	FIG234	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	FINE GRAIN	FIG250	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	FINE GRAIN	FIG218	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	FINE GRAIN	FIG13	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	DUST CRYSTALS	DSC209	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	DUST CRYSTALS	DSC250	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	DUST CRYSTALS	DSC120	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Stone	DUST CRYSTALS	DSC220	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	18" x 36" (45.72cm x 91.44cm)	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	GUNNISON	GUN233-176-259	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	GUNNISON	GUN210-206-211	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	GUNNISON	GUN121-204-220	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	GUNNISON	GUN251-219-217	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	GOLDEN OAK	GDK259	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES

APPENDIX 2: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Finish	Edge Profile	Tile Size	Base	Wear Layer Thickness	Overall Thickness	CRF	CRF Test Report	Slip Resistance Classification	Use Classification (ISO 10582)	Recommended Area of Use	Best Practice PVC and GreenRate Level A
Mixed Formations - Made of Wood	GOLDEN OAK	GDK233	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	GOLDEN OAK	GDK211	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	GOLDEN OAK	GDK204	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	GOLDEN OAK	GDK251	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT176	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT210	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT121	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT220	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT217	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	SOFT ALIGNMENT	SAL219	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Mixed Formations - Made of Wood	SOFT ALIGNMENT	SAL206	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWITA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	REFLECTIVE	LRF6-126	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWITA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	REFLECTIVE	LRF13-12	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWITA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	REFLECTIVE	LRF217-205	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWITA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	REFLECTIVE	LRF209-144	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWITA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	REFLECTIVE	LRF6-203	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWITA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	REFLECTIVE	LRF6-154	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWITA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	REFLECTIVE	LRF6-168	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWITA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES

APPENDIX 2: Milliken (Australia) Pty Ltd BPIR Product Summary

[illegible]

APPENDIX 2: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Finish	Edge Profile	Tile Size	Base	Wear Layer Thickness	Overall Thickness	CRF	CRF Test Report	Slip Resistance Classification	Use Classification (ISO 10582)	Recommended Area of Use	Best Practice PVC and GreenRate Level A
Lumenology	LIGHT WASH	LLW209-203	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	LIGHT WASH	LLW209	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	LIGHT WASH	LLW209-168	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	LIGHT WASH	LLW168	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Lumenology	LIGHT WASH	LLW257	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	EWB-7042	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	EWB-7304	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	EWB-7318	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	EWB-7323	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	EWB-7324	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	EWB-7302	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	EWB-7300	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	EWB-7310	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	CWH-1907	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES
Topiary	Topiary 6mm	CWH-1916	High Performance Rigid Core Flooring	RIGIDFORM™ SPC	Anti-Microbial UV Coating	Cut-Bevel	6mm x 232mm x 1532mm	LVT	0.50mm	6mm	CHF/CRF = 10.7kW/m²	AWTA PRODUCT TESTING Test #: 24-001575 Date: 20/05/2024	P3 & R9	Class 33 Heavy Duty Commercial	Commercial Residential	YES