

APPENDIX 2: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Finish	Edge Profile	Tile Size	Base	Wear Layer Thickness	Overall Thickness	CRF	CRF Test Report	Slip Resistance Classification	Use Classification (ISO 10582)	Recommended Area of Use	Best Practice PVC and GreenRate	Declare-3rd Party Red List Free
Mixed Formations - Made of Wood	GOLDEN OAK	GDK211	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	GOLDEN OAK	GDK204	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	GOLDEN OAK	GDK251	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT176	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT210	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT121	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT220	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	HIGH ALIGNMENT	HAT217	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	SOFT ALIGNMENT	SAL219	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Mixed Formations - Made of Wood	SOFT ALIGNMENT	SAL206	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard™ Reinforced Polyurethane Coating	Micro Bevel	7.25" x 48" (18.42cm x 121.92cm) Gunnison: 9" x 60" (228.6mm x 1524mm)*	LVT	0.55mm	5mm	CHF/CRF = 10.4kW/m²	AWTA PRODUCT TESTING Test #: 22-000173 Date: 07/02/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERAL BAND	LAB204	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERAL BAND	LAB206	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERAL BAND	LAB218	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERAL WAVE	LAW114	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERAL WAVE	LAW121	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERAL WAVE	LAW178	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERALS	LAT211	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERALS	LAT222	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERALS	LAT235	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERALS	LAT251	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERALS	LAT254	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Quiet Woods	LATERALS	LAT271	High Performance FLEXFORM SOUND™ LVT	FLEXFORM SOUND™	ProGuard MAX™ Coating	Micro Bevel	250mm x 1500mm	LVT	0.55mm	5mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 22-001009 Date: 19/04/2022	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES

APPENDIX 2: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Finish	Edge Profile	Tile Size	Base	Wear Layer Thickness	Overall Thickness	CRF	CRF Test Report	Slip Resistance Classification	Use Classification (ISO 10582)	Recommended Area of Use	Best Practice PVC and GreenRate	Declare -3rd Party Red List Free
Lumenology	LIGHT WASH	LLW126	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW118	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW203	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW231	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW209-126	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW209-189	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW209-203	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW209	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW209-168	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW168	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES
Lumenology	LIGHT WASH	LLW257	High performance FLEXFORM™ LVT	FLEXFORM™	ProGuard MAX™ Reinforced Polyurethane Coating	Micro Bevel	250mm x 1000mm	LVT	0.55mm	5mm	CHF/CRF = 8.3kW/m²	AWTA PRODUCT TESTING Test #: 21-003302 Date: 31/08/2021	P3 & R10	Class 33 Heavy Duty Commercial	Commercial Residential	YES	YES