Declare.SM

2.5mm Fortified Foundations
Milliken

Final Assembly: Thailand
Life Expectancy: 25 Year(s)
End of Life Options: Recyclable (100%)

Ingredients:

Calcium carbonate; Polyvinyl chloride; Octadecaneoic Acid, 10-Chloro-9-Methoxy, Methyl Ester; Dioctyl terphthalate, DOTP; Soybean oil, epoxidized; Calcium Stearate; Zinc Stearate; Carbon black; Phenol, 4,4′-(1-methylethylidene)bis-, polymer with 2-aminoethanol and 2-(chloromethyl)oxirane; Hexamethylene Diacrylate; 2-Propenoic acid, (1-methyl-1,2-ethanediyl) bis[oxy(methyl-2,1-ethanediyl)] ester; Dipropylene Glycol Diacrylate; Trimethylolpropane Triacrylate; 2-hydroxyethyl Methacrylate; Propoxylated neopentyl glycol Diacrylate; 2-hydroxy-2-methyl-phenyl-propan-1-one; 2,4,6-trimethyl benzoyl diphenyl phosphine oxide

Living Building Challenge Criteria:

I-13 Red List:

☐ LBC Red List Free
☐ LBC Red List Approved
■ Declared

% Disclosed: 100% at 100ppm
VOC Content: Not Applicable

I-10 Interior Performance: CDPH Standard Method v1.1-2010
I-14 Responsible Sourcing: Not Applicable

MKN-0010
EXP. 01 JUL 2027
Original Issue Date: 2015