

Declare.



4.5mm Merge Forward (Rigidform LPT) Milliken

Final Assembly: Japan

Life Expectancy: 15 Year(s)

End of Life Options: Recyclable (100)

Ingredients:

Calcium carbonate; Polypropylene; 1-Propene, polymer with ethene; Sulfuric acid, compd. with graphite (1:?) ; 1-Octene, polymer with ethene; Polyethylene; Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate; Zinc Stearate; Titanium dioxide; Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-; calcium carbonate; Polyurethane; Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)); 2-Propenoic acid, 1,1'-[2-[[3-[(1-oxo-2-propen-1-yl)oxy]-2,2-bis[[[(1-oxo-2-propen-1-yl)oxy]methyl]propoxy]methyl]-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester; Hexamethylene Diacrylate; Aluminum hydroxide; Dipropylene Glycol Diacrylate; Aluminum Oxide; 2-Propenoic acid, monoester with 1,2-propanediol; Amorphous silica; methyl benzoylformate; Fatty acids, C18-unsatd., dimers, di-Me esters, hydrogenated polymers with adipic acid, 5-amino-1,3,3-trimethylcyclohexanemethanamine, 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane and 3-methyl-1,5-pentanediol; Zinc oxide; Carbon black

Living Building Challenge Criteria: Compliant

I-13 Red List:

- | | |
|---|-----------------------------|
| <input checked="" type="checkbox"/> LBC Red List Free | % Disclosed: 100% at 100ppm |
| <input type="checkbox"/> LBC Red List Approved | VOC Content: Not Applicable |
| <input type="checkbox"/> Declared | |

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

MKN-0043

EXP. 01 OCT 2024

Original Issue Date: 2022