WellBAC™ Comfort Solution Dyed Nylon (SDN) Carpet Tile - US by Milliken

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 68 13 Tile Flooring

PRODUCT DESCRIPTION: Modular Cushion back Tile Manufactured in the US



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

WELLBAC™ COMFORT SOLUTION DYED NYLON (SDN) CARPET TILE -

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

US [LIMESTONE, CALCIUM CARBONATE LT-UNK ASPHALT / BITUMENS (BITUMEN) LT-1 | CAN POLYURETHANE FOAMS LT-UNK POLYPROPYLENE LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-**UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE (GLASS** FIBER) LT-UNK HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED LT-UNK STYRENE-BUTADIENE-VINYLIDENE CHLORIDE BASED POLYMER NoGS STYRENE BUTADIENE RUBBER (SBR) (STYRENE-BUTADIENE COPOLYMERS) LT-UNK 2-PROPENOIC ACID, POLYMER WITH 1-PROPENE LT-UNK CAPROLACTAM LT-UNK | SKI | EYE CARBON BLACK BM-1 | CAN CASTOR OIL, ETHOXYLATED, DIOLEATE, MINIMUM NUMBER AVERAGE MOLECULAR WEIGHT (IN AMU), 1260 (CASTOR OIL, ETHOXYLATED, DIOLEATE) LT-UNK COCONUT OIL LT-UNK FATTY ACIDS, TALL-OIL, ETHOXYLATED PROPOXYLATED LT-UNK 5-SULFOISOPHTHALIC ACID, MONOLITHIUM SALT (LITHIUM DIHYDROGEN 5-SULFOISOPHTHALATE) NoGS BUTANEDIOIC ACID, 2-(OCTEN-1-YL)-, POTASSIUM SALT (1:2) (OCTENYL, 1,4-BUTANEDIOIC ACID, **DIPOTASSIUM SALT IN WATER) NoGS 1,2-PROPYLENEGLYCOL,** ETHOXYLATED AND PROPOXYLATED (OXLRANE, METHYL-, POLYMER WITH OXLRANE, ETHER WITH 1,2-PROPANEDIOL (2:1)) LT-UNK PHOSPHINIC ACID, MANGANESE(2++) SALT (2:1) LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-METHYL-OMEGA-(2-PROPEN-1-YLOXY)- LT-UNK ISOCYANIC ACID, POLYMETHYLENEPOLYPHENYLENE ESTER, POLYMER WITH 2-METHYLOXIRANE POLYMER WITH OXIRANE ETHER WITH 1,2,3-PROPANETRIOL (3:1) (POLYMETHYLENEPOLYPHENYL POLYISOCYANATE, GLYCEROL ETHOXYLATED / PROPOXYLATED, COPOLYMER) NoGS POTASSIUM HYDROXIDE LT-P1 | SKI QUARTZ LT-1 |

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Inventory was given by all suppliers to 100ppm

CAN POLYCARBOXYLIC ACID, SODIUM SALT (SALT OF POLYCARBOXYLIC ACID) NoGS SILOXANES AND SILICONES, DI-ME, 3-HYDROXYPROPYL ME, ETHERS WITH POLYETHYLENE GLYCOL MONO-ME ETHER LT-P1 STEARIC ACID LT-P1 | END ANATASE TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN WATER (DIHYDROGEN OXIDE) BM-4 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH 2-PROPENOIC ACID LT-UNK 2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE LT-UNK SILICA, AMORPHOUS (AMORPHOUS SILICA) BM-1 | CAN AMYLOPECTIN, 2-HYDROXY-3-(TRIMETHYLAMMONIO)PROPYL ETHER, CHLORIDE NoGS ANTIMONY PENTAOXIDE LT-1 | AQU | CAN BARIUM LT-P1 | END 1-PROPENE TETRAMER-OXYBISBENZENE REACTION PRODUCTS, SULFONATED, SODIUM SALT (BENZENE, 1,1'-OXYBIS-, TETRAPROPYLENE DERIVS., SULFONATED, SODIUM SALTS) LT-P1 | MUL ALKYL(C10-C13)BENZENE (BENZENE, C10-13-ALKYL DERIVS) LT-UNK BUTENE, POLYMER WITH ETHENE LT-UNK C.I. PIGMENT BLUE 15 BM-3 RUTILE, ANTIMONY CHROMIUM BUFF (C.I. PIGMENT BROWN 24) BM-1 DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE LT-1 | CAN | MUL DISTILLATE FUEL OILS, LIGHT (DISTILLATES, PETROLEUM, HYDROTREATED LIGHT) BM-2 | MAM | CAN FATTY ACIDS, C16-18 AND C18-UNSATD., BRANCHED AND LINEAR, ETHOXYLATED LT-UNK ETHYLENEDIAMINE TETRAACETIC ACID, TETRASODIUM SALT (GLYCINE, N,N'-1,2-ETHANEDIYLBIS[N-(CARBOXYMETHYL)-, TETRASODIUM SALT) LT-P1 | EYE | MUL NAPHTHALENESULFONIC ACIDS, POLYMERS WITH FORMALDEHYDE AND 4,4'-SULFONYLBIS[PHENOL] LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-PHOSPHONO-OMEGA-(DODECYLOXY)-, COMPD. WITH 2,2'-IMINOBIS[ETHANOL], (EO 2-8 MOL) LT-UNK SILOXANE POLYALKYLENEOXIDE COPOLYMER (SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED, ETHOXYLATED PROPOXYLATED) NoGS SODIUM SULFATE (SULFURIC ACID DISODIUM SALT) LT-UNK MAGNESIUM SULFATE, ANHYDROUS (SULFURIC ACID MAGNESIUM SALT (1:1)) LT-UNK SODIUM LAURYL SULFATE (SULFURIC ACID MONODODECYL ESTER SODIUM SALT) LT-P1 | MUL AMMONIUM LAURYL SULFATE (SULFURIC ACID, MONO-C10-16-ALKYL ESTERS, AMMONIUM SALTS) NoGS TRIETHANOLAMINE LT-P1 | RES | END BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) LT-UNK BM-1, PLATELET AGGREGATION INHIBITOR (METHACRYLIC ACID, BUTYL ACRYLATE POLYMER) LT-UNK **SULFONATED POLYAMIDE (POLYMER) NoGS 1,4-**BENZENEDICARBOXYLIC ACID, POLYMER WITH HEXAHYDRO-2H-AZEPIN-2-ONE AND 2-METHYLOXIRANE POLYMER WITH OXIRANE **BIS(2-AMINOPROPYL) ETHER (POLYCAPROLACTAM THERMOPLASTIC RESIN) NoGS 1**

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets Other: ILFI Declare - Red List Free - Third Party Verified Multi-attribute: Cradle to Cradle Certified - Silver (V3.1)

Multi-attribute: NSF/ANSI 140-2015 Sustainability Assessment for Carpet

Standard

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

• Yes

PREPARER: Self-Prepared
VERIFIER: WAP Sustainability Consulting
VERIFICATION #: zPr-10110

SCREENING DATE: 2020-05-15 PUBLISHED DATE: 2020-05-15 EXPIRY DATE: 2023-05-15



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

WELLBAC™ COMFORT SOLUTION DYED NYLON (SDN) CARPET TILE - US

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities were considered during the supplier engagement on disclosure of ingredients.

OTHER PRODUCT NOTES:

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE!	HAZARD SCREENING DATE: 2020-05-15			
%: 30.00 - 50.00	GS: LT-UNK	RC: PreC	nano: No	ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found o	on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight and backing add-on of the carpet and to protect the proprietary information of both Milliken and their suppliers.

The source of the recycled content is post-industrial waste from various processed calcium carbonate products.

ASPHALT / BITUMENS (BITUMEN)

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 6.00 - 9.00	GS: LT-1	RC: None	RC: None NANO: No ROLE: Backing			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	IARC	Group 2b - Po	Group 2b - Possibly carcinogenic to humans			
CANCER	CA EPA - Prop 65	Carcinogen	Carcinogen			
CANCER	US CDC - Occupational Carcinogens	Occupational	Occupational Carcinogen			
CANCER	IARC	•	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CANCER	MAK	•	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			

POLYURETHANE FOAMS ID: 9009-54-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 6.00 - 9.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Backing

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

POLYPROPYLENE ID: 9003-07-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 3.00 - 10.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found o	n HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

POLYETHYLENE TEREPHTHALATE (PET)

ID: **25038-59-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 3.00 - 10.00	GS: LT-UNK	RC: None	nano: No	ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard				n HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE (GLASS FIBER)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-05-15			
%: 1.00 - 2.00	GS: LT-UNK	RC: None NANO: No ROL		ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No war	nings found on H	PD Priority Hazard Lists		

HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED

ID: 69430-35-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ED SCREENING DATE: 2020-05-15			
%: 1.00 - 2.00	GS: LT-UNK	RC: None NANO: No RO		ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard Lists						

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

STYRENE-BUTADIENE-VINYLIDENE CHLORIDE BASED POLYMER

ID: 208448-00-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 1.00 - 5.00	gs: NoGS	RC: None	NANO: No	ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		Nov	warnings found on	HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

STYRENE BUTADIENE RUBBER (SBR) (STYRENE-BUTADIENE COPOLYMERS)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2020	-05-15
%: 0.01 - 4.00	GS: LT-UNK	rg: None Nano: No role		ROLE: Backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

2-PROPENOIC ACID, POLYMER WITH 1-PROPENE

ID: **25214-24-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard Lists						

CAPROLACTAM ID: 105-60-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: LT-UNK	RC: None	nano: No	ROLE: Backing	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation			
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation			

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: BM-1	RC: None	RC: None NANO: No ROLE: Face fiber			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	US CDC - Occupational Carcinogens	Occupationa	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	•	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CANCER	MAK	•	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

CASTOR OIL, ETHOXYLATED, DIOLEATE, MINIMUM NUMBER AVERAGE MOLECULAR WEIGHT (IN AMU), 1260 (CASTOR OIL, ETHOXYLATED, DIOLEATE)

ID: **110531-96-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD S	CREENING D	ATE: 2020-05-15	
%: 0.01 - 1.00	GS: LT-UNK		RC: None	NANO: No	ROLE: Face fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnir	igs found o	n HPD Prio	rity Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

COCONUT OIL ID: 8001-31-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Face fiber	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

FATTY ACIDS, TALL-OIL, ETHOXYLATED PROPOXYLATED

ID: 67784-86-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Face Fiber	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

5-SULFOISOPHTHALIC ACID, MONOLITHIUM SALT (LITHIUM DIHYDROGEN 5-SULFOISOPHTHALATE)

ID: 46728-75-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	ENING DATE: 20)20-05-15	
%: 0.01 - 1.00	GS: NoGS		RC: None	NANO: No	ROLE: Face fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found				found on HPD	Priority Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

BUTANEDIOIC ACID, 2-(OCTEN-1-YL)-, POTASSIUM SALT (1:2) (OCTENYL, 1,4-BUTANEDIOIC ACID, DIPOTASSIUM SALT IN WATER)

ID: 58641-28-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-05-15					
%: 0.01 - 1.00	GS: NoGS		RC: None	NANO: No	ROLE: Face Fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library				CREENING D	ATE: 2020-05-15
%: 0.01 - 1.00	GS: LT-UNK		RC: None	NANO: No	ROLE: Face fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	arnings found o	n HPD Prio	rity Hazard Lists

PHOSPHINIC ACID, MANGANESE(2++) SALT (2:1)

ID: 10043-84-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: LT-UNK	RC: None	nano: No	ROLE: Additives		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard Lists						

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

POLY(OXY-1,2-ETHANEDIYL), ALPHA-METHYL-OMEGA-(2-PROPEN-1-YLOXY)-

ID: 27252-80-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	gs: LT-UNK	RC: None NANO: No F	ROLE: Face Fiber		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD	Priority Hazard List		

ISOCYANIC ACID, POLYMETHYLENEPOLYPHENYLENE ESTER, POLYMER WITH 2-METHYLOXIRANE POLYMER WITH OXIRANE ETHER WITH 1,2,3-PROPANETRIOL (3:1)

ID: 58228-05-0

METHYLOXIRANE POLYMER WITH OXIRANE ETHER WITH 1,2,3-PROPANETRIOL (3:1) (POLYMETHYLENEPOLYPHENYL POLYISOCYANATE, GLYCEROL ETHOXYLATED / PROPOXYLATED, COPOLYMER)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD S	CREENING DA	ATE: 2020-05-15
%: 0.01 - 1.00	GS: NoGS		RC: None	NANO: No	ROLE: Backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No war	nings found or	n HPD Prior	ity Hazard Lists

Milliken and their suppliers.

POTASSIUM HYDROXIDE ID: 1310-58-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: LT-P1	RC: None	nano: No	ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes	H314 - Causes severe skin burns and eye damage			

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	gs: LT-1	RC: None NANO: No ROLE: Backing			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources			
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)			
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man			
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350i - May cause cancer by inhalation			

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

POLYCARBOXYLIC ACID, SODIUM SALT (SALT OF POLYCARBOXYLIC ACID)

ID: 62601-60-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: NoGS	RC: None	NANO: No	ROLE: Backing	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

SILOXANES AND SILICONES, DI-ME, 3-HYDROXYPROPYL ME, ETHERS WITH POLYETHYLENE GLYCOL MONO-ME ETHER

ID: 68938-54-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCR	EENING DATE:	2020-05-15	
%: 0.01 - 1.00	GS: LT-P1		RC: None	nano: No	ROLE: Face fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings fou	nd on HPD Pi	iority Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

STEARIC ACID ID: 57-11-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: LT-P1	RC: None	nano: No	ROLE: Backing	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

ANATASE TITANIUM DIOXIDE (TITANIUM DIOXIDE)

ID: 1317-70-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-05-15			
%: 0.01 - 1.00	GS: LT-1	RC: None	RC: None NANO: No ROLE: Face Fiber			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	US CDC - Occupational Carcinogens	Occupation	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	•	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CANCER	MAK	•	Group 3A - Evidericient to establish	nce of carcinogenic effects MAK/BAT value		

WATER (DIHYDROGEN OXIDE) ID: 7732-18-5

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

The GreenScreen Assessment results were sourced from the Pharos chemicals database.

2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH 2-PROPENOIC ACID

ID: 25751-21-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-05-15		
%: 0.00 - 0.10	GS: LT-UNK	RC: None	nano: No	ROLE: Additives	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists				HPD Priority Hazard Lists	

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE

ID: 26949-30-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2020)-05-15
%: 0.00 - 0.10	GS: LT-UNK	RC: None	nano: No	ROLE: Backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warn	ings found on HI	PD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

SILICA, AMORPHOUS (AMORPHOUS SILICA)

ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15		
%: 0.00 - 0.10	GS: BM-1	RC: None	nano: No	ROLE: Backing	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

AMYLOPECTIN, 2-HYDROXY-3-(TRIMETHYLAMMONIO)PROPYL ETHER, CHLORIDE

ID: 68936-82-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD	HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	gs: NoGS	RC: No I	ne	nano: No	ROLE: Backing	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warni	ngs found on HP	D Priority Hazard Lists	

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

ANTIMONY PENTAOXIDE ID: 1314-60-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: LT-1	RC: None	RC: None NANO: No ROLE: Add			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic	H411 - Toxic to aquatic life with long lasting effects			
CANCER	MAK	Carcinogen (Carcinogen Group 2 - Considered to be carcinogenic for man			

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

BARIUM ID: 7440-39-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15		
%: 0.00 - 0.10	GS: LT-P1	RC: None	nano: No	ROLE: Backing	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	Potential Endocrine Disruptor		

1-PROPENE TETRAMER-OXYBISBENZENE REACTION PRODUCTS, SULFONATED, SODIUM SALT (BENZENE, 1,1'-OXYBIS-, TETRAPROPYLENE DERIVS., SULFONATED, SODIUM SALTS)

ID: 119345-04-9

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
%: 0.00 - 0.10	GS: LT-P1		RC: None	NANO: No	ROLE: Additives
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD S	CREENING D	ATE: 2020-05-15

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

ALKYL(C10-C13)BENZENE (BENZENE, C10-13-ALKYL DERIVS)

ID: 67774-74-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard Lists						

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

BUTENE, POLYMER WITH ETHENE

ID: 9019-29-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: LT-UNK	RC: None	nano: No	ROLE: Additives	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found o	on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

C.I. PIGMENT BLUE 15 ID: 147-14-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15				
	%: 0.00 - 0.10	GS: BM-3	RC: None	nano: No	ROLE: Face Fiber	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

The GreenScreen Assessment results were sourced from the Pharos chemicals database.

RUTILE, ANTIMONY CHROMIUM BUFF (C.I. PIGMENT BROWN 24)

ID: 68186-90-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: BM-1	RC: None	nano: No	ROLE: Face Fiber		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		N	o warnings found	on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE

ID: 64742-46-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10 GS: LT-1		RC: None	nano: No	ROLE: Backing	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	EU - GHS (H-Statements)	H350 - May ca	H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcino	gen, Mutagen &/o	r Reproductive Toxicant	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Haza	rd to Waters		
CANCER	EU - Annex VI CMRs	•	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
CANCER	GHS - Australia	H350 - May cause cancer			

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

DISTILLATE FUEL OILS, LIGHT (DISTILLATES, PETROLEUM, HYDROTREATED LIGHT)

ID: 64742-47-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: BM-2	RC: None	NANO: No	ROLE: Backing		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

The GreenScreen Assessment results were sourced from the Pharos chemicals database.

FATTY ACIDS, C16-18 AND C18-UNSATD., BRANCHED AND LINEAR, ETHOXYLATED

ID: 96349-73-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnin	gs found on HP	D Priority Hazard Lists		

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

ETHYLENEDIAMINE TETRAACETIC ACID, TETRASODIUM SALT (GLYCINE, N,N'-1,2-ETHANEDIYLBIS[N-(CARBOXYMETHYL)-, TETRASODIUM SALT)

ID: **64-02-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library				TE: 2020-05-15
GS: LT-P1		RC: None	NANO: No	ROLE: Additives
AGENCY AND LIST TITLES	WARNINGS			
EU - GHS (H-Statements)	H318 - Causes serious eye damage			
German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters			
	GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) German FEA - Substances Hazardous to	GS: LT-P1 AGENCY AND LIST TITLES WARNINGS EU - GHS (H-Statements) H318 - Causes seri German FEA - Substances Hazardous to Class 2 - Hazard to	GS: LT-P1 RC: None AGENCY AND LIST TITLES WARNINGS EU - GHS (H-Statements) H318 - Causes serious eye dam German FEA - Substances Hazardous to Class 2 - Hazard to Waters	GS: LT-P1 RC: NANO: None No AGENCY AND LIST TITLES WARNINGS EU - GHS (H-Statements) H318 - Causes serious eye damage German FEA - Substances Hazardous to Class 2 - Hazard to Waters

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

NAPHTHALENESULFONIC ACIDS, POLYMERS WITH FORMALDEHYDE AND 4,4'-SULFONYLBIS[PHENOL]

ID: 68411-62-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15		
%: 0.00 - 0.10	GS: LT-UNK	RC: None	nano: No	ROLE: Additives

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

POLY(OXY-1,2-ETHANEDIYL), ALPHA-PHOSPHONO-OMEGA-(DODECYLOXY)-, COMPD. WITH 2,2'-IMINOBIS[ETHANOL], (EO 2-8 MOL)

ID: 128086-07-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD S	HAZARD SCREENING DATE: 2020-05-1		
%: 0.00 - 0.10	GS: LT-UNK		RC: None	NANO: No	ROLE: Additives	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found	d on HPD Pri	ority Hazard Lists	

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

SILOXANE POLYALKYLENEOXIDE COPOLYMER (SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED, ETHOXYLATED PROPOXYLATED)

ID: 64365-23-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD S	HAZARD SCREENING DATE: 2020-05-15		
%: 0.00 - 1.00	gs: NoGS		RC: None	NANO: No	ROLE: Additives	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No w	arnings found	on HPD Pric	ority Hazard Lists	

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

SODIUM SULFATE (SULFURIC ACID DISODIUM SALT)

ID: **7757-82-6**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: LT-UNK	RC: None	nano: No	ROLE: Additives	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Pr					

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

MAGNESIUM SULFATE, ANHYDROUS (SULFURIC ACID MAGNESIUM SALT (1:1))

ID: **7487-88-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	gs: LT-UNK	RC: I	None	nano: No	ROLE: Additives	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warn	ings found on H	PD Priority Hazard Lists	

SODIUM LAURYL SULFATE (SULFURIC ACID MONODODECYL ESTER SODIUM SALT)

Milliken and their suppliers.

ID: 151-21-3

HAZARD SCREENING METHOD: Phar	os Chemical and Materials Library		HAZARD SCRE	ENING DATE: 202	0-05-15
%: 0.00 - 0.10	GS: LT-P1		RC: None	nano: No	ROLE: Additives
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters			

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

AMMONIUM LAURYL SULFATE (SULFURIC ACID, MONO-C10-16-ALKYL ESTERS, **AMMONIUM SALTS)**

ID: 68081-96-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: NoGS		RC: None	NANO: No	ROLE: Additives
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD	Priority Hazard Lists

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

TRIETHANOLAMINE				ID: 102-71- 6	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	gs: LT-P1	RC: None	nano: No	ROLE: Additives	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (I	Rs) - sensitizer-ind	uced	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	locrine Disruptor		

BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)

ID: 25035-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: LT-UNK		RC: None	nano: No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD	Priority Hazard Lists

BM-1, PLATELET AGGREGATION INHIBITOR (METHACRYLIC ACID, BUTYL ACRYLATE POLYMER)

SUBSTANCE NOTES: A range is based on varying face weights and backing add on.

ID: 25035-82-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 0.10	GS: LT-UNK		RC: None	nano: No	ROLE: additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD F	Priority Hazard Lists

SUBSTANCE NOTES: A range is based on varying face weights and backing add on.

SULFONATED POLYAMIDE (POLYMER)

ID: 222173-52-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREET	HAZARD SCREENING DATE: 2020-05-15			
%: 0.00 - 4.00	GS: NoGS	RC: None	nano: No	ROLE: Face Fiber		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		1	No warnings found	on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

1,4-BENZENEDICARBOXYLIC ACID, POLYMER WITH HEXAHYDRO-2H-AZEPIN-2-ONE AND 2-METHYLOXIRANE POLYMER WITH OXIRANE BIS(2-AMINOPROPYL) ETHER (POLYCAPROLACTAM THERMOPLASTIC RESIN)

ID: 97953-26-9

HAZARD SCREENING METHOD: Pharos Che	emical and Materials Library	HAZARD S	3CREENING D	ATE: 2020-05-15
%: 0.00 - 3.00	GS: NoGS	RC: None	NANO:	ROLE: Face Fiber

one found	No warnings found on HPD Priority Hazard Lists
ZARD TYPE AGENCY AND LIST TITLES WARNINGS	



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CRI Green Label Plus - Carpets

CERTIFYING PARTY: Third Party

ISSUE DATE: 2006-

EXPIRY DATE: 2020-

CERTIFIER OR LAB: The Carpet

APPLICABLE FACILITIES: Americas

11-21

09-30

and Rug Institute

CERTIFICATE URL: https://services.carpetrug.org/api/GLPCertificate/7205

CERTIFICATION AND COMPLIANCE NOTES: GLP 7205 WellBAC™ Comfort and Comfort Plus - Digital Dyed Injected modular tile

OTHER

ILFI Declare - Red List Free - Third Party Verified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE: 2020-

CERTIFIER OR LAB: WAP

APPLICABLE FACILITIES: Americas

08-01

08-01

Sustainability

CERTIFICATE URI:

https://floors.milliken.com/docs/default-

source/americas-

documents/segments/sustainability/declare/declare-

--americas/wellbac-comfort.pdf?

sfvrsn=bc723f7c_42

CERTIFICATION AND COMPLIANCE NOTES: WellBAC™ Comfort Carpet Tile

MULTI-ATTRIBUTE

Cradle to Cradle Certified - Silver (V3.1)

CERTIFYING PARTY: Third Party

EXPIRY DATE: 2020-

CERTIFIER OR LAB: Cradle to

APPLICABLE FACILITIES: Americas

02-25

ISSUE DATE: 2019-

03-20

Cradle Products Innovation

Institute

https://floors.milliken.com/docs/default-

source/americas-

CERTIFICATE URI:

documents/segments/sustainability/cradle-to-

cradle/milliken-cradle-to-cradle-02-25-19.pdf?

sfvrsn=bf4fb4c4 8

CERTIFICATION AND COMPLIANCE NOTES: WellBACTM Comfort and Comfort Plus Carpet Tile

MULTI-ATTRIBUTE

NSF/ANSI 140-2015 Sustainability Assessment for Carpet Standard

CERTIFYING PARTY: Third Party

ISSUE DATE: 2008-

11-18

EXPIRY DATE: 2020-

12-31

CERTIFIER OR LAB: NSF

APPLICABLE FACILITIES: Americas CERTIFICATE URL:

https://floors.milliken.com/docs/default-

source/americas-

documents/segments/sustainability/nsf-

140/milliken-es-backed-carpet-tile-certified-

nsf-140-gold.pdf?sfvrsn=a1f9bfe7 11

CERTIFICATION AND COMPLIANCE NOTES: WellBACTM Comfort and Comfort Plus with standard ES backing

MANAGEMENT

ISO 14001:2004 Environmental management systems

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Americas

ISSUE DATE: 2009-06-27

EXPIRY DATE: 2021-06-20 CERTIFIER OR LAB: UL

CERTIFICATE URL: https://floors.milliken.com/docs/default-

source/americas-

documents/segments/sustainability/iso14001/americas-

iso-14001-certificate.pdf?sfvrsn=8a34fb40_15

CERTIFICATION AND COMPLIANCE NOTES:

ISO 9001:2015 Quality management systems

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Americas

ISSUE DATE: 2012-

EXPIRY DATE: 2021- CERTIFIER OR LAB: Audit3,

06-01

05-01

LLC

CERTIFICATE URL: https://floors.milliken.com/docs/default-

source/americas-

MANAGEMENT

documents/segments/sustainability/iso9001/americas-

qms-certificate.pdf?sfvrsn=84c62761_13

CERTIFICATION AND COMPLIANCE NOTES:

Environmental Product Declaration (EPD) by UL

01-01

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

01-01

EXPIRY DATE: 2024-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Americas

CERTIFICATE URL: https://spot.ul.com/main-

app/products/detail/5c58538455b0e81fc81f6d77?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Type III Product Specific EPD Document #: 135697-4150 Document #: 135696-

4150

LCA

Bection 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MILLIKEN MODULAR ADHESIVE

HPD URL: No HPD available

Renovations: Little or no floor prep Unlike many hardback products, Milliken does not require the removal of old adhesives. This can significantly reduce expenditures of both time and money. • Non-reactive backing eliminates adhesive failures from plasticizer migration • Unlike some products with thin thermoplastic backings, the thickness of our cushion will result in virtually no telegraphing . No grinding, no solvents - a big plus for indoor air quality . Simply knock down the high ridges of the existing adhesive and start installing immediately Industry-best moisture management Milliken has seen ZERO moisture claims over the last 20+ years. The reason? Our cushion backing. • Non-Reactive Standard adhesive with our standard cushion backing handles up to 95% RH for on-grade installations • NO moisture testing required for ANY above-grade install • There is NO pH limit • Milliken modular products are warrantied for life against adhesive breakdown due to moisture vapor emissions New construction: Install sooner Construction schedules often force a choice between less-than-perfect options: 1) Delay installation to comply with recommended concrete curing times or moisture levels 2) Decide to chance an early installation, or 3) Pay extra for concrete admixtures or for third-party moisture-mitigation Not with Milliken. Exceptional moisture management allows installations to start sooner than most other manufacturers are comfortable with - for Non-Reactive Standard adhesive, as soon as 60 days after a completed pour, with no RH or pH limits.



Section 5: General Notes

All ingredient data down to 100ppm is third party verified.

MANUFACTURER INFORMATION

MANUFACTURER: Milliken

ADDRESS: 300 Lukken Industrial Dr. LaGrange GA 30240, United States

WEBSITE: https://floors.milliken.com/floors/en-

us/home

CONTACT NAME: Jennifer Smith

TITLE: Sustainability Development Leader

PHONE: 7063500964

EMAIL: jenniferg.smith@milliken.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.