

# Declare.



## 5.0mm Fortified Foundations and Original Collection Milliken

**Final Assembly:** Zhenjiang, Jiangsu, China

**Life Expectancy:** Commercial: 10 Years, Residential: 25 Year(s)

**End of Life Options:** Recyclable (100%)

### Ingredients:

Calcium carbonate; Polyvinyl chloride; Octadecaneic Acid, 10-Chloro-9-Methoxy, Methyl Ester; Dioctyl terphthalate, DOTP; Magnesium hydroxide; Glass Fiber; Soybean oil, epoxidized; Calcium Stearate; Zinc Stearate; Carbon black; Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-aminoethanol and 2-(chloromethyl)oxirane; Hexamethylene Diacrylate; 2-hydroxyethyl Methacrylate; 2-Propenoic acid, (1-methyl-1,2-ethanediy) bis[oxy(methyl-2,1-ethanediy)] ester; Dipropylene Glycol Diacrylate; Propoxylated neopentyl glycol Diacrylate; Trimethylolpropane Triacrylate; 2-hydroxy-2-methyl-phenyl-propan-1-one; 2,4,6-trimethyl benzoyl diphenyl phosphine oxide

### Living Building Challenge Criteria:

#### I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: Not Applicable
- Declared

**I-10 Interior Performance:** CDPH Standard Method v1.2-2017

**I-14 Responsible Sourcing:** Not Applicable

MKN-0028

EXP. 01 APR 2025

Original Issue Date: 2018