

Declare.

WellBAC Comfort Plus Carpet Tile - AUS Milliken

Final Assembly: Sydney, New South Wales, Australia

Life Expectancy: 15 Year(s)

End of Life Options: Recyclable (100%)

Ingredients:

Nylon 6; Calcium Carbonate; 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with bis(isocyanatomethyl)benzene; Carbonic acid, magnesium salt (1:1); Calcium carbonate; Polypropylene; POLYETHYLENE TEREPHTHALATE/POLYBUTYLENE TEREPHTHALATE; Acetic acid ethenyl ester, polymer with ethene; Ethylene propylene polymer; Fatty acids, castor-oil, caustic-oxidized, distn. residues, esters with ammonia-ethylene oxide reaction product distn. residues, compds. with diethylenetriamine and triethylenetetramine; Hydrocarbons, C6-20, polymers, hydrogenated; Glass Fiber; 2,5-Furandione, polymer with 1-propene; Acrylic acid; Amorphous Quartz; Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts; Zinc pyrithione; Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl); Diethanolamine; Glycerin-Kokos- β -l-Transester-EO/PO-random, (mittlere Molmasse 1000 g/mol); Stearic Acid; Caprolactam; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethyl 2-propenoate, N-(hydroxymethyl)-2-propenamide and 2-propenamide; N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)isophthalamide; Polyethylene; 13-Docosenamide, N-octadecyl-, (Z)-; 2-Propenoic acid, homopolymer, sodium salt; Benzenepropanoic acid, 3-(1,1-dimethylethyl)-4-hydroxy-5-methyl-, 1,2-ethanediybis(oxy-2,1-ethanediy) ester; Butanedioic acid, sulfo-, 1,4-bis(2-ethylhexyl) ester, sodium salt; Dodecanedioic Acid; Fatty acids, C16-18; Hexanedioic acid, polymer with hexahydro-2H-azepin-2-one and 1,6-hexanediamine; Melamine; Petroleum resins; Phenol, 2,4-bis(1,1-dimethylethyl)-, phosphite (3:1); Sorbitan, tri-9-octadecenoate, poly(oxy-1,2-ethanediy) derivs., (Z,Z,Z)-; Zinc Stearate; Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]methyl]-1,3-propanediy ester; Distillates, petroleum, hydrotreated light; 2,2-dibromo-2-cyanoacetamide; Carbon black; Titanium dioxide

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: Not Applicable
- Declared

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

MKN-0022
EXP. 01 DEC 2025
Original Issue Date: 2018

Third
Party
Verified