APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Amplifier	BEATS	BTS119-154	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.79mm	5.60mm	CHF/CRF = 5.5kW/m²	APL | Laboratory Test Report: P172554NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	BEATS	BTS27-174	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.79mm	5.60mm	CHF/CRF = 5.5kW/m²	APL | Laboratory Test Report: P172554NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	BEATS	BTS154-180	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.79mm	5.60mm	CHF/CRF = 5.5kW/m²	APL | Laboratory Test Report: P172554NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	BEATS	BTS27-73	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.79mm	5.60mm	CHF/CRF = 5.5kW/m²	APL | Laboratory Test Report: P172554NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	ECHO	ECH119-154	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.79mm	5.60mm	CHF/CRF = 5.5kW/m²	APL | Laboratory Test Report: P172554NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	ECHO	ECH27-174	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.79mm	5.60mm	CHF/CRF = 5.5kW/m²	APL | Laboratory Test Report: P172554NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	ECHO	ECH154-180	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.79mm	5.60mm	CHF/CRF = 5.5kW/m²	APL | Laboratory Test Report: P172554NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	ECHO	ECH27-73	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.79mm	5.60mm	CHF/CRF = 5.5kW/m²	APL | Laboratory Test Report: P172554NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	TREBLE	TBL119-154	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.00mm	5.30mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report: P172555NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	TREBLE	TBL27-174	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.00mm	5.30mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report: P172555NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	TREBLE	TBL154-180	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.00mm	5.30mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report: P172555NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	TREBLE	TBL27-73	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.00mm	5.30mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report: P172555NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	OCTAVE	OCT119-154	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.00mm	5.30mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report: P172555NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	OCTAVE	OCT27-174	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.00mm	5.30mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report: P172555NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	OCTAVE	OCT154-180	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.00mm	5.30mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report: P172555NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Amplifier	OCTAVE	OCT27-73	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	2.00mm	5.30mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report: P172555NZ | Date: 15/11/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP108-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP203-230	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP109-60	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP204-171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP52-126	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP171-25	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP124-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP108-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP111-134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP15-121	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP67-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP52-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP229-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP45-28	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP48-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP174-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP122-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	EXPEDITION	EXP93-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	4.83mm	9.7mm	CHF/CRF = 6.9kW/m²	APL | Laboratory Test Report | P172436NZ | Date: 03/10/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST108-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST203-230	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Arctic Survey	ISOTHERM	IST109-60	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST204-171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST52-126	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST171-25	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST124-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST108-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST111-134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST15-121	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST67-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST52-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST229-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST45-28	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST48-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST174-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST122-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	ISOTHERM	IST93-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK108-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK203-230	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK109-60	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK204-171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK52-126	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK171-25	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK124-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK108-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK111-134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK15-121	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK67-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK52-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK229-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK45-28	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK48-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Arctic Survey	SHACKLETON	SHK174-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK122-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Arctic Survey	SHACKLETON	SHK93-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL | Laboratory Test Report | P172191NZ | Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CEMENT	CEM133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CEMENT	CEM119-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CEMENT	CEM79-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CEMENT	CEM120-204	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CEMENT	CEM250-204	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CEMENT	CEM122-212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CONSTRUCTION	COS133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CONSTRUCTION	COS119-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CONSTRUCTION	COS79-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CONSTRUCTION	COS120-204	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CONSTRUCTION	COS250-204	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Distinct Forms	CONSTRUCTION	COS122-212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	8.3mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Testing #: 23-000637 | Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	ALLOY	ALY174-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	ALLOY	ALY259-220	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	ALLOY	ALY259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	ALLOY	ALY152-220	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	ALLOY	ALY152-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	ALLOY	ALY220-158	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	ALLOY	ALY13-220	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	FOUNDRY	FDR250-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	FOUNDRY	FDR174-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	FOUNDRY	FDR259-220	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	FOUNDRY	FDR259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	FOUNDRY	FDR152-220	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	FOUNDRY	FDR152-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	FOUNDRY	FDR220-158	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Heavy Meta	FOUNDRY	FDR13-220	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	3.4mm	9.7mm	CHF/CRF = 3.7kW/m²	AWTA PRODUCT TESTING | Testing #: 23-003778 | Date: 26/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL27-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Karona 3	ECLIPSE	ECL27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL124-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL174-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG174-27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-27-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-124-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN174-27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-27-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-124-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.00mm	8.4mm	CHF/CRF = 3.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001203 | Date: 07/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL27-154	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL123	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL27-152	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL124-27	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL109	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL141	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL144	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL174-27	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL133	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	ECLIPSE	ECL125	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Karona 3	LIGHTNING	LIG133-125	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-27-152	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG174-27-152	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-109	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-123	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-27-154	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-141	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-144	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LIGHTNING	LIG133-124-27	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-125	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-27-152	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN174-27-152	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-109	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-123	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-27-154	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-141	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-144	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Karona 3	LUNAR	LUN133-124-27	Tufted, Textured Loop	WellBAC® Function (PVC FREE) (Non-Reactive Backing)	50cm x 50cm	SDN	3.00mm	5.84mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Testing #: 18-006441 | Date: 21/02/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN211-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN211-27-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN218-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN27-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN209-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN79-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN250-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN205-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN212-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN6-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN259-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN94-211-212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN94-27-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN141-79-209	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN141-118-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN183-118-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN190-79-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	DISTORTION	DTN60-79-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN211-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN211-27-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Major Frequency: One	VIBRATION	VBN218-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN27-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN209-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN79-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN250-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN205-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN212-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN6-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN259-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN94-211-212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN94-27-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN141-79-209	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN141-118-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN183-118-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN190-79-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency: One	VIBRATION	VBN60-79-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN114-121 Effect	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN165-235 Sweeper	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN173-180 Phase	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN211 Ochre	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN229 Teal	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN230 Green	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN235-215 Fader	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN240 Moss	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN245 Blue	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN258-245 Indigo	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN26-33 Rust	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Major Frequency One: Colours	DISTORTION	DTN70 Brick	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	SDN	2.0mm	8.8mm	CHF/CRF = 5.8kW/m²	AWTA PRODUCT TESTING | Testing #: 19-007309 | Date: 18/05/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP6-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP133-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP157-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Nordic Stories	HIDDEN PLAINS	HDP119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP108-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP108-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP133-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP19-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP67-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP153-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP120-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP124-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP121-145	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP180-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP122-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	HIDDEN PLAINS	HDP48-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD6-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD133-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD157-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD108-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD108-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD133-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD19-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD67-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD153-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD120-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD124-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD121-145	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD180-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	ISOGRAD	IGD122-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Nordic Stories	ISOGRAD	IGD48-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.00mm	8.2mm	CHF/CRF = 4.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001199 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC6-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC133-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC157-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC108-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC108-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC133-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC19-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC67-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC153-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC120-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC124-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC121-145	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC180-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC122-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Nordic Stories	TECTONIC	TTC48-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	1.84mm	8.4mm	CHF/CRF = 6.6kW/m²	AWTA PRODUCT TESTING | Testing #: 19-001183 | Date: 06/06/2019	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR108-215	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR138-250	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR138-264	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR139-245	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR143-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR144-6	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR145-217	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR146-70	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR153-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR174-27	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR180-106	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR199-245	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR203-241	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Northward Bound 2.0	FIRN	FIR211-210	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR212-254	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR213-120	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR215-212	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR220-236	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR235-225	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR235-44	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR241-240	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR245-250	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR248-249	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR250-152	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR250-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR250-83	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR274-241	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	FIRN	FIR48-64	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA108-215	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA138-250	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA138-264	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA139-245	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA143-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA144-6	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA145-217	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA146-70	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA153-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA174-27	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA180-106	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA199-245	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA203-241	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA211-210	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA212-254	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA213-120	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA215-212	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Northward Bound 2.0	Glacier	GLA220-236	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA235-225	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA235-44	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA241-240	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA245-250	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA248-249	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA250-152	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA250-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA250-83	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA274-241	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Glacier	GLA48-64	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.5mm	9.4mm	CHF/CRF = 5.8kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005567 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO108-215	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO138-250	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO138-264	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO139-245	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO143-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO144-6	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO145-217	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO146-70	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO153-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO174-27	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO180-106	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO199-245	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO203-241	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO211-210	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO212-254	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO213-120	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO215-212	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO220-236	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO235-225	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO235-44	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO241-240	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Northward Bound 2.0	Snow	SNO245-250	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO248-249	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO250-152	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO250-174	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO250-83	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO274-241	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Northward Bound 2.0	Snow	SNO48-64	Tufted, Texture Loop Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.1mm	9.0mm	CHF/CRF = 5.5kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005571 | Date: 22/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM217-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM217-262-234	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM220-262-256	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM217-224-234	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM217-240-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM213-240-275	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM240-275-274	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM13-209	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM209-267-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	FATA MORGANA	FTM247-267-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA217-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA217-262-234	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA220-262-256	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA217-224-234	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA217-240-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA213-240-275	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA240-275-274	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA13-209	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA209-267-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	STRATA	STA247-267-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	CRYSTALS	CYT220-214	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	CRYSTALS	CYT215-209	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	CRYSTALS	CYT217-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	CRYSTALS	CYT13-209	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm X 100cm	SDN	2.8mm	9.3mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000273 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY05	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Tracing Landscapes	FIELD STUDY	FSY06	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY102	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY104	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY109	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY118	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY119	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY123	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY126	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY128	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY13	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY137	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY139	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY140	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY144	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY149	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY153	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY165	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY167	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY180	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY199	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY204	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY220	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY229	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY233	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY235	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY236	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY240	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY251	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY254	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY259	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY26	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY260	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Tracing Landscapes	FIELD STUDY	FSY262	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY27	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY274	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY28	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY46	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY52	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY62	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY69	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY70	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY74	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY79	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	FIELD STUDY	FSY98	Tufted, Texture Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	3.3mm	9.2mm	CHF/CRF = 7.2kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005563 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN05	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN06	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN102	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN118	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN119	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN13	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN139	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN144	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN153	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN165	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN180	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN199	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN204	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN220	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN235	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN240	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN251	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN254	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN259	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN26	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Tracing Landscapes	GEOGRAPHY LESSON	GLN27	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN46	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN52	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN69	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN74	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Tracing Landscapes	GEOGRAPHY LESSON	GLN79	Tufted, Texture Loop (Tip Shear)	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.9mm	8.8mm	CHF/CRF = 6.4kW/m2	AWTA PRODUCT TESTING | Testing #: 25-005565 | Date: 21/01/2026	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL108-204	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL173-174	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL119-174	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL209-152	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL152-106	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL19	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL119-106	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL52	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL201-161	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL103-45	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL125-201	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL45-28	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL28-133	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL204-153	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL215-235	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL70-102	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL146-70	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL209-143	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL167-124	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL101-125	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL230-87	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL139-101	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL159-123	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	BELUGA	BEL203-240	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM108-204	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM173-174	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Whale Song	HUMPBACK	HUM119-174	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM209-152	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM152-106	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM19	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM119-106	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM52	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM201-161	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM103-45	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM125-201	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM45-28	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM28-133	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM204-153	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM215-235	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM70-102	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM146-70	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM209-143	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM167-124	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM101-125	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM230-87	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM139-101	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM159-123	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Whale Song	HUMPBACK	HUM203-240	Tufted, Textured Loop, Tip Shear	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	2.7mm	8.7mm	CHF/CRF = 5.0kW/m²	AWTA PRODUCT TESTING | Testing #: 23-001265 | Date: 18/05/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	OUTSPOKEN TRADITION	OST215-27-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	OUTSPOKEN TRADITION	OST215-245-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	OUTSPOKEN TRADITION	OST171-158	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	OUTSPOKEN TRADITION	OST221-13-204	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	OUTSPOKEN TRADITION	OST33-39	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	OUTSPOKEN TRADITION	OST122-97	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	OUTSPOKEN TRADITION	OST103-89-45	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	OUTSPOKEN TRADITION	OST168-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	WITHOUT RESERVE	WR180-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	WITHOUT RESERVE	WR180-153-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Artistic Liberties	WITHOUT RESERVE	WR138-215-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	WITHOUT RESERVE	WR235-260	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	WITHOUT RESERVE	WR231-103-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	WITHOUT RESERVE	WR122-97	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	WITHOUT RESERVE	WR103-89-45	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Artistic Liberties	WITHOUT RESERVE	WR33-39	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001574 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA134-75	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA137	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA14	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA146-147	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA148-147	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA149	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA152-145	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA161	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA162-101	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA165	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA166	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA168	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA169-102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Beyond Chroma	CHROMA	CMA172-132	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA18	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA182-131	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA188-166	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA188-231	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA196-198	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA229	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA230	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA230-125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA231-184	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA240	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA240-101	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA253	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA263	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA64-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA65-134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA701-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA89-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA144-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Beyond Chroma	CHROMA	CMA217-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA235-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA18-167	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA135-69	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA104-192	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA236-26	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA263-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA244-157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA245-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA462-132	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Beyond Chroma	CHROMA	CMA230-274	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Arboretum	ARB144-166-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Arboretum	ARB144-28-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Arboretum	ARB262-26-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Arboretum	ARB180-6-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Arboretum	ARB180-126-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Arboretum	ARB212-108-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Arboretum	ARB21-83-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Arboretum	ARB144-122-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Grevillea	GRV144-166-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Grevillea	GRV144-28-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Grevillea	GRV262-26-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Grevillea	GRV180-6-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Grevillea	GRV180-126-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Grevillea	GRV212-108-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Grevillea	GRV21-83-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Grevillea	GRV144-122-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Heartwood	HTW144-166-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Heartwood	HTW144-28-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Heartwood	HTW262-26-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Heartwood	HTW180-6-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Heartwood	HTW180-126-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Botanic Impressions	Heartwood	HTW212-108-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Heartwood	HTW21-83-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Heartwood	HTW144-122-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Lenticels	LTC144-166-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Lenticels	LTC144-28-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Lenticels	LTC262-26-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Lenticels	LTC180-6-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Lenticels	LTC180-126-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Lenticels	LTC212-108-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Botanic Impressions	Lenticels	LTC21-83-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - COOL STRIPE	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Circular Relationships	LOOP TRACK	CRL62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	TUSSOCK	CRT176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	ROCK GRAIN	CRR176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	FOSSIL POINT	CRF176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Circular Relationships	LOOP TRACK	CRL138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL1S4-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	LOOP TRACK	CRL176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	WAVE BREAK	CRW176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD138-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD154-133-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD180-13-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD140-19-215	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD62-178-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Circular Relationships	DUNES	CRD176-82-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG240-27-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG159-182	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG21-145-206	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG174-123-75	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG65-58	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG230-27-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG179-27-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG190-133-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG44-133-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG174-27-242	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG205-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG165-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHT GEOMETRIC	CNG264-248	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
City Nights	CITY NIGHTS	CNI240-27-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI159-182	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI21-145-206	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI174-123-75	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI65-58	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI230-27-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI179-27-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI190-133-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI44-133-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI174-27-242	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI205-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI165-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
City Nights	CITY NIGHTS	CNI264-248	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW118-108-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW13-83-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW152-139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW171-181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW171-33-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW172-124-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW180-118-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW48-118-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW48-181-149	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV118-166-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV13-139-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV15-144-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV152-119-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV171-110-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV171-145-67	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV171-181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV173-158-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV174-75-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Clerkenwell	CIRCLE TOP VIEW	CTV180-118-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV180-133-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV48-149-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV48-172-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV48-79-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP103-79-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP131-158-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP13-124-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP132-118-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP149-173-181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP180-79-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP27-83-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP33-137-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP38-13-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC102-20-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC103-79-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC131-158-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC13-124-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC132-118-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC149-173-181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC158-157-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC180-79-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC27-83-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC33-137-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC38-13-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE104-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE124-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE144-27-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE154-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE154-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE157-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Clerkenwell	TIME PIECE	TPE158-139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE174-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE180-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE62-13-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE79-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL12-13-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL13-172-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL140-152-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL144-118-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL148-171-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL151-171-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL154-180-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL48-137-149	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL73-48-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP118-103-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP118-166-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP13-139-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP139-25-132	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP144-51-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP15-144-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP152-119-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP153-144-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP153-158-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP171-110-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP171-181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP171-73-157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP180-118-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP180-27-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP48-149-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP48-172-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP48-79-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP48-98-167	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Clerkenwell	WATCH MAKING	WMG118-180-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG118-79-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG13-154-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG152-139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG171-154-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG171-174-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG172-124-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG48-104-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG48-157-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW118-108-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW13-83-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW152-139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW171-181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW171-33-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW172-124-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW180-118-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW48-118-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ANGLED WALK	AGW48-181-149	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV118-166-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV13-139-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV15-144-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV152-119-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV171-110-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV171-145-67	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV171-181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV173-158-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV174-75-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV180-118-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV180-133-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV48-149-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV48-172-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV48-79-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Clerkenwell	ELY PLACE	ELP103-79-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP131-158-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP13-124-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP132-118-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP149-173-181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP180-79-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP27-83-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP33-137-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	ELY PLACE	ELP38-13-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC102-20-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC103-79-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC131-158-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC13-124-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC132-118-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC149-173-181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC158-157-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC180-79-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC27-83-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC33-137-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	THREE CORNERS	THC38-13-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE104-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE124-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE144-27-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE154-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE154-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE157-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE158-139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE174-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE180-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE62-13-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TIME PIECE	TPE79-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Clerkenwell	TRAVELLING LINE	TVL12-13-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL13-172-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL140-152-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL144-118-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL148-171-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL151-171-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL154-180-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL48-137-149	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRAVELLING LINE	TVL73-48-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP118-103-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP118-166-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP13-139-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP139-25-132	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP144-51-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP15-144-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP152-119-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP153-144-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP153-158-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP171-110-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP171-181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP171-73-157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP180-118-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP180-27-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP48-149-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP48-172-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP48-79-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	TRIANGULAR PATH	TGP48-98-167	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG118-180-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG118-79-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG13-154-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG152-139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG171-154-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Clerkenwell	WATCH MAKING	WMG171-174-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG172-124-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG48-104-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Clerkenwell	WATCH MAKING	WMG48-157-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX133-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX126	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX140-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX97	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX41	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX178-134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX178-167	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX133-231	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX133-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX58-43	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX100-28	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX178-137	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX178-261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX133-263	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX46-245	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX110	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX195	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Colour Connect 2.0	LINX	LIX263	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Connect 2.0	LINX	LIX262	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	3.1mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA215-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA133-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA215-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA153-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA79-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA59-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA254-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA6-209	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA228-196	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA258-249	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA6-188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA120-230	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA203-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA153-261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA252-189	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA109-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA189-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA139-171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA196-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA249-258	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA218-188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA13-203	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA202-203	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA120-261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA189-252	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA169-109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA189-109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE	SEA171-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Coastline	SEASCAPE TRANSITION	SET154-153/228-196	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET228-196/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/258-249	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET258-249/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/6-188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET6-188/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/120-230	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET120-230/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/203-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET203-202/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/153-261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-261/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/252-189	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET252-189/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/109-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET109-169/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/189-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET189-169/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET154-153/139-171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET139-171/154-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/196-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET196-228/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/249-258	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET249-258/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/218-188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET218-188/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/13-203	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET13-203/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/202-203	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET202-203/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/120-261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET120-261/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Coastline	SEASCAPE TRANSITION	SET153-207/189-252	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET189-252/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/169-109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET169-109/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/189-109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET189-109/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET153-207/171-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Coastline	SEASCAPE TRANSITION	SET171-139/153-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM154-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM94-151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM180-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM120-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM13-157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM5-172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Colour Compositions		CCM6-125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM106-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM152-105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM118-162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM174-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM171-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM48-128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM108-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM79-109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM153-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM154-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM94-151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM180-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Colour Compositions		CCM120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM120-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM13-157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM5-172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM6-125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM106-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM152-105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM118-162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM174-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM171-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Colour Compositions		CCM48-128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM108-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM79-109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Colour Compositions		CCM153-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	LAID BARE	LDB119-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	LAID BARE	LDB119-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	LAID BARE	LDB13-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	LAID BARE	LDB133-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	LAID BARE	LDB154-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	LAID BARE	LDB27-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN DRAMA	UDR133-13-189	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN DRAMA	UDR133-13-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN DRAMA	UDR133-13-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN DRAMA	UDR133-13-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN DRAMA	UDR133-13-263	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN POETRY	UPY154-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN POETRY	UPY154-180-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN POETRY	UPY154-180-151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN POETRY	UPY154-180-188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Comfortable Concrete	URBAN POETRY	UPY154-180-261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ83-86	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ6-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ25-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ144-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ132	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ39	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ15-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Consequence 2.0	SEQUEL	SEQ108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ59-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ180-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ21-14	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ144-165	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ122-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	SEQUEL	SEQ77-39	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 39-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 124-47	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 48-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 108-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 95-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 108-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 95-86	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 04-41	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 55-46	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS 124-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS21-41	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS14-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS62-42	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS132-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS159-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Consequence 2.0	UPSHOT	UPS131-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Avenida Field 01105539	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Avenida Rug 01114388	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Avenida Runner A 01105586	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Avenida Runner B 01111986	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Beco Field A 01118335	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Beco Field B 01118337	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Beco Field B 01118341	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Beco Field C 01111944	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Creo	BRASILIA	Beco Field D 01112045	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Beco Field E 01118352	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Beco Field E 01119888	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Beco Field F 01111485	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Beco Field F 01111488	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Rua Field 01105587	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Rua Runner 01111471	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Rua Runner 01111472	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	BRASILIA	Rua Small Field 01114390	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Avenida Field 01105495	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Avenida Rug 01105482	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Avenida Runner A 01105486	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Avenida Runner B 01105485	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field A 01098929	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field A 01111887	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field B 01097857	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field B 01098965	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field C 01107335	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field D 01107340	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field E 01098953	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field E 01098954	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field F 01098702	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Beco Field F 01098706	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Rua Field 01097850	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Rua Runner 01098506	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Rua Runner 01098509	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	RIO	Rua Small Field 01098666	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Avenida Field 01102884	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Avenida Rug 01100746	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Avenida Runner A 01102903	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Avenida Runner B 01097848	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field A 01097909	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Creo	SAO PAOLO	Beco Field B 01097856	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field B 01103567	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field C 01097910	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field C 01103568	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field D 01101326	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field D 01103534	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field E 01103592	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field E 01103594	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field F 01103528	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Beco Field F 01103532	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Rua Field 01103962	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Rua Runner 01111603	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Rua Runner 01111606	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Creo	SAO PAOLO	Rua Small Field 01103960	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Water (Ngaarlu)	WNG212-219	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Water (Ngaarlu)	WNG153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Me (Ngaanya)	MEN212-219-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Me (Ngaanya)	MEN212-219-146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Me (Ngaanya)	MEN212-219-105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Me (Ngaanya)	MEN153-118-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Me (Ngaanya)	MEN153-118-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Me (Ngaanya)	MEN153-118-125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Family (Barrmarrany)	FAB212-219-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Family (Barrmarrany)	FAB212-219-146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Family (Barrmarrany)	FAB212-219-105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Family (Barrmarrany)	FAB153-118-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Family (Barrmarrany)	FAB153-118-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - BRENTYN LUGNAN	Family (Barrmarrany)	FAB153-118-125	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 100cm x 100cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Country (Boodja)	COB207-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Country (Boodja)	COB44-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Country (Boodja)	COB144-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Country (Boodja)	COB174-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
CORROBOREE - KEVIN BYNDER	Country (Boodja)	COB190-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Country (Boodja)	COB43-53	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Country (Boodja)	COB19-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Country (Boodja)	COB137-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Darling Ranges (Kaata Morda)	DRK207-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Darling Ranges (Kaata Morda)	DRK44-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Darling Ranges (Kaata Morda)	DRK144-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Darling Ranges (Kaata Morda)	DRK174-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Darling Ranges (Kaata Morda)	DRK190-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Darling Ranges (Kaata Morda)	DRK43-53	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Darling Ranges (Kaata Morda)	DRK19-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Darling Ranges (Kaata Morda)	DRK137-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Waterholes (Ngamma)	WAN207-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Waterholes (Ngamma)	WAN44-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Waterholes (Ngamma)	WAN144-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Waterholes (Ngamma)	WAN174-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Waterholes (Ngamma)	WAN190-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Waterholes (Ngamma)	WAN43-53	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Waterholes (Ngamma)	WAN19-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - KEVIN BYNDER	Waterholes (Ngamma)	WAN137-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Dried Up (Muyutu)	DUM120-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Dried Up (Muyutu)	DUM217-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops (Milthi)	RDM120-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops (Milthi)	RDM137-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops (Milthi)	RDM203-240	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops (Milthi)	RDM190-128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops (Milthi)	RDM68-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops (Milthi)	RDM183	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Overflowing (Ngamitjurnpat)	OFN120-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Overflowing (Ngamitjurnpat)	OFN137-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Overflowing (Ngamitjurnpat)	OFN203-240	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Overflowing (Ngamitjurnpat)	OFN190-128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
CORROBOREE - CHERN'EE SUTTON	Overflowing (Ngamitjurnpat)	OFN68-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Overflowing (Ngamitjurnpat)	OFN183	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops | Dried Up (Milthi Muyutu)	DUR120-218 | 120-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops | Dried Up (Milthi Muyutu)	DUR137-207 | 120-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops | Dried Up (Milthi Muyutu)	DUR183 | 120-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops | Dried Up (Milthi Muyutu)	DUR203-240 | 217-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops | Dried Up (Milthi Muyutu)	DUR190-128 | 217-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Raindrops | Dried Up (Milthi Muyutu)	DUR68-207 | 217-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Dried Up | Raindrops (Muyutu Milthi)	DUR120-144|120-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Dried Up | Raindrops (Muyutu Milthi)	DUR120-144|137-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Dried Up | Raindrops (Muyutu Milthi)	DUR120-144|183	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Dried Up | Raindrops (Muyutu Milthi)	DUR217-259|203-240	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Dried Up | Raindrops (Muyutu Milthi)	DUR217-259|190-128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - CHERN'EE SUTTON	Dried Up | Raindrops (Muyutu Milthi)	DUR217-259|68-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra Base	2.8mm	8.4mm	CHF/CRF = 6.3kW/m2	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Embrace Country (Mundanai Biik)	EMC134-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Embrace Country (Mundanai Biik)	EMC259-121	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Embrace Country (Mundanai Biik)	EMC207-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Embrace Country (Mundanai Biik)	EMC207-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Embrace Country (Mundanai Biik)	EMC60-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Embrace Country (Mundanai Biik)	EMC66-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Embrace Country (Mundanai Biik)	EMC58-162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Embrace Country (Mundanai Biik)	EMC212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Water and Wind (Baanj ba Murnmut)	WAW134-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Water and Wind (Baanj ba Murnmut)	WAW259-121	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Water and Wind (Baanj ba Murnmut)	WAW207-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Water and Wind (Baanj ba Murnmut)	WAW207-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Water and Wind (Baanj ba Murnmut)	WAW60-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Water and Wind (Baanj ba Murnmut)	WAW66-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Water and Wind (Baanj ba Murnmut)	WAW58-162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Water and Wind (Baanj ba Murnmut)	WAW212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Wurundjeri's Country (Wurundjeri-al-Biik-u	WUC134-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Wurundjeri's Country (Wurundjeri-al-Biik-u	WUC259-121	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
CORROBOREE - MANDY NICHOLSON	Wurundjeri's Country (Wurundjeri-al-Biik-u	WUC207-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Wurundjeri's Country (Wurundjeri-al-Biik-u	WUC207-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Wurundjeri's Country (Wurundjeri-al-Biik-u	WUC60-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Wurundjeri's Country (Wurundjeri-al-Biik-u	WUC66-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Wurundjeri's Country (Wurundjeri-al-Biik-u	WUC58-162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - MANDY NICHOLSON	Wurundjeri's Country (Wurundjeri-al-Biik-u	WUC212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Mother's Love (Ninkawi)	MLN180-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Mother's Love (Ninkawi)	MLN207-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Mother's Love (Ninkawi)	MLN235-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Mother's Love (Ninkawi)	MLN235-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Mother's Love (Ninkawi)	MLN195-66	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Mother's Love (Ninkawi)	MLN201-240	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Mother's Love (Ninkawi)	MLN201-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Mother's Love (Ninkawi)	MLN157-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Family (Nomawi)	FAN180-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Family (Nomawi)	FAN207-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Family (Nomawi)	FAN235-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Family (Nomawi)	FAN235-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Family (Nomawi)	FAN195-66	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Family (Nomawi)	FAN201-240	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Family (Nomawi)	FAN201-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Family (Nomawi)	FAN157-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Together (Yuntulun)	TOY180-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Together (Yuntulun)	TOY207-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Together (Yuntulun)	TOY235-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Together (Yuntulun)	TOY235-217	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Together (Yuntulun)	TOY195-66	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Together (Yuntulun)	TOY201-240	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Together (Yuntulun)	TOY201-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - SAMANTHA GOLLAN	Together (Yuntulun)	TOY157-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Reeds (Pennge Nahpa-murra-rinya)	REN219-235-111	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Reeds (Pennge Nahpa-murra-rinya)	REN219-235	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
CORROBOREE - JENNIFER KEMARRE	Reeds (Pennge Nahpa-murra-rinya)	REN219-235-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Reeds (Pennge Nahpa-murra-rinya)	REN219-235-243	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Reeds (Pennge Nahpa-murra-rinya)	REN219-235-134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Reeds (Pennge Nahpa-murra-rinya)	REN219-235-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Reeds (Pennge Nahpa-murra-rinya)	REN219-235-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Reeds (Pennge Nahpa-murra-rinya)	REN219-235-229	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Net Weave (Nanga kwatya laya-rinya)	NEW219-235-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Net Weave (Nanga kwatya laya-rinya)	NEW219-235-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Net Weave (Nanga kwatya laya-rinya)	NEW219-235-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Net Weave (Nanga kwatya laya-rinya)	NEW219-235-243	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Net Weave (Nanga kwatya laya-rinya)	NEW219-235-134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Net Weave (Nanga kwatya laya-rinya)	NEW219-235-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Net Weave (Nanga kwatya laya-rinya)	NEW219-235-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
CORROBOREE - JENNIFER KEMARRE	Net Weave (Nanga kwatya laya-rinya)	NEW219-235-229	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm, 1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	GORGE	GOR141-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	GORGE	GOR120-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	GORGE	GOR144-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	GORGE	GOR119-143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	MESA	MES141-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	MESA	MES140-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	MESA	MES119-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	MESA	MES144-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	RIDGE	RID119-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	RIDGE	RID33-13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	RIDGE	RID144-13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Danxia	RIDGE	RID137-13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave Black Base	2.5mm	8.5mm	CHF/CRF = 4.7 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 29/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT170	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT159-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACTS8-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Exceed	ACTION	ACT169-137	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT231-224	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ170	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ123-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ166	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ231	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ154-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ174-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ79-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE170	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE52-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE53-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE231-224	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE119-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD170	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD52-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD166-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD137-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD188-231	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Exceed	ACTION	ACT6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT170	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT159-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT58-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT169-137	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ACTION	ACT231-224	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ170	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ123-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ166	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ231	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ154-228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ174-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	BUZZ	BUZ79-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE170	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE52-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE53-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE231-224	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE228	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE119-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	ENERGY	ENE174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Exceed	SPEED	SPD13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD170	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD52-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD166-202	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD137-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Exceed	SPEED	SPD188-231	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR01	FLOR01-BLU-01155294	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR01	FLOR01-CHA-01155361	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR01	FLOR01-NEU-01155376	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR02	FLOR02-BLU-01155309	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR02	FLOR02-CHA-01155363	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR02	FLOR02-NEU-01155377	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR03	FLOR03-BLU-01155313	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR03	FLOR03-CHA-01155366	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR03	FLOR03-NEU-01155379	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR04	FLOR04-BLU-01155333	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR04	FLOR04-CHA-01155368	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR04	FLOR04-NEU-01155380	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR05	FLOR05-BLU-01155342	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR05	FLOR05-CHA-01155369	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR05	FLOR05-NEU-01155381	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR06	FLOR06-BLU-01157733	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR06	FLOR06-CHA-01157938	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR06	FLOR06-NEU-01157935	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR07	FLOR07-BLU-01155343	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR07	FLOR07-CHA-01155371	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR07	FLOR07-NEU-01155382	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR08	FLOR08-BLU-01155359	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR08	FLOR08-CHA-01155373	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Floristics	FLOR08	FLOR08-NEU-01155383	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-139-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Fractals	ENLACE	ENL108-21-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-217-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-242-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-261-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-37-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-139-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-21-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-217-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-242-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-261-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-37-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-139-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-21-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-217-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-242-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-261-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENLACE	ENL108-37-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-139-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-21-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-217-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-242-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-261-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Fractals	ENTANGLE	ETG79-37-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Free Flow	FOG	FOG174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOUNDATION	FDN6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	FOG	FOG6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Free Flow	PATH	PTH118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	PATH	PTH6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS123	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Free Flow	MUSLIN	MUS6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm, 25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Large Field Dark Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Medium Field 1 Dark Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Medium Field 2 Dark Ombre Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Small Coordinate Dark Ombre Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Small Coordinate Dark Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Small Coordinate Light Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Vertex Edge-Dark w/Green-Edge/Runner	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Vertex Edge-Dark-Edge/Runner	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Vertex Edge-Light-Edge/Runner	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Vertex Runner-Dark-Runner	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Vertex-Dark w/Green-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Vertex-Dark-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	VERTEX	Vertex-Light-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Flourish Edge-Dark w/Blue-Edge/Runner	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Flourish Edge-Dark w/Green-Edge/Runner	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Flourish Edge-Light-Edge/Runner	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Flourish Edge-Neutral-Edge/Runner	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Flourish-Dark w/Blue-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Flourish-Dark w/Green-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Flourish-Light-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Flourish-Neutral-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Large Field 1-Multi w/Blue-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Immix	FLOURISH	Large Field 1-Multi w/Brown-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Large Field 1-Multi w/Green-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Large Field 2-Neutral-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Medium Field-Neutral-Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Small Coordinate-Dark-Transition	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Small Coordinate-Light-Transition	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Immix	FLOURISH	Small Coordinate-Neutral-Transition	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Inspired Series	DENDRITIC	Dendritic	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Inspired Series	DENDRITIC	Dendritic Small Gray	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Inspired Series	DENDRITIC	Dendritic Small Red	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Inspired Series	DENDRITIC	Dendritic Texture	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Inspired Series	STIPE	Stipe Field	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Inspired Series	STIPE	Stipe Plank	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Inspired Series	STIPE	Stipe Texture	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN131	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN189	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN190	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN263	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Laylines	LAYLINES TRANSITIONS	LLT108-188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT118-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT119-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT131-261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT13-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT140-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT141-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT151-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT153-189	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT154-190	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT188-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT189-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT190-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT19-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT261-131	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT263-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT27-151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT73-263	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN131	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN189	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN190	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Laylines	LAYLINES	LLN261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN263	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES	LLN73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT108-188	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT118-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT119-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT131-261	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT13-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT140-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT141-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT151-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT153-189	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT154-190	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT188-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT189-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT190-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT19-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT261-131	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT263-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT27-151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Laylines	LAYLINES TRANSITIONS	LLT73-263	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX81-48-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX103-166-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX103-153-141	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX144-250-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX110-137-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX73-137-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX180-153-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX111-221-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX240-111-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX15-212-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Lightbox	LIGHTBOX	LBX153-128-110	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX128-110-102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX128-39-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX144-128-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX15-98-128	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX94-153-39	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX21-153-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX14-45-28	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX144-153-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX73-236-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX240-154-236	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX180-144-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX68-144-110	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX144-168-110	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX248-48-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX153-48-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Lightbox	LIGHTBOX	LBX48-13-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	CURRENT	CUR119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	CURRENT	CUR154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	CURRENT	CUR66-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	SURGE	SUR134-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	SURGE	SUR183-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	SURGE	SUR66-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR109-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	CURRENT	CUR134-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR134-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR135-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	CURRENT	CUR183-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR183-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR266-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	CURRENT	CUR66-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	SURGE	SUR109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR109-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR134-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	SURGE	SUR135-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR135-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR183-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Live Circuit	SURGE	SUR266-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR266-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-138	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-218	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Live Circuit	SURGE	SUR66-264	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG75	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Momentum	FIGMENT	FIG41	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG164	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG74	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG55	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG6-111	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT20	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT75	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT41	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT164	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT74	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT55	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Momentum	MYTHOLOGY	MYT159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT6-111	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG75	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG41	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG164	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG74	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG55	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	FIGMENT	FIG33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Momentum	FIGMENT	FIG6-111	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT20	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT75	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT162	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT109	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT41	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT164	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT74	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT181	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT55	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT172	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Momentum	MYTHOLOGY	MYT6-111	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK124-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.0mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK153-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK139-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK45-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK133-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK23-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK45-88	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Naturally Drawn	HAND SKETCHED	HSK139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK100-23	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK118-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK174-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK144-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK124-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST15-124-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST153-133-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST139-118-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST45-88-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB133-153-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST100-23-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB88-45-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST139-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB23-100-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB118-139-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB108-144-114	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST144-108-114	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB73-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST173-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB94-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB124-15-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN21-12	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN13-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN158-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN103-45	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN133-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN23-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN64-45	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Naturally Drawn	WATERCOLOUR LESSON	WLN157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN23-54	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN25-132	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN13-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN118-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN144-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN59-145	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN21-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK44-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK144-13-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK139-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK103-21-45	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK78-23-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK153-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK165-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK94-68	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK124-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK153-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK139-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK45-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK133-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK23-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK45-88	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK100-23	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK118-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK174-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK144-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED	HSK94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Naturally Drawn	HAND SKETCHED	HSK124-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST15-124-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST153-133-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST139-118-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST45-88-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB133-153-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST100-23-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB88-45-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST139-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB23-100-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB118-139-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB108-144-114	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST144-108-114	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB73-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HST173-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB94-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	HAND SKETCHED TRANSITION	HSB124-15-44	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN21-12	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN13-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN158-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN103-45	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN133-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN23-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN64-45	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN157	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN23-54	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN25-132	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN13-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN118-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN144-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	WATERCOLOUR LESSON	WLN59-145	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Naturally Drawn	WATERCOLOUR LESSON	WLN21-124	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK44-15	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK144-13-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK139-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK103-21-45	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK78-23-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK153-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK165-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Naturally Drawn	DRAWING IN INK	DWK94-68	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT118-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT154-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-140-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT43-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT62-154-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT6-151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT151-13-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT13-48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT13-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT149-146-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT157-19-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-137-48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT120-146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-154-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT68-146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-48-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT13-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT33-82-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT153-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT140-104-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT141-103-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT71-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Patina Vibes		PAT103-153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT82-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT169-13-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT119-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT159-13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT82-137	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT137-13-48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT149-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT104-153-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT119-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT19-119-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT154-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT139-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-140-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT119-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT6-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT140-6-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT114-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT33-118-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT137-151-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT19-159-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT102-33-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT48-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT74-62-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING | Test #: 19-005881 | Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT118-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT154-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-140-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT43-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT62-154-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT6-151	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT151-13-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Patina Vibes		PAT13-48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT13-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT149-146-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT157-19-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-137-48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT120-146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-154-106	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT68-146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-48-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT13-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT33-82-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT153-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT140-104-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT141-103-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT71-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT103-153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT82-169	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT169-13-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT119-159	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT159-13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT82-137	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT137-13-48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT149-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT104-153-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT119-19	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT19-119-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT154-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT139-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT146-140-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT119-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT6-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Patina Vibes		PAT140-6-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT114-33	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT33-118-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT137-151-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT13-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT19-159-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT102-33-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT48-21	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Patina Vibes		PAT74-62-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI05-217-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI103-78-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI131-245	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI152-144-48	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI153-138-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI212-220-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI245-217-158	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI260-243	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI44-236	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI78-62	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI79-138-108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Poise		POI79-212-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Kakano-The Seed	TEK153-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Kakano-The Seed	TEK144-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Kakano-The Seed	TEK212-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Kakano-The Seed	TEK217-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Kakano-The Seed	TEK262-143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Kakano-The Seed	TEK43-40	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Kakano-The Seed	TEK42	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Kakano-The Seed	TEK102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Muka-The Fibre	MUK153-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Muka-The Fibre	MUK144-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Muka-The Fibre	MUK212-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
PA HARAKEKE	Muka-The Fibre	MUK217-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Muka-The Fibre	MUK262-143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Muka-The Fibre	MUK43-40	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Muka-The Fibre	MUK42	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Muka-The Fibre	MUK102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Pakiaka-The Root	PAK153-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Pakiaka-The Root	PAK144-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Pakiaka-The Root	PAK212-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Pakiaka-The Root	PAK217-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Pakiaka-The Root	PAK262-143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Pakiaka-The Root	PAK43-40	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Pakiaka-The Root	PAK42	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Pakiaka-The Root	PAK102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Raranga-To Weave	RAR153-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Raranga-To Weave	RAR144-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Raranga-To Weave	RAR212-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Raranga-To Weave	RAR217-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Raranga-To Weave	RAR262-143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Raranga-To Weave	RAR43-40	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Raranga-To Weave	RAR42	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Raranga-To Weave	RAR102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK16 Base	2.1mm	8.0mm	CHF/CRF = 5.1kW/m²	AWTA PRODUCT TESTING | Test #: 20-001571 | Date: 16/04/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Tuia-To Stitch	TUI153-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Tuia-To Stitch	TUI144-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Tuia-To Stitch	TUI212-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Tuia-To Stitch	TUI217-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Tuia-To Stitch	TUI262-143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Tuia-To Stitch	TUI43-40	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Tuia-To Stitch	TUI42	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Tuia-To Stitch	TUI102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Rau-The Leaf	TER153-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Rau-The Leaf	TER144-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Rau-The Leaf	TER212-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
PA HARAKEKE	Te Rau-The Leaf	TER217-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Rau-The Leaf	TER262-143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Rau-The Leaf	TER43-40	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Rau-The Leaf	TER42	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Te Rau-The Leaf	TER102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Harakeke-Flax	HAR153-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Harakeke-Flax	HAR144-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Harakeke-Flax	HAR212-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Harakeke-Flax	HAR217-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Harakeke-Flax	HAR262-143	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Harakeke-Flax	HAR43-40	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Harakeke-Flax	HAR42	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
PA HARAKEKE	Harakeke-Flax	HAR102	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3 kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY158	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY131	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY52	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY276	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY278	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	PATHWAY	PWY146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV158	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV131	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
REVELATION	REVEAL	REV52	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV276	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV278	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	REVEAL	REV146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN108	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN158	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN131	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN52	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN276	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN278	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN105	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
REVELATION	WANDER	WAN146	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 1m	PrintWorks™ - Cool Stripe	3.4mm	10.1mm	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP13-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP119-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP13-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP27-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP172-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP13-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP13-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP100-233	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP100-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP48-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP48-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP48-212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Ripple	RIPPLE	RIP215-258	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP106-249	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP215-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP158-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP139-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP27-152	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP13-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP119-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP13-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP27-79	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP172-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP13-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP13-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP100-233	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP100-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP48-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP48-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP48-212	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP215-258	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP106-249	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP215-73	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP158-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Ripple	RIPPLE	RIP139-140	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Sandhills	SANDHILLS	SAH70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Sandhills	BUSH SEED	BSE176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAN62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SANDHILLS	SAH62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	SAFARI	SAF62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	PASSAGE	PAS62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	CAVERN	CAV33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Sandhills	CAVERN	CAV62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	RAINFOREST	RNF62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sandhills	BUSH SEED	BSE62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA209-215 LT CRUST #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA209-215 LT CRUST #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA209-215 LT CRUST #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA209-215 LT CRUST #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA180-153CRUST #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA180-153CRUST #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA180-153CRUST #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA180-153CRUST #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA153-174 MID CRUST #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA153-174 MID CRUST #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA153-174 MID CRUST #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA153-174 MID CRUST #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA208-204 SAND #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA208-204SAND #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA208-204SAND #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA208-204SAND #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA138-140 LT AZURE #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA138-140 LT AZURE #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA138-140 LT AZURE #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Salt Lake	VISTA	VSA138-140 LT AZURE #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA157-228 AZURE #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA157-228AZURE #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA157-228AZURE #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA157-228AZURE #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA162-201 EMERALD #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA162-201EMERALD #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA162-201EMERALD #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA162-201EMERALD #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA203-202 EMERALD GREEN #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA203-202 EMERALD GREEN #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA203-202 EMERALD GREEN #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA203-202 EMERALD GREEN #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA76-231 BRIGHT DUNE #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA76-231 BRIGHT DUNE #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA76-231 BRIGHT DUNE #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA76-231 BRIGHT DUNE #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA13-57 DUNE #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA13-57DUNE #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA13-57DUNE #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA13-57DUNE #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA44-261 PINK CORAL #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA44-261 PINK CORAL #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA44-261 PINK CORAL #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA44-261 PINK CORAL #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA70-221 DARK CORAL #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA70-221 DARK CORAL #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA70-221 DARK CORAL #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA70-221 DARK CORAL #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA33-146 CORAL #1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA33-146CORAL #2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA	VSA33-146CORAL #3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Salt Lake	VISTA	VSA33-146CORAL #4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/76-231 #1 SAND/BRIGHT DUNE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST76-231/208-204 #2 BRIGHT DUNE/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/76-231 #3 SAND/BRIGHT DUNE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST76-231/208-204 #4 BRIGHT DUNE/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/13-57 #1 SAND/DUNE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST13-57/208-204 #2 DUNE/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/13-57 #3 SAND/DUNE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST13-57/208-204 #4 DUNE/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/44-261 #1 SAND/PINK CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST44-261/208-204 #2 PINK CORAL/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/44-261 #3 SAND/PINK CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST44-261/208-204 #4 PINK CORAL/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/70-221 #1 SAND/DARK CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST70-221/208-204 #2 DARK CORAL/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/70-221 #3 SAND/DARK CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST70-221/208-204 #4 DARKCORAL/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/33-146 #1 SAND/CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST33-146/208-204 #2 CORAL/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST208-204/33-146 #3 SAND/CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST33-146/208-204 #4 CORAL/SAND	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST153-174/138-140 #1 MID CRUST/LT AZURE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST138-140/153-174 #2 LT AZURE/MID CRUST	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST153-174/138-140 #3 MID CRUST/LT AZURE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST138-140/153-174 #4 LT AZURE/MID CRUST	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST153-174/157-228 #1 MID CRUST/AZURE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST157-228/153-174 #2 AZURE/MID CRUST	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST153-174/157-228 #3 MID CRUST/AZURE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST157-228/153-174 #4 AZURE/MID CRUST	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST153-174/162-201 #1 MID CRUST/EMERALD	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST162-201/153-174 #2 EMERALD/MID CRUST	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST153-174/162-201 #3 MID CRUST/EMERALD	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Salt Lake	VISTA TRANSITIONS	VST162-201/153-174 #4 EMERALD/MID CRUST	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST153-174/203-202 #1 MID CRUST/EMERALD GREEN	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST203-202/153-174 #2 EMERALD GREEN/MID CRUST	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST153-174/203-202 #3 MID CRUST/EMERALD GREEN	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	VISTA TRANSITIONS	VST203-202/153-174 #4 EMERALD GREEN/MID CRUST	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS153-174/138-140 MID CRUST/LT AZURE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS153-174/157-228 MID CRUST/AZURE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS153-174/162-201 MID CRUST/EMERALD	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS153-174/203-202 MID CRUST/EMERALD GREEN	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS208-204/76-231 SAND/BRIGHT DUNE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS208-204/13-57 SAND/DUNE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS208-204/44-261 SAND/PINK CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS208-204/33-146 SAND/CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Salt Lake	ECHOES	EHS208-204/70-221 SAND/DARK CORAL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	100cm x 100cm	PrintWorks™ - Organic Base	2.00mm	8.00mm	CHF/CRF = 6.5kW/m²	AWTA PRODUCT TESTING | Testing #: 25-000275 | Date: 14/03/2025	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA218	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA146	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA93	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA235	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA221	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA262	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA444	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA20	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA240	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA229	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA154	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	MEELA	MLA212	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA218	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA146	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA93	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA235	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA221	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA262	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Sisal Edit	LOOMA	LMA44	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA20	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA240	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA229	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA154	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	LOOMA	LMA212	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA218	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA146	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA93	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA235	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA221	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA262	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA44	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA20	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA240	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA229	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA154	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Sisal Edit	ZAGORA	ZGA212	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Cool Stripe	3.4MM	10.1MM	CHF/CRF = 6.2kW/m²	AWTA PRODUCT TESTING | Test #: 23-002678 | Date: 24/08/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Styled Opulence	BOTANICA TRANSITION		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Styled Opulence	BOTANICA		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Styled Opulence	SILK THREAD		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Styled Opulence	SPUN GOLD		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Styled Opulence	NATURAL FORM		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Styled Opulence	MINT CONDITION		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Styled Opulence	GOLDEN WEAVE		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Styled Opulence	WOVEN LAYER		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP119-219	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP119-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP13-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP133-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP144-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	EXPLORER	EXP154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-119-6 Mapping w/ Scarl	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-13-153 Grid w/ Scarlet	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-133-94 Plans w/ Scarle	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-144-119 Border w/ Scar	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-153-118 Landform w/ Sc	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-218-145 Terrain w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-219-108 Elevate w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-219-13 Surfaces w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-119-6 Mapping w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-13-153 Grid w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-133-94 Plans w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-144-119 Border w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-153-118 Landform w/ Az	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-218-145 Terrain w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-219-108 Elevate w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-219-13 Surfaces w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-119-219 Break-Line w/ N	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-119-6 Mapping w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-13-153 Grid w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-133-94 Plans w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-144-119 Border w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-153-118 Landform w/ Nav	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-154-218 Projection w/ N	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-218-145 Terrain w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	EXPLORER WAYFINDING	EXPW19-219-108 Elevate w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-219-13 Surfaces w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-119-6 Mapping w/ Parro	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-13-153 Grid w/ Parrot	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-133-94 Plans w/ Parrot	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-144-119 Border w/ Parr	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-153-118 Landform w/ Pa	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-218-145 Terrain w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-219-108 Elevate w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-219-13 Surfaces w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-119-6 Mapping w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-13-153 Grid w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-133-94 Plans w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-144-119 Border w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-153-118 Landform w/ Su	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-218-145 Terrain w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-219-108 Elevate w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-219-13 Surfaces w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-119-219 Break-Line w/ T	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-119-6 Mapping w/ Tanger	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-13-153 Grid w/ Tangerin	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-133-94 Plans w/ Tangeri	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-144-119 Border w/ Tange	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-153-118 Landform w/ Tan	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-154-218 Projection w/ T	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-218-145 Terrain w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-219-108 Elevate w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-219-13 Surfaces w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	EXPLORER ZONES	EXPZ109-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-119-6 Mapping w/ Scarl	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-13-153 Grid w/ Scarlet	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-133-94 Plans w/ Scarle	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-144-119 Border w/ Scar	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-153-118 Landform w/ Sc	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-218-145 Terrain w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-219-108 Elevate w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-219-13 Surfaces w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-119-6 Mapping w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-13-153 Grid w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-133-94 Plans w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-144-119 Border w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-153-118 Landform w/ Az	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-219-108 Elevate w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-219-13 Surfaces w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-28-145 Terrain w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-119-219 Break-Line w/ N	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-119-6 Mapping w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-13-153 Grid w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-133-94 Plans w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-144-119 Border w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-153-118 Landform w/ Nav	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-154-218 Projection w/ N	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-218-145 Terrain w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-219-108 Elevate w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-219-13 Surfaces w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-119-6 Mapping w/ Parro	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	EXPLORER ZONES	EXPZ202-13-153 Grid w/ Parrot	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-133-94 Plans w/ Parrot	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-144-119 Border w/ Parr	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-153-118 Landform w/ Pa	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-218-145 Terrain w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-219-108 Elevate w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-219-13 Surfaces w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-119-6 Mapping w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-13-153 Grid w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-133-94 Plans w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-144-119 Border w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-153-118 Landform w/ Su	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-218-145 Terrain w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-219-108 Elevate w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-219-13 Surfaces w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-119-219 Break-Line w/ T	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-119-6 Mapping w/ Tanger	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-13-153 Grid w/ Tangerin	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-133-94 Plans w/ Tangeri	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-144-119 Border w/ Tange	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-153-118 Landform w/ Tan	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-154-218 Projection w/ T	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-218-145 Terrain w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-219-108 Elevate w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-219-13 Surfaces w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV119-219 Break-Line	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV119-6 Mapping	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV13-153 Grid	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV133-94 Plans	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	NAVIGATOR	NAV144-119 Border	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV153-118 Landform	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG119-219 Break-Line	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG119-6 Mapping	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG13-153 Grid	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG133-94 Plans	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG144-119 Border	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG153-118 Landform	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF119-219 Break-Line	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF119-6 Mapping	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF13-153 Grid	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF133-94 Plans	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF144-119 Border	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF153-118 Landform	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP119-219	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP119-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP13-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP133-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP144-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	EXPLORER	EXP154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER	EXP219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-119-6 Mapping w/ Scarl	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-13-153 Grid w/ Scarlet	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-133-94 Plans w/ Scarle	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-144-119 Border w/ Scar	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-153-118 Landform w/ Sc	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-218-145 Terrain w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-219-108 Elevate w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW109-219-13 Surfaces w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-119-6 Mapping w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-13-153 Grid w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-133-94 Plans w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-144-119 Border w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-153-118 Landform w/ Az	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-218-145 Terrain w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-219-108 Elevate w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW140-219-13 Surfaces w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-119-219 Break-Line w/ N	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-119-6 Mapping w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-13-153 Grid w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-133-94 Plans w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-144-119 Border w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-153-118 Landform w/ Nav	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-154-218 Projection w/ N	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-218-145 Terrain w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	EXPLORER WAYFINDING	EXPW19-219-108 Elevate w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW19-219-13 Surfaces w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-119-6 Mapping w/ Parro	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-13-153 Grid w/ Parrot	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-133-94 Plans w/ Parrot	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-144-119 Border w/ Parr	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-153-118 Landform w/ Pa	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-218-145 Terrain w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-219-108 Elevate w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW202-219-13 Surfaces w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-119-6 Mapping w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-13-153 Grid w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-133-94 Plans w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-144-119 Border w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-153-118 Landform w/ Su	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-218-145 Terrain w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-219-108 Elevate w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW231-219-13 Surfaces w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-119-219 Break-Line w/ T	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-119-6 Mapping w/ Tanger	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-13-153 Grid w/ Tangerin	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-133-94 Plans w/ Tangeri	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-144-119 Border w/ Tange	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-153-118 Landform w/ Tan	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-154-218 Projection w/ T	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-218-145 Terrain w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-219-108 Elevate w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER WAYFINDING	EXPW25-219-13 Surfaces w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	EXPLORER ZONES	EXPZ109-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-119-6 Mapping w/ Scarl	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-13-153 Grid w/ Scarlet	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-133-94 Plans w/ Scarle	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-144-119 Border w/ Scar	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-153-118 Landform w/ Sc	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-218-145 Terrain w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-219-108 Elevate w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ109-219-13 Surfaces w/ Sca	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-119-6 Mapping w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-13-153 Grid w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-133-94 Plans w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-144-119 Border w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-153-118 Landform w/ Az	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-219-108 Elevate w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-219-13 Surfaces w/ Azu	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ140-28-145 Terrain w/ Azul	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-119-219 Break-Line w/ N	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-119-6 Mapping w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-13-153 Grid w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-133-94 Plans w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-144-119 Border w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-153-118 Landform w/ Nav	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-154-218 Projection w/ N	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-218-145 Terrain w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-219-108 Elevate w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ19-219-13 Surfaces w/ Navy	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-119-6 Mapping w/ Parro	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	EXPLORER ZONES	EXPZ202-13-153 Grid w/ Parrot	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-133-94 Plans w/ Parrot	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-144-119 Border w/ Parr	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-153-118 Landform w/ Pa	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-218-145 Terrain w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-219-108 Elevate w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ202-219-13 Surfaces w/ Par	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-119-219 Break-Line w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-119-6 Mapping w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-13-153 Grid w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-133-94 Plans w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-144-119 Border w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-153-118 Landform w/ Su	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-154-218 Projection w/	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-218-145 Terrain w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-219-108 Elevate w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ231-219-13 Surfaces w/ Sun	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-119-219 Break-Line w/ T	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-119-6 Mapping w/ Tanger	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-13-153 Grid w/ Tangerin	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-133-94 Plans w/ Tangeri	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-144-119 Border w/ Tange	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-153-118 Landform w/ Tan	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-154-218 Projection w/ T	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-218-145 Terrain w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-219-108 Elevate w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	EXPLORER ZONES	EXPZ25-219-13 Surfaces w/ Tang	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV119-219 Break-Line	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV119-6 Mapping	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV13-153 Grid	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV133-94 Plans	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Topography 2.0	NAVIGATOR	NAV144-119 Border	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV153-118 Landform	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	NAVIGATOR	NAV219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG119-219 Break-Line	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG119-6 Mapping	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG13-153 Grid	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG133-94 Plans	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG144-119 Border	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG153-118 Landform	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	REGIONS	REG219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF119-219 Break-Line	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF119-6 Mapping	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF13-153 Grid	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF133-94 Plans	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF144-119 Border	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF153-118 Landform	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Topography 2.0	RELIEF	REF219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE83	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE152	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE171	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE5	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE133-4	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE118	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
TWEAVE	TWEED	TWE126	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE141	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE159	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE140-159	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE97	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE41	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE21	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE178-134	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE178-167	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE133-231	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE133-141	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE58-43	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE100-28	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE178-137	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE82-263	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE178-261	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE133-263	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED	TWE46-245	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED FIELD	TWF152	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED FIELD	TWF171	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED FIELD	TWF118	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED FIELD	TWF5	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED FIELD	TWF41	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED FIELD	TWF83	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED FIELD	TWF21	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
TWEAVE	TWEED FIELD	TWF97	Tufted, Texture Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Colourweave	3.1mm	8.5mm	CHF/CRF = 4.7kW/m2	AWTA PRODUCT TESTING | Test #: 23-003741 | Date: 27/10/2023	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	BASIN 1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	BASIN 1 GLYPH	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	BASIN 2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	BASIN 2 STRATA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	BEDROCK 1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	BEDROCK 1 WITH FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Unearthed	LARIMER	BEDROCK 1 SPIRO	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	BEDROCK 2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	BEDROCK 2 FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	CALDERA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	CALDERA FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	GYPSUM	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	GYPSUM GLYPH	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	MANTLE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	MANTLE SPIRO	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	MÉLANGE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	LARIMER	MÉLANGE STRATA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	BASIN 3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	BASIN 3 WITH GLYPH	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	BASIN 4 WITH STATA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	BEDROCK 3	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	BEDROCK 3 WITH FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	BEDROCK 3 WITH SPIRO	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	BEDROCK 4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	BEDROCK 4 WITH FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	CALDERA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	CALDERA FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	GYPSUM	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	GYPSUM GLYPH IN JASPER	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	MANTLE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	MANTLE SPIRO	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	MELANGE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	JASPER	MELANGE STRATA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BASIN 5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BASIN 5 WITH GLYPH	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BASIN 6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BASIN 6 WITH STRATA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BEDROCK 5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Unearthed	QUARTZ	BEDROCK 5 WITH FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BEDROCK 6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BEDROCK 6 WITH FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BEDROCK 7	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	BEDROCK 7 WITH SPIRO	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	CALDERA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	CALDERA FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	GYPSUM	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	GYPSUM GLYPH	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	MANTLE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	MANTLE SPIRO	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	MELANGE	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Unearthed	QUARTZ	MELANGE STRATA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING | Test #: 20-004270| Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV168-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV159-126	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV45-23	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV169-60	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV33-98	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV274-46	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV229-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV217-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV154-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV6-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	CRUSHED VELVET	CV249-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS168-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS159-126	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS45-23	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS169-60	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS33-98	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS274-46	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Velvet	VELVET STRIPE	VS229-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS217-259	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS154-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS6-154	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Velvet	VELVET STRIPE	VS249-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Water Yuludarla	BINDARRAY	BIN6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN73-80	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING | Test #: 20-004268 | Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	YILDAAN	YIL140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Water Yuludarla	GUUNU	GUU6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GUUNU	GUU140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	GULUUNA	GUL140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN73-80	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	BINDARRAY	BIN140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	MAYALA	MAY140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG145-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG94-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG146-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommeded Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
Water Yuludarla	JAGUN	JAG6-133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG141-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG73-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG33-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
Water Yuludarla	JAGUN	JAG140-100	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-002619 | Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)	YES
OBEX Tile	CutX	FZX118-119	Tufted, Cut Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™	4.72mm	12.7mm	CHF/CRF = 5.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-005155 | Date: 6/11/2020			YES
OBEX Tile	CutX	FOX119	Tufted, Cut Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™	4.72mm	12.7mm	CHF/CRF = 5.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-005155 | Date: 6/11/2020			YES
OBEX Tile	CutX	FRX118-119	Tufted, Cut Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	PrintWorks™	4.72mm	12.7mm	CHF/CRF = 5.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-005155 | Date: 6/11/2020			YES
OBEX Tile	CutX	GRX154-119	Tufted, Cut Pile	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	25cm x 100cm	PrintWorks™	4.72mm	12.7mm	CHF/CRF = 5.5kW/m²	AWTA PRODUCT TESTING | Test #: 20-005155 | Date: 6/11/2020			
OBEX Tile	Loop	BKL118-133	Tufted, Multi-Level Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	6.48mm	9.9mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Test #: 20-003458 | Date: 23/07/2020			YES
OBEX Tile	Loop	SKL118-133	Tufted, Multi-Level Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)	50cm x 50cm	SDN	6.48mm	9.9mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING | Test #: 20-003458 | Date: 23/07/2020			YES