

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommended Area of Use	ECS Certification Number	Declare 3rd Party Red List Free
Arctic Survey	ISOTHERM	IST122-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	ISOTHERM	IST93-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK108-13	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK119-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK203-230	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK109-60	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK204-171	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK52-126	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK171-25	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK124-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK108-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK111-134	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK15-121	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK67-59	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK52-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK229-107	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK45-28	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK48-122	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK174-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK122-120	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Arctic Survey	SHACKLETON	SHK93-178	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	SDN	5.33mm	10.7mm	CHF/CRF = 5.8kW/m²	APL Laboratory Test Report P172191NZ Date: 03/07/2017	Commercial Extra Heavy Duty	Level 4 (Certificate No. 17136)	YES
Distinct Forms	CEMENT	CEM133	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	7.9mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING Testing #: 23-000637 Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 (Certificate No. 23262)	YES
Distinct Forms	CEMENT	CEM119-180	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	SDN	2.4mm	7.9mm	CHF/CRF = 4.0 kW/m²	AWTA PRODUCT TESTING Testing #: 23-000637 Date: 08/03/2023	Commercial Extra Heavy Duty	Level 4 (Certificate No. 23262)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommended Area of Use	ECS Certification Number	Declare 3rd Party Red List Free
City Nights	CITY NIGHTS	CN165-58	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
City Nights	CITY NIGHTS	CN1230-27-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
City Nights	CITY NIGHTS	CN179-27-139	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
City Nights	CITY NIGHTS	CN190-133-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
City Nights	CITY NIGHTS	CN144-133-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
City Nights	CITY NIGHTS	CN174-27-242	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
City Nights	CITY NIGHTS	CN1205-27	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
City Nights	CITY NIGHTS	CN165-205	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
City Nights	CITY NIGHTS	CN1264-248	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Clerkenwell	ANGLED WALK	AGW118-108-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	ANGLED WALK	AGW13-83-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	ANGLED WALK	AGW152-139-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	ANGLED WALK	AGW171-181-38	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	ANGLED WALK	AGW171-33-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	ANGLED WALK	AGW172-124-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	ANGLED WALK	AGW180-118-174	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	ANGLED WALK	AGW48-118-173	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	ANGLED WALK	AGW48-181-149	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV118-166-103	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV13-139-144	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV15-144-83	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV152-119-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES
Clerkenwell	CIRCLE TOP VIEW	CTV171-110-104	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - BK9C Base	2.1mm	8.2mm	CHF/CRF = 5.2kW/m²	AWTA PRODUCT TESTING Test #: 19-005881 Date: 13/01/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20166)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommended Area of Use	ECS Certification Number	Declare 3rd Party Red List Free
Sandhills	RAINFOREST	RNF62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Sandhills	BUSH SEED	BSE174-4	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Sandhills	BUSH SEED	BSE70-82	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Sandhills	BUSH SEED	BSE212-207	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Sandhills	BUSH SEED	BSE176-96	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Sandhills	BUSH SEED	BSE33-10	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Sandhills	BUSH SEED	BSE62-5	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	25cm x 100cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Styled Opulence	BOTANICA TRANSITION		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Styled Opulence	BOTANICA		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Styled Opulence	SILK THREAD		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Styled Opulence	SPUN GOLD		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Styled Opulence	NATURAL FORM		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Styled Opulence	MINT CONDITION		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Styled Opulence	GOLDEN WEAVE		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Styled Opulence	WOVEN LAYER		Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Topography 2.0	EXPLORER	EXP119-219	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 20-004268 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20145)	YES
Topography 2.0	EXPLORER	EXP119-6	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 20-004268 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20145)	YES
Topography 2.0	EXPLORER	EXP133-153	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 20-004268 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20145)	YES
Topography 2.0	EXPLORER	EXP133-94	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 20-004268 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20145)	YES
Topography 2.0	EXPLORER	EXP144-119	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 20-004268 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20145)	YES
Topography 2.0	EXPLORER	EXP153-118	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 20-004268 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20145)	YES
Topography 2.0	EXPLORER	EXP154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 20-004268 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20145)	YES
Topography 2.0	EXPLORER	EXP218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - Quattra	2.8mm	8.4mm	CHF/CRF = 6.3kW/m²	AWTA PRODUCT TESTING Test #: 20-004268 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20145)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommended Area of Use	ECS Certification Number	Declare 3rd Party Red List Free
Topography 2.0	REGIONS	REG218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	REGIONS	REG219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	REGIONS	REG219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF119-219 Break Line	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF119-6 Mapping	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF13-153 Grid	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF133-94 Plans	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF144-119 Border	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF153-118 Landform	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF154-218 Projection	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF218-145 Terrain	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF219-108 Elevate	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Topography 2.0	RELIEF	REF219-13 Surfaces	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	PrintWorks™ - ORG18	2.7mm	8.5mm	CHF/CRF = 7.5kW/m²	AWTA PRODUCT TESTING Test #: 20-002619 Date: 24/06/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20083)	YES
Unearthed	LARIMER	BASIN 1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	BASIN 1 GLYPH	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	BASIN 2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	BASIN 2 STRATA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	BEDROCK 1	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	BEDROCK 1 WITH FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	BEDROCK 1 SPIRO	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	BEDROCK 2	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	BEDROCK 2 FOSSIL	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES
Unearthed	LARIMER	CALDERA	Tufted, Textured Loop	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	1m x 1m	PrintWorks™ - Road Runner	2.79mm	10mm	CHF/CRF = 4.2kW/m²	AWTA PRODUCT TESTING Test #: 20-004270 Date: 24/09/2020	Commercial Extra Heavy Duty	Level 4 (Certificate No. 20146)	YES

APPENDIX 1: Milliken (Australia) Pty Ltd BPIR Product Summary

Collection	Pattern/Design	Colour Code	Tile Construction	Standard Backing	Tile Size	Base	Pile Thickness	Total Thickness	CRF	CRF Test Report	Recommended Area of Use	ECS Certification Number	Declare -3rd Party Red List Free
OBEX	TILE -CUTX/FIZZ	FZX118-119	Tufted, Cut Pile	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	SDN	4.72mm	12.7mm	CHF/CRF = 5.5kW/m²	AWTA PRODUCT TESTING Test #: 20-003458 Date: 23/07/2020	Commercial Extra Heavy Duty		YES
OBEX	TILE - LOOP/BARK	BKL118-133	Tufted, Multi-Level Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	SDN	6.48mm	9.91mm	CHF/CRF = 4.0kW/m²	AWTA PRODUCT TESTING Test #: 20-003458 Date: 23/07/2020	Commercial Extra Heavy Duty		YES
OBEX	TILE - LOOP/STACK	SKL118-133	Tufted, Multi-Level Loop	Cushion Backing WellBAC® Comfort (PVC FREE) (Non- Reactive Cushion Backing)	50cm x 50cm	SDN	6.48mm	9.91mm	CHF/CRF = 4.0kW/m²	AWTA PRODUCT TESTING Test #: 20-003458 Date: 23/07/2020	Commercial Extra Heavy Duty		YES