

HOME E



# **CONTINUOUS RANDOM FIELD**

Corridor, Elevator Lobby and TV Lounge



ORDER#: 01385945

Tile Size: 1m x 1m 6 Unique tiles randomly installed to form a pattern matching, one of a kind installation.

# **CONTINUOUS RANDOM FIELD**

Lobby




ORDER#: 01387187

Tile Size: 1m x 1m

6 Unique tiles randomly installed to form a pattern matching, one of a kind installation.









### STAIRS AND BACK OF HOUSE



ORDER#: 01387228 Broadloom Pattern Repeat: 40.5" W x 40.5" L

# **COVE BASE**

### **STAIRS**



**ORDER#:** 01387256

Height: 4"

# CORRIDOR, ELEVATOR LOBBY, AND TV LOUNGE



RIVERSIDE
ORDER#: RVR108 Pewter Vase
Height: 4"

### **GUEST ROOMS**



STRAND
ORDER#: SND13 Cityscape
Height: 4"



# EMPLOYEE BREAKROOM




LATERALS LVT
ORDER#: LAT206 Sandline
Tile Size: 25cm x 150cm



# BOH ALTERNATIVE SALES OFFICE OPTION


ORDER#: 01386756\_P25
16 Unique 25cm x 1m planks installed randomly.





# BOH ALTERNATIVE MANAGERS OFFICE OPTION

ORDER#: 01386756\_P25
16 Unique 25cm x 1m planks installed randomly.









Typical Upper Floors












OPTIONAL
One Bay Boardroom



**ORDER#: 01385945** 6 Unique 1m x 1m tiles installed randomly.



**OPTIONAL**Three Bay Meeting Room




ORDER#: 01385945 6 Unique 1m x 1m tiles installed randomly.




**OPTIONAL** 

One Bay Boardroom & Three Bay Meeting Room



ORDER#: 01385945 6 Unique 1m x 1m tiles installed randomly.




### **CONTINUOUS RANDOM®**

Continuous Random® takes modular design and installation to another level. With Milliken's proprietary PrintWorks™ technology, carpet tiles have unique centers and matching edges, which enables designers to create floorscapes that look seamless. The edge-to-edge matching system makes it easy to customize wayfinding or define spaces within a larger floor plane.

Installation is simple and flexible as well. Just follow a monolithic layout to achieve a large pattern match aesthetic. Tiles are interchangeable, so when one needs to be replaced, you can choose any tile within the group. With the Continuous Random system, you have tremendous flexibility to achieve the form, flow and function you want.

### **EASY INSTALLATION & MAINTENANCE**



No need to follow a predetermined set-match layout. Move tiles around and install them in a random arrangement to create the perfect layout for your space.

#### **FLOORING MADE EASY**

- ▶ Provides pattern match aesthetic without complex installation requirements.
- ▶ Simplifies procurement, installation and maintenance.
- ▶ Reduces necessary attic stock quantities.



# 100% MATERIAL TRANSPARENCY

#### **CARPET FEAUTURES**

**BACKING** — Our carpet was made for high-traffic areas and won't lose their beauty like substandard floors do. Milliken WellBAC® open-cell cushion backing absorbs impact, extending life up to 50% longer than hardback, with an industry-leading Lifetime Warranty.

**ACOUSTICS** — Milliken makes the quietest floors in the industry. The acoustic technology of our carpet and Laterals LVT reduces in-room and through-floor noise by up to 50% compared to other flooring.

**MOISTURE** — We developed flooring systems to avoid costly moisture mitigation. Our carpet's WellBAC® open-cell backing allows the floor to breathe and moisture to evaporate. Our carpet has one-step no-test warranty options, and you can save significantly on prep, materials, and installation.

**STAIN AND SOIL PROTECTION** — StainSmart provides lifetime resistance for your carpet against penetrating stains and soil.

CARBON NEUTRAL PRODUCT — Climate change is one of the greatest threats facing humanity, and we are all resposible. That's why Milliken launched the M/PACT™ carbon neutral program.

Today, our carpet, LVT and entryway tiles are carbon neutral everywhere in the world.

# **HOME2 FLOORING SOLUTION BY MILLIKEN**

#### PRODUCT SPECIFICATIONS

CARPET ITEM	ORDER# VIBRANT	FIBER	PRODUCT TYPE	WEIGHT (OZ/YD²)	CONSTRUCTION	DENSITY	BACKING
CORRIDOR	01385945	Milliken WearOn® BCF Nylon	1m x 1m Tile	20	Tufted, Textured Loop	7,793	WellBAC® Comfort Plus Cushion
ELEVATOR LOBBY	01385945	Milliken WearOn® BCF Nylon	1m x 1m Tile	20	Tufted, Textured Loop	7,793	WellBAC® Comfort Plus Cushion
TV LOUNGE	01385945	Milliken WearOn® BCF Nylon	1m x 1m Tile	20	Tufted, Textured Loop	7,793	WellBAC® Comfort Plus Cushion
BOARDROOMS	01385945	Milliken WearOn® BCF Nylon	1m x 1m Tile	20	Tufted, Textured Loop	7,793	WellBAC® Comfort Plus Cushion
LOBBY INSET	01387187	Milliken WearOn® BCF Nylon	1m x 1m Tile	20	Tufted, Textured Loop	7,793	WellBAC® Comfort Plus Cushion
GUEST ROOM FIELD	01386756_P25	Milliken WearOn® BCF Nylon	25cm x 1m Plank	15	Tufted, Textured Loop	6,541	WellBAC® Comfort Plus Cushion
GUEST ROOM ACCENT	01386757_P25	Milliken WearOn® BCF Nylon	25cm x 1m Plank	15	Tufted, Textured Loop	6,541	WellBAC® Comfort Cushion
STAIRS & BOH	01387228	Milliken WearOn® BCF Nylon	13' 6" Broadloom	32	Tufted, Patterned Cut Pile	5,236	Endura-Loc™
BOH ALTERNATIVE	01386756_P25	Milliken WearOn® BCF Nylon	25cm x 1m Plank	15	Tufted, Textured Loop	6,541	WellBAC® Comfort Cushion
COVE - STAIRS & BOH	01387256	Milliken WearOn® BCF Nylon	4" Height	32	Tufted, Patterned Cut Pile	5,236	Endura-Loc™
COVE - GUEST ROOMS	SND13 Cityscape	100% Nylon	4" Height	30	Tufted, Cut Pile	4,600	Polypropylene
COVE - CORRIDOR & TV LOUNGE	RVR108 Pewter Vase	100% Nylon	4" Height	30	Tufted, Loop Pile	4,600	Polypropylene
LVT ITEM	ORDER# VIBRANT	EDGE PROFILE	PRODUCT TYPE	WEAR LAYER THICKNESS	CONSTRUCTION	OVERALL THICKNESS	FINISH
EMPLOYEE BREAKROOM	LAT206 Sandline	Micro Bevel	25cm x 150cm (9.84" x 59.06")	22 mil	High Performance Luxury Vinyl Tile, FlexForm Sound platform	5,236	ProGuard MAX™ Coating















 $\ensuremath{\mathsf{M/PACT}}$  carbon neutral products offset the raw materials and manufacturing carbon footprint\* by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change. When you choose M/PACT products, you can be sure your choice is carbon neutral.

