

Declare.

Change Agent LVT Milliken

Final Assembly: Seocho-gu, Seoul, Korea

Life Expectancy: 25 Year(s)

End of Life Options: Recyclable (100%)

Ingredients:

Calcium magnesium carbonate; Polyvinyl chloride; Dioctyl terphthalate, DOTP; Glass Fiber; Calcium Stearate; Zinc Stearate; Carbon black; Butanamide, 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[N-(4-chloro-2,5 - dimethoxyphenyl)-3-oxo-; 2-Propenoic acid, (1-methyl-1,2-ethanediyl) bis[oxy(methyl-2,1-ethanediyl)] ester; Hexanedioic acid, polymer with 1,2-ethanediol and 1,6-diisocyanato-2,2,4(or 2,4,4)-trimethylhexane, 2-hydroxyethyl acrylate-blocked; Calcium Chloride; Ethyl Acetate; Hexamethylene Diacrylate; Titanium dioxide; 2-hydroxy-2-methyl-phenyl-propan-1-one

Living Building Challenge Criteria:

I-13 Red List:

- | | |
|--|-----------------------------|
| <input type="checkbox"/> LBC Red List Free | % Disclosed: 100% at 100ppm |
| <input type="checkbox"/> LBC Red List Approved | VOC Content: Not Applicable |
| <input checked="" type="checkbox"/> Declared | |

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

MKN-0029

EXP. 01 SEP 2025

Original Issue Date: 2019