WellBAC™ Comfort (CN) by Milliken

Health Product Declaration v2.3 RIFIED created via: HPDC Online Builder

PRODUCT DESCRIPTION: Carpet tile with WellBAC™ Comfort cushion made at MTZ

HPD UNIQUE IDENTIFIER: 30784 CLASSIFICATION: 09 68 13 Tile Carpeting

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method Basic Method

Threshold Disclosed Per

 Material Product Threshold Level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has: Yes ○ No

Characterized

Provided weight and role.

 Yes ○ No Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

WELLBAC™ COMFORT (CN) [CALCIUM CARBONATE BM-3 | EYE NYLON 6,6 (WITH STAIN RESISTANCE) LT-UNK | POLOXALENE LT-

UNK | POLYETHYLENE TEREPHTHALATE (PET) LT-P1 |

ETHYLENEVINYLACETATE COPOLYMER LT-UNK

POLYPROPYLENE LT-P1 | ETHENE, POLYMER WITH 1-PROPENE LT-

UNK | SULFONATED POLYAMIDE NoGS FATTY ACIDS, CASTOR-OIL,

CAUSTIC-OXIDIZED, DISTN. RESIDUES, ESTERS WITH 1,3-

BUTANEDIOL NoGS 1,4-BENZENEDICARBOXYLIC ACID, POLYMER

WITH HEXAHYDRO-2H-AZEPIN-2-ONE AND 2-METHYLOXIRANE

POLYMER WITH OXIRANE BIS(2-AMINOPROPYL) ETHER NoGS

HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED LT-UNK

ACRYLIC ACID LT-P1 | MUL | SKI | AQU | MAM | EYE 2,5-

FURANDIONE, POLYMER WITH 1-PROPENE LT-UNK | CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK | MAGNESIUM

CARBONATE BM-3dg | ALKENES, C14-16 ALPHA-, SULFONATED,

SODIUM SALTS LT-UNK | SKI | EYE | REP | AQU WATER BM-4

QUARTZ BM-1 | CAN | MAM | GEN STEARIC ACID LT-P1 | END

POLYCARBOXYLIC ACID, SODIUM SALT NoGS CAPROLACTAM LT-

UNK | SKI | EYE | MAM | REP POLYACRYLIC ACID, SODIUM SALT LT-

UNK | EYE | MAM CARBON BLACK BM-1 | CAN | EYE | MAM TITANIUM

DIOXIDE LT-1 | CAN | END | MAM AMYLOPECTIN, 2-HYDROXY-3-(TRIMETHYLAMMONIO)PROPYL ETHER, CHLORIDE NoGS

POLYETHYLENE LT-UNK | 2,2-DIBROMO-3-NITRILOPROPIONAMIDE

LT-P1 | END | SKI | MUL | EYE | AQU | MAM FERRIC OXIDE BM-1 | CAN

| MAM | EYE | SKI BUTYL ACRYLATE/METHYL

METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) LT-

UNK 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-

PROPENOATE LT-UNK | IRGANOX 1010 LT-UNK | 2-PROPENOIC

ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH

ETHENYLBENZENE AND 2,5-FURANDIONE LT-UNK | CHLORINE

CONTAINING ALIPHATIC POLYPHOSPHATE NoGS

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Inventory of all ingredients were supplied by the suppliers to 100ppm

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: CRI Green Label Plus - Carpets Other: ILFI Declare - Red List Free - Third Party Verified LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

⊙ Yes○ No

PREPARER: Self-Prepared

VERIFIER: WAP Sustainability Consulting

VERIFICATION #: zPr-15214

SCREENING DATE: 2022-12-13 PUBLISHED DATE: 2022-12-13 EXPIRY DATE: 2025-12-13

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

WELLBAC™ COMFORT (CN)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities were considered and reported if any at all.

OTHER PRODUCT NOTES: Substance ranges are utilized in order to cover the various face fiber weights and options.

CALCIUM CARBONATE				ID: 471-34 -
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:22
%: 38.7140 - 39.5060	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cat	tegory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - DfE SC	CIL
	EFA		Green Circle - Ve	erified Low Concern

SUBSTANCE NOTES:

NY	LON	6,6	(WITH	STAIN	RESIS1	ANCE)
----	-----	-----	-------	-------	--------	-------

ID: 32131-17-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-12-13 14:27:22
%: 14.0000 - 14.3330	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

POLOXALENE	ID: 9003-11-6
------------	---------------

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-12-13 14:27:23
%: 7.0000 - 7.0380	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Some Solvents
SUBSTANCE NOTES:		

POLYETHYLENE TEREPH	HTHALATE (PET)				ID: 25038-59-9
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:23	
%: 6.5650 - 6.5950	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Po	olymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
	EC - CEPA DSL		Persistent		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additio	nal Hazard Lists

ETHYLENEVINYLACETAT	TE COPOLYMER			ID: 24937-78-8
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:24
%: 5.0000 - 5.4790	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYPROPYLENE					ID: 9003-07-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-12-13 14:27:23	
%: 4.3110 - 4.3280	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Poly	mer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
	EC - CEPA DSL		Persistent		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
		Green Circle - Verified Low Concern

ETHENE, POLYMER WITH 1-PROPENE HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-12-13 14:27:24

%: 3.2340 - 3.2490 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

EC - CEPA DSL Persistent

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

SUBSTANCE NOTES:

SULFONATED POLYAMIDE ID: 222173-52-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-12-13 14:27:24 %: **2.8080** GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Antistain HAZARD TYPE WARNINGS LIST NAME AND SOURCE No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** None found No listings found on Additional Hazard Lists

FATTY ACIDS, CASTOR-OIL, CAUSTIC-OXIDIZED, DISTN. RESIDUES, ESTERS WITH 1,3-BUTANEDIOL

ID: 113669-95-7

HAZARD DATA SOURC	CE: Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:25
%: 2.4210	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Emulsifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTING	S LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES	:			

1,4-BENZENEDICARBOXYLIC ACID, POLYMER WITH HEXAHYDRO-2H-AZEPIN-2-ONE AND 2-METHYLOXIRANE POLYMER WITH OXIRANE BIS(2-AMINOPROPYL) ETHER

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:25
%: 1.9420	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED ID: 69430-				
HAZARD DATA SOURCE: Pha	aros Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:25
%: 1.9040 GreenS	creen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOU	JRCE: Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-12-13 14:27:25
%: 1.2910	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Haz Waters	zardous to	Class 2 - Hazaro	d to Waters
SKI	EU - GHS (H-Statements) Anne	ex 6 Table 3-1		severe skin burns and eye damage [Skin ion - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Anne	ex 6 Table 3-1	•	c to aquatic life [Hazardous to the ment (acute) - Category 1]
MAM	GHS - Japan		repeated expos	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
MAM	GHS - New Zealand		Specific target of category 1	organ toxicity - repeated exposure
MAM	GHS - Japan			damage to organs [Specific target c toxicity following single exposure -

EYE	GHS - New Zealand	Serious eye damage category 1
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - New Zealand	Acute oral toxicity category 3
AQU	GHS - Malaysia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Some Solvents
SUBSTANCE NOTES:		

2,5-FURANDIONE, POLYMER WITH 1-PROPENE

ID: 25722-45-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:26
%: 1.0650 - 1.0760	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE So	CIL
EPA)			Green Circle - V	erified Low Concern

SUBSTANCE NOTES:

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD DATA SO	URCE: Pharos	Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	2022-12-13 14:27:26
%: 0.9250	GreenScree	n: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
		EC - CEPA DSL		Persistent	
ADDITIONAL LIST	INGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST		US Environmental Protection Ag	ency (US	US EPA - DfE SCIL	-
		2.79		Green Circle - Veri	fied Low Concern
CURCTANCE NO	TEO.				

MAGNESIUM CARBONATE	ID: 546-93-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SO	CREENING DAT	E: 2022-12-13 14:27:27
%: 0.2900 - 0.7400	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Smoke suppressant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
	,	Green Circle - Verified Low Concern

ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS

ID: 68439-57-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-12-13 14:27:26
%: 0.6510 - 0.6540	GreenScreen: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Ag	ency (US US EPA - DfE SCIL
	•	Green Circle - Verified Low Concern
CUIDCTANCE NOTEC	EPA)	Green Circle - Verified Low Concern

WATER	ID: 7732-18-5

HAZARD DATA SOURCE	E: Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-12-13 14:27:27
%: 0.5910	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	S LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Col	mmission	EU - REACH Exe	emptions
	(=3 =3)		Exempted from safety	REACH Annex IV listing due to intrinsic
SUBSTANCE NOTES:				

QUARTZ ID: 14808-60-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	2022-12-13 14:27:28		
%: 0.0930 - 0.4250	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
CAN	US CDC - Occupational Carcino	gens	Occupational Card	cinogen		
CAN	CA EPA - Prop 65		Carcinogen - spec	eific to chemical form or exposure		
CAN	US NIH - Report on Carcinogens	US NIH - Report on Carcinogens		an Carcinogen (respirable size - ng)		
CAN	MAK	MAK		1 - Substances that cause cancer in		
CAN	IARC			Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	IARC	IARC		Group 1 - Agent is Carcinogenic to humans		
CAN	GHS - Japan	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]		
CAN	GHS - Australia	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
CAN	GHS - New Zealand	GHS - New Zealand		Carcinogenicity category 1		
MAM	GHS - Japan	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
GEN	GHS - Japan	GHS - Japan		H341 - Suspected of causing genetic defects [Germ c mutagenicity - Category 2]		
MAM	GHS - Australia	GHS - Australia		H372 - Causes damage to organs through prolonged repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1		an toxicity - repeated exposure		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found			No lis	tings found on Additional Hazard Lis		

SUBSTANCE NOTES:

STEARIC ACID ID: 57-11-4

END	TEDX - Potential Endocrine Disre	uptors	Potential Endocr	ine Disruptor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
%: 0.3500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Emulsifier
HAZARD DATA SOUR	CE: Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:28

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
	•	Green Circle - Verified Low Concern

POLYCARBOXYLIC ACID, SODIUM SALT

ID: 62601-60-9

HAZARD DATA SOURCE	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:29
%: 0.2410	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

CAPROLACTAM ID: 105-60-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-12-13 14:27:27

%: 0.1600 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

POLYACRYLIC ACID, SODIUM SALT

SUBSTANCE NOTES:

ID: 9003-04-7

HAZARD DATA SOL	JRCE: Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	2022-12-13 14:27:27
%: 0.1160	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation ca	ategory 2
MAM	GHS - Japan		repeated expos	damage to organs through prolonged or sure [Specific target organs/systemic ng repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Watch List
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
	L1 7 Y	Green Circle - Verified Low Concern

CARBON BLACK ID: 1333-86-4

HAZARD DATA SOURCE: P	haros Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-12-13 14:27:28
%: 0.0140 - 0.0540	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Car	rcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic but not sufficient for classification		
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	IARC	Group 2B - Possibly carcinogenic to humans - i from occupational sources		
EYE	GHS - New Zealand		Eye irritation category 2	
CAN	GHS - New Zealand		Carcinogenicity c	ategory 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinoge Category 2]		d of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No li	stings found on Additional Hazard Lists
SUBSTANCE NOTES				

SUBSTANCE NOTES:

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-12-13 14:27:29

%: 0.0000 - 0.0390 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
SUBSTANCE NOTES:		

AMYLOPECTIN, 2-HYDROXY-3-(TRIMETHYLAMMONIO)PROPYL ETHER, CHLORIDE

ID: 68936-82-3

HAZARD DATA SOURCE	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	E: 2022-12-13 14:27:30
%: 0.0330	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Biological material
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found			N	o listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYETHYLENE ID: 9002-88-4

HAZARD DATA SOURC	E: Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:28
%: 0.0330	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTING	S LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

2,2-DIBROMO-3-NITRILOPROPIONAMIDE

SUBSTANCE NOTES:

ID: 10222-01-2

HAZARD DATA SOUR	RCE: Pharos Chemical and Materials Librar	HAZARD SCREENING DATE: 2022-12	-13 14:27:29
%: 0.0280	GreenScreen: LT-P1	RC: None NANO: No SUBSTANCE	ROLE: Antimicrobial Pesticide
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
END	TEDX - Potential Endocrine D	uptors Potential Endocrine Disru	otor
SKI	MAK	Sensitizing Substance Sh	- Danger of skin sensitization
MUL	German FEA - Substances Ha Waters	rdous to Class 3 - Severe Hazard to	o Waters
EYE	GHS - Japan	H318 - Causes serious eye damage / eye irritation - C	
SKI	GHS - Japan	H315 - Causes skin irritati Category 2]	on [Skin corrosion / irritation -
AQU	GHS - Japan	H400 - Very toxic to aquata	
AQU	GHS - Japan	H410 - Very toxic to aquate [Hazardous to the aquatic Category 1]	ic life with long lasting effects environment (chronic) -
MAM	GHS - Australia	H301 - Toxic if swallowed Category 3]	[Acute toxicity (oral) -
MAM	GHS - Australia	H331 - Toxic if inhaled [Ad Category 3]	cute toxicity (inhalation) -
EYE	GHS - Australia	H318 - Causes serious eye damage/eye irritation - Ca	
MAM	GHS - Japan	H330 - Fatal if inhaled [Ac mist) - Category 2]	ute toxicity (inhalation: dust,
MAM	GHS - Japan	H301 - Toxic if swallowed Category 3]	[Acute Toxicity (oral) -

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
SUBSTANCE NOTES:		

FERRIC OXIDE ID: 1309-37-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-12-13 14:27:30
%: 0.0060 - 0.0280	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		•	up 3B - Evidence of carcinogenic effects t for classification
MAM	GHS - Japan		repeated exposi	damage to organs through prolonged or ure [Specific target organs/systemic grepeated exposure - Category 1]
EYE	GHS - Japan			serious eye damage [Serious eye ritation - Category 1]
SKI	GHS - Japan		H315 - Causes s Category 2]	skin irritation [Skin corrosion / irritation -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)

ID: 25035-69-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:30
%: 0.0150 - 0.0200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - DfE S	CIL
	Li 7)		Green Circle - V	erified Low Concern

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-12-13 14:27:31
%: 0.0120 - 0.0170	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE S	CIL
	EFA)		Green Circle - V	erified Low Concern
SUBSTANCE NOTES:				

IRGANOX 1010					ID: 6683-19-
HAZARD DATA SOL	JRCE: Pharos	Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-12-13 14:27:30
%: 0.0110	GreenScre	en: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Antioxidant
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
		EC - CEPA DSL		Persistent	
ADDITIONAL LIST	INGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST		US Environmental Protection Ag	ency (US	US EPA - DfE Sa	fer Chemicals Ingredients list (SCIL)
		,		Preservatives-An Concern)	ntioxidants - Green Circle (Verified Low
SUBSTANCE NOT	ES:				

2-PROPENOIC ACIE		-, METHYL ESTER, POLYMER 2,5-FURANDIONE			ID: 26809-
HAZARD DATA SOU	RCE: Pharo	s Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-13 14:27:30
%: 0.0110	GreenScre	een: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer specie
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
		EC - CEPA DSL		Persistent	
ADDITIONAL LISTIN	NGS	LIST NAME AND SOURCE		NOTIFICATION	
None found				No	listings found on Additional Hazard Li
SUBSTANCE NOTE	ES:				

CHLORINE CONTAININ	NG ALIPHATIC POLYPHOSPHATE				ID: 184530-92-5
HAZARD DATA SOURC	E: Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-12-13 14:27:31	
%: 0.0110	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: F	lame retardant

ADDITIONAL LISTINGS LIST NAME AND SOURCE	NOTIFICATION
ADDITIONAL LISTINGS LIST NAME AND SOURCE None found	NOTIFICATION No listings found on Additional Hazard Lists

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CRI Green Label Plus - Carpets

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Asia Pacific
CERTIFICATE URL: https://services.carpetrug.org/api/v2/GLPCertificate/100130

ISSUE DATE: 2018-11-15 EXPIRY DATE: 2022-09-30

ISSUE DATE: 2018-09-01

EXPIRY DATE: 2023-09-01

CERTIFIER OR LAB: CRI Green

CERTIFIER OR LAB: WAP

Label Plus

Sustainability

CERTIFICATION AND COMPLIANCE NOTES:

OTHER ILFI Declare - Red List Free - Third Party Verified

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Asia Pacific

CERTIFICATE URL:

https://floors.milliken.com/docs/default-source/americas-documents/segments/sustainability/declare/declare---

asia-pacific/wellbac-comfort-carpet-

tileb354010a5b5a43b5853793f29a35660a.pdf?

sfvrsn=fb520d47_22

LCA

CERTIFICATION AND COMPLIANCE NOTES:

Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Asia Pacific

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2020-10-01 EXPIRY DATE: 2025-10-01 CERTIFIER OR LAB: UL

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available,

MODULAR ADHESIVE

MANUFACTURER (OR GENERIC): Milliken

HPD URL: No HPD available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Modular Standard Adhesive

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Milliken
ADDRESS: 19 North Guotai Rd.

ADDRESS: 19 North Guotal Rd.

Zhangjiagang Jiangsu Province 215638, China

WEBSITE: floors.milliken.com

CONTACT NAME: Jennifer Smith

TITLE: Sustainability Development Leader

PHONE: **706-350-0964**

EMAIL: jenniferg.smith@milliken.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.