SANDHILLS (WELLBAC® COMFORT - QUATTRA)

Red List Free

WITH

Declare

Sandhills | Safari | Passage | Cavern | Rainforest | Bush Seed

Milliken.

PRODUCT SPECIFI	CATION								
Standard Backing			Cushion Backing WellBAC [®] Comfort (PVC FREE) (Non-Reactive Cushion Backing)						
Acoustic Value Concrete Slab Moisture Mitigation Antiviral Antibacterial			Noise Reduction Coefficient – NRC \ge 0.25						
			Impact Sound Pressure Level – Ln,w \leq 47dB						
			Site-Related Solutions (SRS): Milliken cushion-backed tile + Non-Reactive Standard Adhesive mean installation 45 days after a new concrete pour, fully warranted no moisture testing required. Refer to www.millikenfloors.com.au						
			MGUARD+ Antiviral and Antibacterial Treatment. For further information refer to <u>www.millikenfloors.com.au</u>						
Ν	lilliken WellBA	.C® open cel	l foam cushion pro		LBAC® superior durability, appe	earance reter	ntion and cushioni	ng.	
)					
UNDERFOOT COMFORT Up to 24% greater underfoot comfort for enhanced ergonomics whilst standing.	ACOUSTIC Up to 50% i acoustics fo more product	improved r quieter,	roved Enhanced Indoor Air Q ieter, (Green Label Plus		MOISTURE MITIGATII Industry leading moistu management with non reactive backings to enha the installation process, sa time and money.	re 3rd party Verified - Declare™ Red-List Free nce products for occupant and		CIRCULARITY 100% Recyclable through th Milliken N/XT LIFE circulari program for both installatic waste and end-of-life.	
Construction T		Tufted, Tex	Tufted, Texture Loop			Flammability (Radiant Panel Test)		CHF/CRF = 6.3kW/m ² Smoke Value = 136%. min	
Tile Size		50cm x 50cm, 25cm x 100cm, 1m x 1m			Lightfastness (AATCC 16E) Static Electricity (AATCC-134) 20% R.H., 70° F Indoor Air Quality CRI Green Label Plus™		≥ 4.0 at 80 Hours		
Varn Type		Milliken Certified 100% Nylon					≤3.5V		
		StainSmart®					≤ 0.5mg/m ³ (GLP0793)		
Dye Method		PrintWorks™			Label Plus VOC		Pass (ISO 10580:2010)		
Gauge		1/10 14.4			ACCS Grading Environmental		CMD 2*, REHD1 5*, Suitable for Stairs ECS Grading – Level 4 + (Core + No Chemicals of Concern + EPD + Carbon Neutral)		
Tufts		144/in ² (2,230/100cm ²)					Declare - RED L	IST FREE	
		100% 45%		_			Cradle to Cradle - Silver M/PACT™ Carbon Neutral Program		
Nominal Total Thickness		8.4mm						Product Declaration (EPI	
Nominal Pile Thickness Nominal Total Weight		2.8mm 90.3 oz/yd ² (3,062g/m ²)					Health Product Works With W	Declaration (HPD)	
The recognised Product Certification Initiatives in the Green Star rating tools that contribute to the responsible product value of Milliken carpet tiles are as listed. The Green Building Council of Australia recognises Responsible Products that may contribute to a Green Star rating through its Responsible Credits (rpv).				et 2 3 4	1. ECS Carpet Standard v2.2 2. Cradle to Cradle 3. Declare 2.0 - Red List Free 4. Science-Based Targets Initiative (SBTi)		GBCA Responsible Product Value 30 rpv		
Installati	commended on Methods	Passage, R Sandhills,	ainforest (Plank): Passage, Rainfores	Ashlar t (1m x	(Tile): Monolithic (Vertical) Herringbon 1m Rug): Monolithic	e			
Recommended Area of Use Commended Area of Us			cial Extra Heavy Duty 20-year		20-year 20		Dimensional	20-year Castor Chair	

M/PACT

CARBON NEUTRAL PROGRAM

CRI

+PLUS

WORKS WITH WELL

Milliken's commitment to advancing products and solutions that support human health and well-being is long-standing.

As a founding member of the **Well Living Lab** and a **Well Portfolio Member**, we aspire to design products that enhance the well-being and quality of life of indoor spaces.



We are proud to have been granted the **Works with WELL™** licence across an extensive selection of our global product portfolio, demonstrating how Milliken floor covering products align with specific strategies in the WELL Standard, the leading global standard for health and well-being.

The Works with WELL trademark licensing program recognises products and solutions that contribute to achieving specific features in the WELL Standard. Products that have earned the Works with WELL mark have been validated through one or more review cycles to give specifiers the maximum confidence in their material selections, whether working on a WELL-certified project or simply wanting to ensure they are adopting best practices for healthy, sustainable, people-first spaces for their clients.							
CONCEPT		FEATURE	FEATURE NAME				
	WATER	W07.2	Design Interiors for Moisture Management				
S	MOVEMENT	V02.4	Provide Support at Standing Workstations				
		X05.2	Select Compliant Architectural and Interiors Products				
	MATERIALS	X06.2	Restrict VOC Emissions from Furniture, Architectural and Interior Products				
		X07.1	Select Products and Disclosed Ingredients				
		X07.2	Select Products with Enhanced Ingredients Disclosure				
		X07.3	Select Products with Third-Party Verified Ingredients				
		X08.1	Select Materials with Enhanced Chemical Restrictions				
		X08.2	Select Optimised Products				
(d)	MIND	M02.1	Provide Connection to Nature				

Driven by the global demand for healthier places and healthier organisations that support people to thrive, WELL adoption has grown exponentially since its launch in 2014. WELL strategies have been used in over 5 billion square feet of space, supporting the health and well-being of an estimated 17 million people in more than 74,000 locations spanning over 130 countries.

Contact one of our team of WELL Accredited Professionals for support with your next WELL Certified project at <u>millikenanzenquiries@milliken.com</u>.

