



## WellBAC Comfort Carpet Tile - UK - UK Milliken

**Final Assembly:** Wigan, Greater Manchester, UK

**Life Expectancy:** 15 Year(s)

**End of Life Options:** Recyclable (100%)

### Ingredients:

Calcium Carbonate; Nylon 6; Nylon 6,6; Bitumen; Bitumen; Bitumen; Polyurethane; Aluminum hydroxide; POLYETHYLENE TEREPHTHALATE/POLYBUTYLENE TEREPHTHALATE; Polymer; Toluene Diisocyanate; POLYCAPROLACTAM THERMOPLASTIC RESIN; Polypropylene; Polymer composed of vinyl chloride / ethylene / acrylic acid / sodium vinyl sulfonate / acrylamide/ N-methylolacrylamide/ allylmethacrylate/ vinyl neodecanoate; Poly[oxy(methyl-1,2-ethanediyl)],  $\alpha$ -hydro- $\omega$ -hydroxy-; Carbon black; Benzene, 1,3-diisocyanato-2-methyl-; Glass Fiber; DIHYDROGEN OXIDE; 2-Propenoic acid, polymer with ethene; Phosphorus; Polymethylene polyphenyl isocyanate; Zinc Borate; Titanium dioxide; Polymethylenepolyphenyl polyisocyanate, glycerol ethoxylated / propoxylated, copolymer; Poly(oxy-1,2-ethanediyl),  $\alpha$ -hydro- $\omega$ -hydroxy-; 2-Propanol, 1,1'-[(1-methylethylidene) bis(4,1-phenyleneoxy)]bis-; Amines, tallow alkyl, ethoxylated; Antimony oxide (Antimony trioxide); Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.; 2-Propenoic acid, homopolymer, sodium salt; 4,4'-Methylenediphenyl diisocyanate; Poly[oxy(methyl-1,2-ethanediyl)],  $\alpha$ -butyl- $\omega$ -hydroxy-; Propanol, oxybis-; 2-Propenoic acid, polymer with 1-propene; Caprolactam; 1,3-Propanediol, 2,2-dimethyl-; Propanoic acid, 3-hydroxy-2,2-dimethyl-, 3-hydroxy-2,2-dimethylpropyl ester; Poly(oxy-1,2-ethanediyl),  $\alpha$ -sulfo- $\omega$ -(dodecyloxy)-, sodium salt; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethyl 2-propenoate, N-(hydroxymethyl)-2-propenamide and 2-propenamide; Benzene, 1-isocyanato-2-[(4-isocyanatophenyl)methyl]-; Hydrocarbons, C6-20, polymers, hydrogenated; (2-{2-[(3-aminopropyl)(methyl)amino]ethoxy}ethyl)dimethylamine; 1H-Imidazole, 1,2-dimethyl-; 3-(dimethylamino)propylurea; 9-Octadecenoic acid (Z)-, 1-methyl-1,2-ethanediyl ester; Ethanamine, 2,2'-oxybis[N,N-dimethyl-; Phosphorous acid, isodecyl diphenyl ester; Piperazine, 1,4-dimethyl-; Propanamide, 3-(dimethylamino)-N,N-dimethyl-; Siloxanes and Silicones, di-Me, hydroxy-terminated, ethoxylated propoxylated; Tin oxide (SnO<sub>2</sub>); Propanoic acid, 3,3'-thiobis-, dioctadecyl ester; Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl); Poly(oxy-1,2-ethanediyl),  $\alpha$ -[4-(1-phenylethyl)phenyl]- $\omega$ -hydroxy-; Polyethylene Terephthalate/Polybutylene Terephthalate; Polyethylene; Alcohols, C8-18, ethoxylated propoxylated; Cellulose, 2-hydroxyethyl ether; Fettsäuren, C8-C18 und C18-unges., ethoxyliert, propoxyliert, mittlere PO 2 mol und EO 10 mol oder PO 1,2 mol und EO 8 mol; Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene) bis(4,1-phenyleneoxymethylene)]bis[oxirane]; Phenol, 4,4',4''-[(2,4,6-trimethyl-1,3,5-benzenetriyl)tris(methylene)]tris[2,6-bis(1,1-dimethylethyl)-]; 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate; Fatty acids, C16-18; Stearic Acid; Poly(oxy-1,2-ethanediyl),  $\alpha$ -(3-carboxy-1-oxosulfo)propyl)- $\omega$ -hydroxy-, C10-16-alkyl ethers, disodium salts; PL 732; Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts; 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate; Fatty acids, coco, ethoxylated; C. I. Pigment Blue 15; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone, 2,9-bis(3,5-dimethylphenyl)-; Oxirane, methyl-, polymer with oxirane; Alcohols, C12-14, ethoxylated; Glycerin-Kokos÷l-Transester-EO/PO-random, (mittlere Molmasse 1000 g/mol)

**Living Building Challenge Criteria:** Compliant

### I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: Not Applicable
- Declared

**I-10 Interior Performance:** CDPH Standard Method v1.2-2017

**I-14 Responsible Sourcing:** Not Applicable

XXX-XXXX

EXP. 01 OCT 2024

Original Issue Date: 20XX