

ANHANG

Diese(r) Artikel / Gruppe wird charakterisiert durch folgende Merkmale

Gesamtmasse 3700 - 4700 g/m²
 Gesamtdicke 6,0 – 12,2 mm
 Materialzusammensetzung /
 Nutzschrift 100 % Polyamid (PA6/PA6.6)

und umfasst folgende(n) Artikel:

ARCTIC SURVEY - Expedition (SS)	Down to Earth - Enlightened (SS)
ARCTIC SURVEY - Isotherm (SS)	Down to Earth - Grounded (SS)
ARCTIC SURVEY - Shackleton (SS)	FACET (SS)
ARTISTIC LIBERTIES (SS)	FINE DETAIL - Metallic Joinery (SS)
Change Agent (SS)	FINE DETAIL - Stitchworks (SS)
CLERKENWELL design - Time Piece, Triangular Path, Circle Top View (SS)	FIXATION (SS)
CLERKENWELL SDN - Design Quarter (SS)	FIXATION SHAPES (SS)
CLERKENWELL SDN - EC1 (SS)	FORMWORK (SS)
CLERKENWELL SDN - Finsbury Square (SS)	Formwork 3.0 (SS)
Coastline (SS)	Fractals (SS)
COLOUR COMPOSITIONS (SS)	GLAZED CLAY (SS)
Comfortable Concrete - Retold (SS)	In Situ (SS)
Comfortable concrete (SS)	INITIO - Level CL (SS)
CONSEQUENCE 2.0 - Upshot, Sequel, Part 2, Spin off, Effect, React (SS)	INITIO - Shift CL (SS)
CRAFTED SERIES - Modern Maker, World Woven (SS)	JOINED UP THINKING (SS)
CULTURE CANVAS (SS)	JUXTAPOSE (SS)
DISSIDENT 2.0 (SS)	LAYLINES (SS)
	Light Box (SS)
	LIGHT TRAILS (SS)
	Major Frequency - Distortion (SS)

Produktions- und Produktprüfprozess

Zertifikat-Registrier-Nr. **70 710 6837-2**

Zertifikat gültig von 2023-03-01 bis **2026-02-28**



Dr. M. Pawick

Darmstadt, 2023-03-01
 Zertifizierungsstelle des TÜV Hessen
 – Der Zertifizierungsstellenleiter –

ANNEX

This article / this group is characterised by the following features

total mass 3700 - 4700 g/m²
 total thickness 6.0 – 12.2 mm
 material composition /
 pile material 100 % polyamide (PA6/PA6.6)

and comprises the following article(s):

ARCTIC SURVEY - Expedition (SS)	Down to Earth - Enlightened (SS)
ARCTIC SURVEY - Isotherm (SS)	Down to Earth - Grounded (SS)
ARCTIC SURVEY - Shackleton (SS)	FACET (SS)
ARTISTIC LIBERTIES (SS)	FINE DETAIL - Metallic Joinery (SS)
Change Agent (SS)	FINE DETAIL - Stitchworks (SS)
CLERKENWELL design - Time Piece, Triangular Path, Circle Top View (SS)	FIXATION (SS)
CLERKENWELL SDN - Design Quarter (SS)	FIXATION SHAPES (SS)
CLERKENWELL SDN - EC1 (SS)	FORMWORK (SS)
CLERKENWELL SDN - Finsbury Square (SS)	Formwork 3.0 (SS)
Coastline (SS)	Fractals (SS)
COLOUR COMPOSITIONS (SS)	GLAZED CLAY (SS)
Comfortable Concrete - Retold (SS)	In Situ (SS)
Comfortable concrete (SS)	INITIO - Level CL (SS)
CONSEQUENCE 2.0 - Upshot, Sequel, Part 2, Spin off, Effect, React (SS)	INITIO - Shift CL (SS)
CRAFTED SERIES - Modern Maker, World Woven (SS)	JOINED UP THINKING (SS)
CULTURE CANVAS (SS)	JUXTAPOSE (SS)
DISSIDENT 2.0 (SS)	LAYLINES (SS)
	Light Box (SS)
	LIGHT TRAILS (SS)
	Major Frequency - Distortion (SS)

Production process and product inspection process

Certificate registration No. **70 710 6837-2**

Certificate valid from 2023-03-01 to **2026-02-28**



Dr. M. Pawick

Darmstadt, 2023-03-01
 Certification body of TÜV Hessen
 – Head of Certification body –

ANHANG

Diese(r) Artikel / Gruppe wird charakterisiert durch folgende Merkmale

Gesamtmasse 3700 - 4700 g/m²
 Gesamtdicke 6,0 – 12,2 mm
 Materialzusammensetzung /
 Nutzschrift 100 % Polyamid (PA6/PA6.6)

und umfasst folgende(n) Artikel:

Major Frequency - Vibration (SS)	Preface Segment (SS)
Modern Movement (SS)	ROGUE KNIT (SS)
NATURALLY DRAWN (SS)	SCULPTURED FORMS - Marble Cast (SS)
NORDIC STORIES - Hidden Plains / Extreme Contrasts (SS)	TRACING LANDSCAPES - Field Study (SS)
NORDIC STORIES - Isograd (SS)	TRACING LANDSCAPES - Geography Lesson (SS)
NORDIC STORIES - Tectonic (SS)	TRACING LANDSCAPES - Map Reading (SS)
Northern Soul (SS)	Unexpected Purpose - Rendition (SS)
Northward Bound - Glacier (SS)	Unexpected Purpose - Re-written (SS)
Northward Bound - Ice (SS)	URBAN COLLECTIVE - Citizen (SS)
Northward Bound - Snow (SS)	URBAN COLLECTIVE - Fringe (SS)
Obex Tile - Cut (SS)	URBAN COLLECTIVE - On Bloc (SS)
OMNI® Access (SS)	Wire Frame (SS)
OMNI® performance loop (SS)	
OUT OF THE SHADOWS (SS)	
PER CONTRA - In Contrast (SS)	
PER CONTRA - On The Contrary (SS)	
Poise (SS)	
Poise Retold (SS)	
Preface - Adapt (SS)	

Produktions- und Produktprüfprozess

Zertifikat-Registrier-Nr. **70 710 6837-2**

Zertifikat gültig von 2023-03-01 bis **2026-02-28**



Dr. M. Pawick

Darmstadt, 2023-03-01
 Zertifizierungsstelle des TÜV Hessen
 – Der Zertifizierungsstellenleiter –

ANNEX

This article / this group is characterised by the following features

total mass 3700 - 4700 g/m²
 total thickness 6.0 – 12.2 mm
 material composition /
 pile material 100 % polyamide (PA6/PA6.6)

and comprises the following article(s):

Major Frequency - Vibration (SS)	Preface Segment (SS)
Modern Movement (SS)	ROGUE KNIT (SS)
NATURALLY DRAWN (SS)	SCULPTURED FORMS - Marble Cast (SS)
NORDIC STORIES - Hidden Plains / Extreme Contrasts (SS)	TRACING LANDSCAPES - Field Study (SS)
NORDIC STORIES - Isograd (SS)	TRACING LANDSCAPES - Geography Lesson (SS)
NORDIC STORIES - Tectonic (SS)	TRACING LANDSCAPES - Map Reading (SS)
Northern Soul (SS)	Unexpected Purpose - Rendition (SS)
Northward Bound - Glacier (SS)	Unexpected Purpose - Re-written (SS)
Northward Bound - Ice (SS)	URBAN COLLECTIVE - Citizen (SS)
Northward Bound - Snow (SS)	URBAN COLLECTIVE - Fringe (SS)
Obex Tile - Cut (SS)	URBAN COLLECTIVE - On Bloc (SS)
OMNI® Access (SS)	Wire Frame (SS)
OMNI® performance loop (SS)	
OUT OF THE SHADOWS (SS)	
PER CONTRA - In Contrast (SS)	
PER CONTRA - On The Contrary (SS)	
Poise (SS)	
Poise Retold (SS)	
Preface - Adapt (SS)	

Production process and product inspection process

Certificate registration No. **70 710 6837-2**

Certificate valid from 2023-03-01 to **2026-02-28**



Dr. M. Poide

Darmstadt, 2023-03-01
 Certification body of TÜV Hessen
 – Head of Certification body –