Declare.

WellBAC Comfort Plus Carpet Tile - US Milliken

Final Assembly: LaGrange, Georgia, USA
Life Expectancy: 15 Year(s)
End of Life Options: Salvageable/Reusable in its Entirety, Take Back Program (Milliken Carpet Take Back Program), Recyclable (100%)

Ingredients:

Calcium Carbonate; Nylon 6; Nylon 6,6; Polyurethane; POLYETHYLENE TEREPHTHALATE/POLYBUTYLENE TEREPHTHALATE; Asphalt; Carbonic acid, magnesium salt (1:1); Polymer; Polypropylene; Acetic acid ethenyl ester, polymer with ethene; Glass Fiber; Hydrocarbons, C6-20, polymers, hydrogenated; Amorphous Quartz; 2-Propenoic acid, polymer with 1-propene; Iron Oxide; Titanium dioxide; C.I. Pigment Brown 24; C.I. Pigment Yellow 119; Iron oxide; Salt of polycarboxylic acid; Hexanedioic acid, polymer with hexahydro-2H-azepin-2-one and 1,6-hexanediamine; Stearic Acid; Caprolactam; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone, 2,9-bis[4-(phenylazo)phenyl]-; C. I. Pigment Blue 15; N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)isophthalamide; Pigment Yellow 147; Carbon black; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone, 2,9-bis(3,5-dimethylphenyl)-; Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione complexes; 5,9,14,18-Anthrazinetetrone, 6,15-dihydro-; C.I. Pigment Green 7; Caledon Red 2G; Potassium bromide (KBr); Chromate(1-), bis[2-[(4,5-dihydro-3-methyl- 5-oxo-1-phenyl-1H-pyrazol-4-yl)azo]benzoato(2 -)]-, sodium; Pigment Red 202; Acetic acid ethenyl ester, polymer with ethenol; Alcohols, C11-14-iso-, C13-rich, ethoxylated; Decanedioic acid, polymer with hexahydro-2H-azepin-2-one, 1,6-hexanediamine and hexanedioic acid; Pigment Violet 29; (Z)-N-(2-aminoethyl)-N-(2-hydroxyethyl)-9-octadecenamide; 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris[[3,5-bis(1,1-dimethylethyl) -4-hydroxyphenyl]methyl]-; 13-Docosenamide, N-octadecyl-, (Z)-; 1H-Imidazole-1-ethanol, 2-(heptadecenyl)-4,5-dihydro-; 2-(2-aminoethylamino)ethanol; 2-Propenoic acid, polymer with ethene, zinc salt; Benzenepropanoic acid, 3-(1,1-dimethylethyl)-4-hydroxy-5-methyl-, 1,2-ethanediylbis(oxy-2,1-ethanediyl) ester; Butanedioic acid, sulfo-, 1,4-bis(2-ethylhexyl) ester, sodium salt; Dodecanedioic Acid; Fatty acids, C16-18; Fatty acids, montan-wax, 1-methyl-1,3-propanediyl esters; Melamine; Petroleum resins; Phenol, 2,4-bis(1,1-dimethylethyl)-, phosphite (3:1); Phosphorous trichloride, reaction products with 1,1'-biphenyl and 2,4-bis(1,1-methylethyl)phenol; Polyethylene; Sorbitan, tri-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs., (Z,Z,Z)-; Zinc Stearate; 2-Propenoic acid, polymer with ethene; 2,5-Furandione, polymer with ethene; Oxidized PE Homopolymer; Benzene, C10-13-alkyl derivs.; Siloxanes and Silicones, di-Me, hydroxy-terminated, ethoxylated propoxylated; Amylopectin, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride; Copper iodide (CuI); Distillates (petroleum), hydrotreated middle; Fatty acids, montan-wax, ethylene esters

Living Building Challenge Criteria: Compliant

I-13 Red List:
■ LBC Red List Free
☐ LBC Red List Approved
☐ Declared

% Disclosed: 100% at 100ppm
VOC Content: Not Applicable

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Not Applicable

MKN-0026
EXP. 01 JUL 2027
Original Issue Date: 2018

Third Party Verified

MANUFACTURER CLAIMS VERIFIED BY WAP SUSTAINABILITY CONSULTING
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare