

# Declare.

## WellBAC Comfort Carpet Tile - AUS Milliken

**Final Assembly:** Sydney, New South Wales, Australia

**Life Expectancy:** 15 Year(s)

**End of Life Options:** Recyclable (100%)

### Ingredients:

Calcium Carbonate; Nylon 6; 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with bis(isocyanatomethyl)benzene; Calcium carbonate; Polypropylene; POLYETHYLENE TEREPHTHALATE/POLYBUTYLENE TEREPHTHALATE; Acetic acid ethenyl ester, polymer with ethene; Ethylene propylene polymer; Fatty acids, castor-oil, caustic-oxidized, distn. residues, esters with ammonia-ethylene oxide reaction product distn. residues, compds. with diethylenetriamine and triethylenetetramine; Hydrocarbons, C6-20, polymers, hydrogenated; Glass Fiber; 2,5-Furandione, polymer with 1-propene; Acrylic acid; Amorphous Quartz; Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts; Zinc pyrithione; Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl); Diethanolamine; Glycerin-Kokos+I-Transester-EO/PO-random, (mittlere Molmasse 1000 g/mol); Stearic Acid; Caprolactam; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethyl 2-propenoate, N-(hydroxymethyl)-2-propenamide and 2-propenamide; N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)isophthalamide; Polyethylene; 13-Docosenamide, N-octadecyl-, (Z)-; Benzenepropanoic acid, 3-(1,1-dimethylethyl)-4-hydroxy-5-methyl-, 1,2-ethanediylbis(oxy-2,1-ethanediyl) ester; Butanedioic acid, sulfo-, 1,4-bis(2-ethylhexyl) ester, sodium salt; Dodecanedioic Acid; Fatty acids, C16-18; Hexanedioic acid, polymer with hexahydro-2H-azepin-2-one and 1,6-hexanediamine; Melamine; Petroleum resins; Phenol, 2,4-bis(1,1-dimethylethyl)-, phosphite (3:1); Sorbitan, tri-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs., (Z,Z,Z)-; Zinc Stearate; 2-Propenoic acid, homopolymer, sodium salt; Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]methyl]-1,3-propanediyl ester; Distillates, petroleum, hydrotreated light; 2,2-dibromo-2-cyanoacetamide; Carbon black; Titanium dioxide

**Living Building Challenge Criteria:** Compliant

### I-13 Red List:

- LBC Red List Free      % Disclosed: 100% at 100ppm
- LBC Red List Approved      VOC Content: Not Applicable
- Declared

**I-10 Interior Performance:** CDPH Standard Method v1.2-2017

**I-14 Responsible Sourcing:** Not Applicable

MKN-0023

EXP. 01 DEC 2025

Original Issue Date: 2018

Third  
Party  
Verified