WellBAC[™] Comfort Print Works (DDI)/Print Carpet Tile - US by Milliken

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 68 13 Tile Flooring PRODUCT DESCRIPTION: Modular Cushion back Tile Manufactured in the US

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- C Material
- Product

- Threshold level
- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS

C Other

C Partially Considered

Considered

Explanation(s) provided for Residuals/Impurities?

Residuals/Impurities

All Substances Above the Threshold Indicated Are:

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

WELLBAC™ COMFORT PRINT WORKS (DDI)/PRINT CARPET TILE - US [LIMESTONE, CALCIUM CARBONATE LT-UNK ASPHALT / BITUMENS (BITUMEN) LT-1 | CAN POLYURETHANE FOAMS LT-UNK POLYPROPYLENE LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE (GLASS FIBER) LT-UNK HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED LT-UNK STYRENE-BUTADIENE-VINYLIDENE CHLORIDE BASED POLYMER NoGS STYRENE BUTADIENE RUBBER (SBR) (STYRENE-BUTADIENE COPOLYMERS) LT-UNK 2-PROPENOIC ACID, POLYMER WITH 1-PROPENE LT-UNK CAPROLACTAM LT-UNK | SKI | EYE CARBON BLACK BM-1 | CAN CASTOR OIL, ETHOXYLATED, DIOLEATE, MINIMUM NUMBER AVERAGE MOLECULAR WEIGHT (IN AMU), 1260 (CASTOR OIL, ETHOXYLATED, DIOLEATE) LT-UNK COCONUT OIL LT-UNK FATTY ACIDS, TALL-OIL, ETHOXYLATED PROPOXYLATED LT-UNK 5-SULFOISOPHTHALIC ACID, MONOLITHIUM SALT (LITHIUM DIHYDROGEN 5-SULFOISOPHTHALATE) NoGS BUTANEDIOIC ACID, 2-(OCTEN-1-YL)-, POTASSIUM SALT (1:2) (OCTENYL, 1,4-BUTANEDIOIC ACID, DIPOTASSIUM SALT IN WATER) NoGS 1,2-PROPYLENEGLYCOL, ETHOXYLATED AND PROPOXYLATED (OXLRANE, METHYL-, POLYMER WITH OXLRANE, ETHER WITH 1,2-PROPANEDIOL (2:1)) LT-UNK PHOSPHINIC ACID, MANGANESE(2++) SALT (2:1) LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-METHYL-OMEGA-(2-PROPEN-1-YLOXY)- LT-UNK ISOCYANIC ACID, POLYMETHYLENEPOLYPHENYLENE ESTER, POLYMER WITH 2-METHYLOXIRANE POLYMER WITH OXIRANE ETHER WITH 1,2,3-**PROPANETRIOL (3:1) (POLYMETHYLENEPOLYPHENYL** POLYISOCYANATE, GLYCEROL ETHOXYLATED / PROPOXYLATED, COPOLYMER) NoGS POTASSIUM HYDROXIDE LT-P1 | SKI QUARTZ LT-1 |

WellBAC Comfort Print Works (DDI)/Print Carpet Tile - US hpdrepository.hpd-collaborative.org

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Inventory was given by all suppliers to 100ppm

CAN POLYCARBOXYLIC ACID, SODIUM SALT (SALT OF POLYCARBOXYLIC ACID) NoGS SILOXANES AND SILICONES, DI-ME, 3-HYDROXYPROPYL ME, ETHERS WITH POLYETHYLENE GLYCOL MONO-ME ETHER LT-P1 STEARIC ACID LT-P1 | END ANATASE TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN WATER (DIHYDROGEN OXIDE) BM-4 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH 2-PROPENOIC ACID LT-UNK 2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE LT-UNK SILICA, AMORPHOUS (AMORPHOUS SILICA) BM-1 | CAN AMYLOPECTIN, 2-HYDROXY-3-(TRIMETHYLAMMONIO)PROPYL ETHER, CHLORIDE NoGS ANTIMONY PENTAOXIDE LT-1 | AQU | CAN BARIUM LT-P1 | END 1-PROPENE TETRAMER-OXYBISBENZENE REACTION PRODUCTS, SULFONATED, SODIUM SALT (BENZENE, 1,1'-OXYBIS-, TETRAPROPYLENE DERIVS., SULFONATED, SODIUM SALTS) LT-P1 | MUL ALKYL(C10-C13)BENZENE (BENZENE, C10-13-ALKYL DERIVS) LT-UNK BUTENE, POLYMER WITH ETHENE LT-UNK C.I. PIGMENT BLUE 15 BM-3 RUTILE, ANTIMONY CHROMIUM BUFF (C.I. PIGMENT BROWN 24) BM-1 DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE LT-1 | CAN | MUL DISTILLATE FUEL OILS, LIGHT (DISTILLATES, PETROLEUM, HYDROTREATED LIGHT) BM-2 | MAM | CAN FATTY ACIDS, C16-18 AND C18-UNSATD., BRANCHED AND LINEAR, ETHOXYLATED LT-UNK ETHYLENEDIAMINE TETRAACETIC ACID, TETRASODIUM SALT (GLYCINE, N,N'-1,2-ETHANEDIYLBIS[N-(CARBOXYMETHYL)-, TETRASODIUM SALT) LT-P1 | EYE | MUL NAPHTHALENESULFONIC ACIDS, POLYMERS WITH FORMALDEHYDE AND 4,4'-SULFONYLBIS[PHENOL] LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-PHOSPHONO-OMEGA-(DODECYLOXY)-, COMPD. WITH 2,2'-IMINOBIS[ETHANOL], (EO 2-8 MOL) LT-UNK SILOXANE POLYALKYLENEOXIDE COPOLYMER (SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED, ETHOXYLATED PROPOXYLATED) NoGS SODIUM SULFATE (SULFURIC ACID DISODIUM SALT) LT-UNK MAGNESIUM SULFATE, ANHYDROUS (SULFURIC ACID MAGNESIUM SALT (1:1)) LT-UNK SODIUM LAURYL SULFATE (SULFURIC ACID MONODODECYL ESTER SODIUM SALT) LT-P1 | MUL AMMONIUM LAURYL SULFATE (SULFURIC ACID, MONO-C10-16-ALKYL ESTERS, AMMONIUM SALTS) NoGS TRIETHANOLAMINE LT-P1 | RES | END BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) LT-UNK BM-1, PLATELET AGGREGATION INHIBITOR (METHACRYLIC ACID, BUTYL ACRYLATE POLYMER) LT-UNK SULFONATED POLYAMIDE (POLYMER) NoGS 1,4-BENZENEDICARBOXYLIC ACID, POLYMER WITH HEXAHYDRO-2H-AZEPIN-2-ONE AND 2-METHYLOXIRANE POLYMER WITH OXIRANE **BIS(2-AMINOPROPYL) ETHER (POLYCAPROLACTAM THERMOPLASTIC** RESIN) NoGS

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets Other: ILFI Declare - Red List Free - Third Party Verified Multi-attribute: Cradle to Cradle Certified - Silver (V3.1) Multi-attribute: NSF/ANSI 140-2015 Sustainability Assessment for Carpet Standard

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

• Yes

PREPARER: Self-Prepared VERIFIER: WAP Sustainability Consulting VERIFICATION #: zPr-9320 SCREENING DATE: 2020-05-12 PUBLISHED DATE: 2020-05-15 EXPIRY DATE: 2023-05-12

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

WELLBAC™ COMFORT PRINT WORKS (DDI)/PRINT CARPET TILE - US

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

ID: 1317-65-3

ID: 8052-42-4

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities were considered during the supplier engagement on disclosure of ingredients.

OTHER PRODUCT NOTES:

LIMESTONE, CALCIUM CARBONATE

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEI | NING DATE: 2020-0 | 5-12 |
|--|------------------------|---------------|-------------------|------------------------------|
| %: 30.00 - 50.00 | GS: LT-UNK | RC: PreC | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No | warnings found c | on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight and backing add-on of the carpet and to protect the proprietary information of both Milliken and their suppliers.

The source of the recycled content is post-industrial waste from various processed calcium carbonate products.

ASPHALT / BITUMENS (BITUMEN)

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREEN | IING DATE: 2020-05 | 5-12 |
|--------------------------|---------------------------------------|--|---|-----------------------------|
| %: 6.00 - 9.00 | GS: LT-1 | RC: None | ROLE: Backing | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | IARC | Group 2b - Possibly carcinogenic to humans | | |
| CANCER | CA EPA - Prop 65 | Carcinogen | | |
| CANCER | US CDC - Occupational Carcinogens | Occupational | Carcinogen | |
| CANCER | IARC | Group 2B - Po occupational | | ic to humans - inhaled from |
| CANCER | МАК | • | roup 3B - Evidence ent for classificatio | e of carcinogenic effects |

| POLYURETHANE FOAMS | | | | ID: 9009-54-5 |
|-----------------------------|--|----------|-------------------|---------------------------|
| HAZARD SCREENING METHOD: Ph | HOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-05-12 | | | 5-12 |
| %: 6.00 - 9.00 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No | warnings found or | HPD Priority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| POLYPROPYLENE | | | | ID: 9003-07-0 |
|---------------------------------|--------------------------------|-------------------------------------|-------------------|---------------------------|
| HAZARD SCREENING METHOD: Pharos | Chemical and Materials Library | Y HAZARD SCREENING DATE: 2020-05-12 | | |
| %: 3.00 - 10.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | Νον | warnings found or | HPD Priority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| POLYETHYLENE TEREPHTHALATE (PET) ID: 25038-59 | | | | |
|---|--------------------------------|-----------------------------------|--------------------|---------------------------|
| HAZARD SCREENING METHOD: Pharos | Chemical and Materials Library | HAZARD SCREENING DATE: 2020-05-12 | | |
| %: 3.00 - 10.00 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No w | arnings found on H | IPD Priority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE (GLASS FIBER)

ID: 65997-17-3

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-05-12 | | | |
|--|------------------------|-----------------------------------|-----------------|--------------------------|--|
| %: 1.00 - 2.00 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Backing | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No warr | ings found on H | PD Priority Hazard Lists | |

| HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED ID: 6943 | | | | |
|--|---|----------|-------------------|---------------------------|
| HAZARD SCREENING METHOD: Phar | AZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-05- | | 5-12 | |
| %: 1.00 - 2.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No | warnings found or | HPD Priority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| STYRENE-BUTADIENE-VI | NYLIDENE CHLORIDE BASED POLYMER | | | ID: 208448-00-4 |
|----------------------------|--------------------------------------|---|-------------------|---------------------------|
| HAZARD SCREENING METHOD: P | haros Chemical and Materials Library | brary HAZARD SCREENING DATE: 2020-05-12 | | |
| %: 1.00 - 5.00 | GS: NOGS | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No w | varnings found or | HPD Priority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| STYRENE BUTADIENE RUBBER (SBR) (STYRENE-BUTADIENE COPOLYMERS) | | | | ID: 9003-55-8 |
|---|-------------------------------------|--------------|------------------|--------------------------|
| HAZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | HAZARD SCREE | NING DATE: 2020 | -05-12 |
| %: 0.01 - 4.00 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warn | ings found on HF | PD Priority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| 2-PROPENOIC ACID, POLYMER WITH 1-PROPENE ID: 252 | | | | |
|--|---|----------|-----------------------------------|-----------------------------|
| HAZARD SCREENING METHOD: | D SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-05-12 | |
| %: 0.01 - 1.00 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No | warnings found or | n HPD Priority Hazard Lists |

| CAPROLACTAM | | ID: 105-60-2 |
|----------------------------|--------------------------------------|--------------------------------------|
| HAZARD SCREENING METHOD: P | haros Chemical and Materials Library | HAZARD SCREENING DATE: 2020-05-12 |
| %: 0.01 - 1.00 | GS: LT-UNK | RC: None NANO: No ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| SKIN IRRITATION | EU - GHS (H-Statements) | H315 - Causes skin irritation |
| EYE IRRITATION | EU - GHS (H-Statements) | H319 - Causes serious eye irritation |
| | | |

| CARBON BLACK | | | | | ID: 1333-86-4 | |
|---|---|--|-----------------------------------|--------------------|------------------------|--|
| HAZARD SCREENING METHOD: Pharos C | hemical and Materials Library | HAZARD SCREENING | HAZARD SCREENING DATE: 2020-05-12 | | | |
| %: 0.01 - 1.00 | GS: BM-1 | RC: None | nano: No | ROLE: Fac | ce fiber | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| CANCER | US CDC - Occupational Carcinogens | Occupational Car | rcinogen | | | |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route | | | posure route | |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources | | | s - inhaled from | |
| CANCER | МАК | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification | | | genic effects | |
| | | | | | | |
| SUBSTANCE NOTES: Ranges are prov Milliken and their suppliers. | vided due to the variation in face weight of th | e carpet and to pro | otect the propri | etary infor | mation of both | |
| CASTOR OIL, ETHOXYLATED, DI (IN AMU), 1260 (CASTOR OIL, ETI | OLEATE, MINIMUM NUMBER AVERAGE MO HOXYLATED, DIOLEATE) | DLECULAR WEIGH | IT | | ID: 110531-96-9 | |
| HAZARD SCREENING METHOD: Pharos C | hemical and Materials Library | | HAZARD SO | CREENING DA | TE: 2020-05-12 | |
| %: 0.01 - 1.00 | GS: LT-UNK | | RC: None | NANO: No | ROLE: Face fiber | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| None found | | No wa | arnings found or | n HPD Prior | ity Hazard Lists | |
| SUBSTANCE NOTES: Ranges are prov Milliken and their suppliers. | vided due to the variation in face weight of th | e carpet and to pro | otect the propri | etary infor | mation of both | |

| COCONUT OIL | | | | ID: 8001-31 - | 8 | |
|--|--|------------------------|-----------------------------------|------------------------------|---|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREE | HAZARD SCREENING DATE: 2020-05-12 | | | |
| %: 0.01 - 1.00 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Face fiber | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| None found | | Ν | lo warnings found | on HPD Priority Hazard Lists | | |
| substance notes: Range Milliken and their supp | es are provided due to the variation in face weigh liers. | t of the carpet and to | protect the pro | prietary information of bot | ı | |

| FATTY ACIDS, TALL-OIL, ETHOXYLATED PROPOXYLATED ID: 677 | | | | |
|--|------------------------|-----------------------------------|------------------|------------------------------|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-05-12 | | |
| %: 0.01 - 1.00 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Face Fiber |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | Ν | o warnings found | on HPD Priority Hazard Lists |

| 5-SULFOISOPHTHALI SULFOISOPHTHALAT | C ACID, MONOLITHIUM SALT (LITHIUM DIHYDF E) | ROGEN 5- | | | ID: 46728-75-0 | |
|---------------------------------------|--|----------------------|-----------------------------------|-----------------|-----------------------|--|
| HAZARD SCREENING METHOD | D: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-05-12 | | | |
| %: 0.01 - 1.00 | GS: NoGS | | RC: None | NANO: NO | ROLE: Face fiber | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| None found | | | No warnings f | ound on HPD | Priority Hazard Lists | |
| Milliken and their sup | SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers. BUTANEDIOIC ACID, 2-(OCTEN-1-YL)-, POTASSIUM SALT (1:2) (OCTENYL, 1,4- BUTANEDIOIC ACID, DIPOTASSIUM SALT IN WATER) | | | | | |
| HAZARD SCREENING METHOD | D: Pharos Chemical and Materials Library | | HAZARD | SCREENING DA | TE: 2020-05-12 | |
| %: 0.01 - 1.00 | gs: NoGS | | RC: None | NANO: No | ROLE: Face Fiber | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| None found | | | No warnings f | ound on HPD | Priority Hazard Lists | |
| SUBSTANCE NOTES: Rang | ges are provided due to the variation in face weigl | nt of the carpet and | to protect the | e proprietary | information of both | |

Milliken and their suppliers.

| POLYMER WITH OXLRANE | | | | | |
|--|---|---|--|---|---|
| AZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | | HAZARD S | SCREENING D | ATE: 2020-05- |
| 6: 0.01 - 1.00 | GS: LT-UNK | | RC: None | NANO: No | ROLE: Face fiber |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No w | varnings found o | n HPD Prio | rity Hazard Lis |
| SUBSTANCE NOTES: Ranges a Milliken and their supplier | re provided due to the variation in face weigh rs. | t of the carpet and to pr | rotect the prop | rietary info | rmation of bo |
| PHOSPHINIC ACID, MANG | ANESE(2++) SALT (2:1) | | | | ID: 10043-8 |
| AZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | HAZARD SCREENIN | IG DATE: 2020-0 | 5-12 | |
| 6: 0.01 - 1.00 | GS: LT-UNK | RC: None | NANO: NO | ROLE: A | dditives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No w | varnings found o | n HPD Prio | rity Hazard Lis |
| Milliken and their supplier | re provided due to the variation in face weights. rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1) | | rotect the prop | rietary info | |
| Milliken and their supplier | rs. | -YLOXY)- | rotect the prop | | |
| Milliken and their supplier POLY(OXY-1,2-ETHANEDI AZARD SCREENING METHOD: Ph | rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1 | -YLOXY)- | | 20-05-12 | |
| Milliken and their supplier OLY(OXY-1,2-ETHANEDI AZARD SCREENING METHOD: Ph : 0.01 - 1.00 | rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1) naros Chemical and Materials Library | -YLOXY)- HAZARD SCF | REENING DATE: 20 | 20-05-12 | id: 27252-8 |
| Milliken and their supplier OLY(OXY-1,2-ETHANEDI AZARD SCREENING METHOD: Ph | rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1- naros Chemical and Materials Library GS: LT-UNK | -YLOXY)- HAZARD SCF RC: None WARNINGS | REENING DATE: 20 | 20-05-12 ROLE: | ID: 27252-8 Face Fiber |
| Milliken and their supplier POLY(OXY-1,2-ETHANEDI AZARD SCREENING METHOD: Ph 6: 0.01 - 1.00 HAZARD TYPE None found | rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1) haros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES | -YLOXY)- HAZARD SCF RC: None WARNINGS No w | REENING DATE: 20 NANO: No varnings found o | ROLE: | ID: 27252-8 Face Fiber |
| Milliken and their supplier POLY(OXY-1,2-ETHANEDI AZARD SCREENING METHOD: Ph : 0.01 - 1.00 HAZARD TYPE None found SUBSTANCE NOTES: Ranges a Milliken and their supplier SOCYANIC ACID, POLYMI ETHYLOXIRANE POLYM POLYMETHYLENEPOLYP | rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1) aaros Chemical and Materials Library Gs: LT-UNK AGENCY AND LIST TITLES tre provided due to the variation in face weight rs. ETHYLENEPOLYPHENYLENE ESTER, POLYI ER WITH OXIRANE ETHER WITH 1,2,3-PROF HENYL POLYISOCYANATE, GLYCEROL ETH | -YLOXY)- HAZARD SCF RC: None WARNINGS No w t of the carpet and to pr MER WITH 2- PANETRIOL (3:1) | REENING DATE: 20 NANO: No varnings found o | ROLE: | ID: 27252-8 Face Fiber rity Hazard Lis |
| Milliken and their supplier OLY(OXY-1,2-ETHANEDI AZARD SCREENING METHOD: Ph : 0.01 - 1.00 HAZARD TYPE None found SUBSTANCE NOTES: Ranges a Milliken and their supplier SOCYANIC ACID, POLYME THYLOXIRANE POLYME POLYMETHYLENEPOLYP ROPOXYLATED, COPOLY | rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1) aaros Chemical and Materials Library Gs: LT-UNK AGENCY AND LIST TITLES tre provided due to the variation in face weight rs. ETHYLENEPOLYPHENYLENE ESTER, POLYI ER WITH OXIRANE ETHER WITH 1,2,3-PROF HENYL POLYISOCYANATE, GLYCEROL ETH | -YLOXY)- HAZARD SCF RC: None WARNINGS No w t of the carpet and to pr MER WITH 2- PANETRIOL (3:1) | REENING DATE: 20 NANO: No varnings found o | 20-05-12 ROLE: In HPD Prior rietary info | ID: 27252-8 Face Fiber rity Hazard Lis rmation of bu |
| Milliken and their supplier POLY(OXY-1,2-ETHANEDI AZARD SCREENING METHOD: Ph : 0.01 - 1.00 HAZARD TYPE None found SUBSTANCE NOTES: Ranges a Milliken and their supplier SOCYANIC ACID, POLYM METHYLOXIRANE POLYM POLYMETHYLENEPOLYP ROPOXYLATED, COPOLY AZARD SCREENING METHOD: Ph | rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1: maros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES are provided due to the variation in face weight rs. ETHYLENEPOLYPHENYLENE ESTER, POLYI ER WITH OXIRANE ETHER WITH 1,2,3-PROF HENYL POLYISOCYANATE, GLYCEROL ETH rMER) | -YLOXY)- HAZARD SCF RC: None WARNINGS No w t of the carpet and to pr MER WITH 2- PANETRIOL (3:1) | REENING DATE: 20 NANO: No varnings found o | 20-05-12 ROLE: In HPD Prior rietary info | ID: 27252-8 Face Fiber |
| Milliken and their supplier POLY(OXY-1,2-ETHANEDI AZARD SCREENING METHOD: Ph 6: 0.01 - 1.00 HAZARD TYPE None found SUBSTANCE NOTES: Ranges a Milliken and their supplier SOCYANIC ACID, POLYME METHYLOXIRANE POLYM POLYMETHYLENEPOLYP ROPOXYLATED, COPOLY | rs. YL), ALPHA-METHYL-OMEGA-(2-PROPEN-1) aaros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES tre provided due to the variation in face weight rs. ETHYLENEPOLYPHENYLENE ESTER, POLYI ER WITH OXIRANE ETHER WITH 1,2,3-PROF HENYL POLYISOCYANATE, GLYCEROL ETH YMER) taros Chemical and Materials Library | -YLOXY)- HAZARD SCF RC: None WARNINGS No w t of the carpet and to pr MER WITH 2- PANETRIOL (3:1) | REENING DATE: 20 NANO: No varnings found o rotect the propu- HAZARD : RC: | 20-05-12 ROLE: IN HPD Prior rietary info | ID: 27252-8 Face Fiber rity Hazard Lis rmation of bo ID: 58228-0 ATE: 2020-05 ROLE: |

| POTASSIUM HYDROXIDE | | | | | |
|--|-------------------------|-----------------------------------|--|---------------|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-05-12 | | | |
| %: 0.01 - 1.00 | GS: LT-P1 | RC: None | NANO: NO | ROLE: Backing | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| SKIN IRRITATION | EU - GHS (H-Statements) | H314 - Causes | H314 - Causes severe skin burns and eye damage | | |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| QUARTZ | | ID: 14808-60-7 |
|-----------------------------------|-----------------------------------|---|
| HAZARD SCREENING METHOD: Pharos C | Chemical and Materials Library | HAZARD SCREENING DATE: 2020-05-12 |
| %: 0.01 - 1.00 | GS: LT-1 | RC: None NANO: No ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CANCER | IARC | Group 1 - Agent is Carcinogenic to humans |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CANCER | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CANCER | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CANCER | МАК | Carcinogen Group 1 - Substances that cause cancer in man |
| CANCER | GHS - New Zealand | 6.7A - Known or presumed human carcinogens |
| CANCER | GHS - Japan | Carcinogenicity - Category 1A [H350] |
| CANCER | GHS - Australia | H350i - May cause cancer by inhalation |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| POLYCARBOXYLIC ACID, SODIUM SALT (SALT OF POLYCARBOXYLIC ACID) | | | | ID: 62601-60-9 | |
|--|----------|----------|-----------------------------------|----------------|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2020-05-12 | | |
| %: 0.01 - 1.00 | GS: NoGS | RC: None | NANO: NO | ROLE: Backing | |

WellBAC Comfort Print Works (DDI)/Print Carpet Tile - US hpdrepository.hpd-collaborative.org

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

None found

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| SILOXANES AND SILICO POLYETHYLENE GLYCO | ONES, DI-ME, 3-HYDROXYPROPYL ME, ETHE OL MONO-ME ETHER | RS WITH | | | ID: 68938-54-5 |
|--|---|-------------------------|-----------------|-----------------|-----------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | | HAZARD SCR | EENING DATE: | 2020-05-12 |
| %: 0.01 - 1.00 | GS: LT-P1 | | RC: None | NANO: NO | ROLE: Face fiber |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | Ν | o warnings four | nd on HPD P | riority Hazard Lists |
| SUBSTANCE NOTES: Range | es are provided due to the variation in face weig | ht of the carpet and to | protect the p | roprietary in | formation of both |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| STEARIC ACID | | | | ID: 57-11-4 |
|--|---------------------------------------|-----------------------------------|-----------------|--------------------|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-05-12 | | |
| %: 0.01 - 1.00 | GS: LT-P1 | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor | | |
| | | | | |

| ANATASE TITANIUM DIOXIDE (TITANIUM DIOXIDE) | | | | |
|--|-----------------------------------|---------------------------|---|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEM | 5-12 | |
| %: 0.01 - 1.00 | GS: LT-1 | RC: None | NANO: NO | ROLE: Face Fiber |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | US CDC - Occupational Carcinogens | Occupation | al Carcinogen | |
| CANCER | CA EPA - Prop 65 | Carcinogen | - specific to chem | ical form or exposure route |
| CANCER | IARC | Group 2B - occupationa | | enic to humans - inhaled from |
| CANCER | МАК | • | Group 3A - Evider cient to establish | nce of carcinogenic effects MAK/BAT value |

| WATER (DIHYDROGEN OXIDE) ID: 7732-18-5 | | | | | | |
|--|---|----------------------|-----------------------------------|--------------------------------|--|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2020-05-12 | | | |
| %: 0.01 - 1.00 | GS: BM-4 | RC: None | NANO: NO | ROLE: Face Fiber | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| None found | | | No warnings found | d on HPD Priority Hazard Lists | | |
| SUBSTANCE NOTES: Ranges | are provided due to the variation in face weigh | it of the carpet and | to protect the pro | oprietary information of both | | |

Milliken and their suppliers.

The GreenScreen Assessment results were sourced from the Pharos chemicals database.

| 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH 2-PROPENOIC ACID | | | | ID: 25751-21-7 |
|--|------------------------|------------------|------------------|---------------------------|
| HAZARD SCREENING METHOD: | HAZARD SCREEN | NING DATE: 2020- | -05-12 | |
| %: 0.00 - 0.10 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Additives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No wa | arnings found on | HPD Priority Hazard Lists |

None found

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| 2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE | | | | |
|---|------------------------------------|---------------|------------------------|--------------------------|
| HAZARD SCREENING METHOD: Pha | ros Chemical and Materials Library | HAZARD SCREEN | NING DATE: 2020 | -05-12 |
| %: 0.00 - 0.10 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnir | ngs found on HF | PD Priority Hazard Lists |

| SILICA, AMORPHOUS (AMOR | SILICA, AMORPHOUS (AMORPHOUS SILICA) | | | | |
|-------------------------------|--------------------------------------|----------------|------------------|---------------|--|
| HAZARD SCREENING METHOD: Phar | os Chemical and Materials Library | HAZARD SCREENI | NG DATE: 2020-05 | -12 | |
| %: 0.00 - 0.10 | GS: BM-1 | RC: None | NANO: NO | ROLE: Backing | |

| HAZARD TYPE | | | | |
|--|---|--|--|--|
| CANCER | GHS - Japan | Carcinogenicity - Categor | ry 1A [H350] | |
| CANCER | GHS - Australia | H350i - May cause cance | r by inhalatio | on |
| SUBSTANCE NOTES: Ranges a Milliken and their supplie | are provided due to the variation in face weight of | f the carpet and to protect the | e proprietar | y information of bot |
| AMYLOPECTIN, 2-HYDRO CHLORIDE | XY-3-(TRIMETHYLAMMONIO)PROPYL ETHER, | | | ID: 68936-82 |
| HAZARD SCREENING METHOD: P | haros Chemical and Materials Library | HAZARD SCREENING | a date: 2020 | -05-12 |
| %: 0.00 - 0.10 | GS: NoGS | RC: None | NANO: No | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| | | | | |
| None found | | No warnings t | found on HP | D Priority Hazard Lists |
| | are provided due to the variation in face weight of | | | |
| SUBSTANCE NOTES: Ranges a | are provided due to the variation in face weight of | | | |
| SUBSTANCE NOTES: Ranges a Milliken and their supplie | are provided due to the variation in face weight of | | e proprietar | y information of bot |
| SUBSTANCE NOTES: Ranges a Milliken and their supplie | are provided due to the variation in face weight of | f the carpet and to protect the | e proprietar 020-05-12 | y information of bot |
| SUBSTANCE NOTES: Ranges a Milliken and their supplie | are provided due to the variation in face weight of rs. haros Chemical and Materials Library | f the carpet and to protect the HAZARD SCREENING DATE: 20 | e proprietar 020-05-12 | ry information of bot ID: 1314-60 |
| SUBSTANCE NOTES: Ranges a Milliken and their supplie ANTIMONY PENTAOXIDE HAZARD SCREENING METHOD: PH %: 0.00 - 0.10 | are provided due to the variation in face weight of rs. haros Chemical and Materials Library GS: LT-1 | f the carpet and to protect the HAZARD SCREENING DATE: 20 RC: None NANO: N | e proprietar 020-05-12 lo R | ry information of bot ID: 1314-60 OLE: Additives |
| SUBSTANCE NOTES: Ranges a Milliken and their supplie ANTIMONY PENTAOXIDE HAZARD SCREENING METHOD: Pr 6: 0.00 - 0.10 HAZARD TYPE | are provided due to the variation in face weight of rs. haros Chemical and Materials Library GS: LT-1 | f the carpet and to protect the HAZARD SCREENING DATE: 20 RC: None NANO: N WARNINGS | e proprietar 020-05-12 lo R fe with long | ry information of bot ID: 1314-60 OLE: Additives |
| SUBSTANCE NOTES: Ranges a Milliken and their supplie ANTIMONY PENTAOXIDE HAZARD SCREENING METHOD: PR %: 0.00 - 0.10 HAZARD TYPE CHRON AQUATIC CANCER | are provided due to the variation in face weight of rs. haros Chemical and Materials Library GS: LT-1 AGENCY AND LIST TITLES EU - GHS (H-Statements) MAK are provided due to the variation in face weight of | f the carpet and to protect the HAZARD SCREENING DATE: 20 RC: None NANO: N WARNINGS H411 - Toxic to aquatic lif Carcinogen Group 2 - Cor man | e proprietar 020-05-12 lo R fe with long I nsidered to I | DE: 1314-60 |
| SUBSTANCE NOTES: Ranges a Milliken and their supplie ANTIMONY PENTAOXIDE HAZARD SCREENING METHOD: PH %: 0.00 - 0.10 HAZARD TYPE CHRON AQUATIC CANCER SUBSTANCE NOTES: Ranges a | are provided due to the variation in face weight of rs. haros Chemical and Materials Library GS: LT-1 AGENCY AND LIST TITLES EU - GHS (H-Statements) MAK are provided due to the variation in face weight of | f the carpet and to protect the HAZARD SCREENING DATE: 20 RC: None NANO: N WARNINGS H411 - Toxic to aquatic lif Carcinogen Group 2 - Cor man | e proprietar 020-05-12 lo R fe with long I nsidered to I | DE: 1314-60 |

| HAZARD SCREENING METHOD: P | haros Chemical and Materials Library | HAZARD SCREEM | NING DATE: 2020-05 | 5-12 |
|---|--------------------------------------|----------------|--------------------|---------------|
| %: 0.00 - 0.10 | GS: LT-P1 | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| ENDOCRINE TEDX - Potential Endocrine Disruptors | | Potential Endo | ocrine Disruptor | |

| | YBISBENZENE REACTION PRODUCTS, SULF S-, TETRAPROPYLENE DERIVS., SULFONATE | | | | ID: 119345-04-9 |
|--|--|-------------------|--------------------|--------------------|------------------------|
| HAZARD SCREENING METHOD: Phar | ros Chemical and Materials Library | | HAZARD S | SCREENING D | ATE: 2020-05-12 |
| %: 0.00 - 0.10 GS: LT-P1 | | | RC: None | NANO: No | ROLE: Additives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Haza | rd to Waters | | |
| SUBSTANCE NOTES: Ranges are Milliken and their suppliers. | provided due to the variation in face weight of | the carpet and to | protect the propr | ietary info | rmation of both |
| ALKYL(C10-C13)BENZENE (I | BENZENE, C10-13-ALKYL DERIVS) | | | | ID: 67774-74-7 |
| HAZARD SCREENING METHOD: Phar | os Chemical and Materials Library | HAZARD SCREE | NING DATE: 2020-0 | 5-12 | |
| %: 0.00 - 0.10 | GS: LT-UNK | RC: None | NANO: NO | ROLE: | Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No | warnings found o | n HPD Prio | rity Hazard Lists |
| SUBSTANCE NOTES: Ranges are Milliken and their suppliers. | provided due to the variation in face weight of | the carpet and to | protect the propr | ietary info | rmation of both |
| BUTENE, POLYMER WITH E | THENE | | | | ID: 9019-29-8 |
| HAZARD SCREENING METHOD: Phar | os Chemical and Materials Library | HAZARD SCREEN | IING DATE: 2020-05 | 5-12 | |
| %: 0.00 - 0.10 | GS: LT-UNK | RC: None | NANO: NO | ROLE: A | dditives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No | warnings found o | n HPD Prio | rity Hazard Lists |
| SUBSTANCE NOTES: Ranges are Milliken and their suppliers. | provided due to the variation in face weight of | the carpet and to | protect the propr | ietary info | rmation of both |
| C.I. PIGMENT BLUE 15 | | | | | ID: 147-14-8 |
| HAZARD SCREENING METHOD: Phar | os Chemical and Materials Library | HAZARD SCREENIN | IG DATE: 2020-05-1 | 12 | |
| %: 0.00 - 0.10 | GS: BM-3 | RC: None | NANO: No | ROLE: Fac | e Fiber |

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

None found

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

The GreenScreen Assessment results were sourced from the Pharos chemicals database.

| RUTILE, ANTIMONY CHROMIUM BUFF (C.I. PIGMENT BROWN 24) | | | | |
|--|--------------------------------------|---------------|-------------------|------------------------------|
| HAZARD SCREENING METHOD: | haros Chemical and Materials Library | HAZARD SCREEN | NING DATE: 2020-0 | 95-12 |
| %: 0.00 - 0.10 | GS: BM-1 | RC: None | NANO: NO | ROLE: Face Fiber |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | N | o warnings found | on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| HAZARD SCREENING METHOD: | HAZARD SCREENING DATE: 2020-05-12 | | | |
|--------------------------|---|-------------------------------|---|---------------------------------------|
| %: 0.00 - 0.10 | GS: LT-1 | RC: None | NANO: NO | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | EU - GHS (H-Statements) | H350 - May ca | ause cancer | |
| CANCER | EU - REACH Annex XVII CMRs | | ategory 2 - Substa they are Carcinog | ances which should be genic to man |
| MULTIPLE | ChemSec - SIN List | CMR - Carcin | ogen, Mutagen &/o | or Reproductive Toxicant |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Haza | ard to Waters | |
| CANCER | EU - Annex VI CMRs | Carcinogen C animal eviden | 0, | umed Carcinogen based or |
| CANCER | GHS - Australia | H350 - May ca | ause cancer | |

| DISTILLATE FUEL OILS, LIGHT (DI LIGHT) | STILLATES, PETROLEUM, HYDROTREATED | | | ID: 64742-47-8 |
|---|------------------------------------|--------------|-----------------|-----------------------|
| HAZARD SCREENING METHOD: Pharos Ch | emical and Materials Library | HAZARD SCREE | NING DATE: 2020 | -05-12 |
| %: 0.00 - 0.10 | GS: BM-2 | RC: None | NANO: NO | ROLE: Backing |

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
|---|--|---|--|--|
| MAMMALIAN | EU - GHS (H-Statements) | H304 - May be fatal if swalld | wed and ente | ers airways |
| CANCER | МАК | Carcinogen Group 3B - Evid but not sufficient for classifi | | nogenic effects |
| | | | | |
| | | | | |
| Milliken and their suppliers. | wided due to the variation in face weight of the results were sourced from the Pharos chemic | | roprietary ir | formation of both |
| | | | | |
| FATTY ACIDS, C16-18 AND C18- ETHOXYLATED | UNSATD., BRANCHED AND LINEAR, | | | id: 96349-73-4 |
| HAZARD SCREENING METHOD: Pharos | Chemical and Materials Library | HAZARD SCREENING [| DATE: 2020-0 | 5-12 |
| %: 0.00 - 0.10 | GS: LT-UNK | RC: None NA | NO: No | ROLE: Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings fou | nd on HPD P | riority Hazard Lists |
| | wided due to the variation in face weight of t | he carpet and to protect the p | roprietary ir | formation of both |
| | | | | |
| SUBSTANCE NOTES: Ranges are pro Milliken and their suppliers. | | | | |
| Milliken and their suppliers. | TIC ACID, TETRASODIUM SALT (GLYCINE, //ETHYL)-, TETRASODIUM SALT) | N,N'-1,2- | | ID: 64-02-8 |
| Milliken and their suppliers. | IETHYL)-, TETRASODIUM SALT) | | D SCREENING I | ID: 64-02-8 DATE: 2020-05-12 |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN | IETHYL)-, TETRASODIUM SALT) | | D SCREENING I | |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (| METHYL)-, TETRASODIUM SALT) Chemical and Materials Library | HAZAF | NANO: | DATE: 2020-05-12 |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (| METHYL)-, TETRASODIUM SALT) Chemical and Materials Library | HAZAF | NANO: | DATE: 2020-05-12 ROLE: |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYM HAZARD SCREENING METHOD: Pharos (%: 0.00 - 0.10 | METHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 | HAZAF RC: None | NANO: No | DATE: 2020-05-12 ROLE: |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (%: 0.00 - 0.10 HAZARD TYPE | METHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES | HAZAF RC: None WARNINGS | NANO: No | DATE: 2020-05-12 ROLE: |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (%: 0.00 - 0.10 HAZARD TYPE EYE IRRITATION | AETHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) German FEA - Substances Hazardous to | HAZAF RC: None WARNINGS H318 - Causes serious eye o | NANO: No | DATE: 2020-05-12 ROLE: |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (%: 0.00 - 0.10 HAZARD TYPE EYE IRRITATION MULTIPLE | AETHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) German FEA - Substances Hazardous to | HAZAF RC: None WARNINGS H318 - Causes serious eye o Class 2 - Hazard to Waters | NANO: No | DATE: 2020-05-12 ROLE: Additives |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (%: 0.00 - 0.10 HAZARD TYPE EYE IRRITATION MULTIPLE SUBSTANCE NOTES: Ranges are pro- | AETHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) German FEA - Substances Hazardous to Waters | HAZAF RC: None WARNINGS H318 - Causes serious eye o Class 2 - Hazard to Waters | NANO: No | DATE: 2020-05-12 ROLE: Additives |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (%: 0.00 - 0.10 HAZARD TYPE EYE IRRITATION MULTIPLE SUBSTANCE NOTES: Ranges are pro Milliken and their suppliers. | AETHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) German FEA - Substances Hazardous to Waters | HAZAF RC: None WARNINGS H318 - Causes serious eye of Class 2 - Hazard to Waters he carpet and to protect the p | NANO: No | DATE: 2020-05-12 ROLE: Additives |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (%: 0.00 - 0.10 HAZARD TYPE EYE IRRITATION MULTIPLE SUBSTANCE NOTES: Ranges are pro Milliken and their suppliers. NAPHTHALENESULFONIC ACID | AETHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) German FEA - Substances Hazardous to Waters ovided due to the variation in face weight of the statement of the | HAZAF RC: None WARNINGS H318 - Causes serious eye of Class 2 - Hazard to Waters he carpet and to protect the p | Iamage | DATE: 2020-05-12 ROLE: Additives |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (%: 0.00 - 0.10 HAZARD TYPE EYE IRRITATION MULTIPLE SUBSTANCE NOTES: Ranges are proc Milliken and their suppliers. NAPHTHALENESULFONIC ACID SULFONYLBIS[PHENOL] | AETHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) German FEA - Substances Hazardous to Waters ovided due to the variation in face weight of the statement of the | HAZAF RC: None WARNINGS H318 - Causes serious eye of Class 2 - Hazard to Waters he carpet and to protect the p | Iamage | DATE: 2020-05-12 ROLE: Additives |
| Milliken and their suppliers. ETHYLENEDIAMINE TETRAACE ETHANEDIYLBIS[N-(CARBOXYN HAZARD SCREENING METHOD: Pharos (Interplay the second s | AETHYL)-, TETRASODIUM SALT) Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) German FEA - Substances Hazardous to Waters ovided due to the variation in face weight of the second se | HAZAF RC: None WARNINGS H318 - Causes serious eye of Class 2 - Hazard to Waters he carpet and to protect the p D 4,4'- | NANO: No lamage roprietary ir | DATE: 2020-05-12 ROLE: Additives Iformation of both ID: 68411-62-1 20-05-12 |

| HAZARD TYPE | |
|-------------|--|
|-------------|--|

AGENCY AND LIST TITLES

WARNINGS

WARNINGS

No warnings found on HPD Priority Hazard Lists

| N | 0 | n | е | fo | u | nd |
|---|---|---|---|----|---|----|
| | | | | | | |

 Milliken and their suppliers.

 POLY(OXY-1,2-ETHANEDIYL), ALPHA-PHOSPHONO-OMEGA-(DODECYLOXY)-, COMPD. WITH

 2,2'-IMINOBIS[ETHANOL], (EO 2-8 MOL)

 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both

| %: 0.00 | - 0.10 |
|----------------|--------|
|----------------|--------|

HAZARD TYPE

None found

AGENCY AND LIST TITLES

GS: LT-UNK

No warnings found on HPD Priority Hazard Lists

NANO:

No

ROLE:

Additives

RC:

None

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| SILOXANE POLYALKYLENEOXIDE COPOLYMER (SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED, ETHOXYLATED PROPOXYLATED) | | | | | |
|--|--------------------------------------|----------|---------------|--------------------|--------------------|
| HAZARD SCREENING METHOD: PI | naros Chemical and Materials Library | | HAZARD S | CREENING DA | TE: 2020-05-12 |
| %: 0.00 - 1.00 | gs: NoGS | | RC: None | NANO: No | ROLE: Additives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No w | arnings found | on HPD Prio | ority Hazard Lists |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

| SODIUM SULFATE (SULFURIC ACID DISODIUM SALT) ID: 7757-82-6 | | | | | |
|--|--------------------------------------|----------------|------------------|------------------------------|--|
| HAZARD SCREENING METHOD: P | haros Chemical and Materials Library | HAZARD SCREENI | NG DATE: 2020-0 | 5-12 | |
| %: 0.00 - 0.10 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Additives | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No | warnings found c | on HPD Priority Hazard Lists | |

SUBSTANCE NOTES: Ranges are provided due to the variation in face weight of the carpet and to protect the proprietary information of both Milliken and their suppliers.

MAGNESIUM SULFATE, ANHYDROUS (SULFURIC ACID MAGNESIUM SALT (1:1))

ID: 7487-88-9

| HAZARD SCREENING METHOD: Pharos (| Chemical and Materials Library | | HAZARD SCREEN | ING DATE: 2020- | 05-12 |
|--|--|----------|-----------------|------------------------|---|
| %: 0.00 - 0.10 | GS: LT-UNK | | RC: None | NANO: NO | ROLE: Additives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | IGS | | |
| None found | | | No warnir | igs found on HP | D Priority Hazard Lists |
| SUBSTANCE NOTES: Ranges are pro Milliken and their suppliers. | vided due to the variation in face weight of the | e carpet | and to protec | t the proprietar | y information of both |
| SODIUM LAURYL SULFATE (SUL SALT) | FURIC ACID MONODODECYL ESTER SODIL | M | | | ID: 151-21-3 |
| HAZARD SCREENING METHOD: Pharos (| Chemical and Materials Library | | HAZARD SCREE | NING DATE: 2020 | -05-12 |
| %: 0.00 - 0.10 | GS: LT-P1 | | RC: None | NANO: NO | ROLE: Additives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | IGS | | |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class | 2 - Hazard to W | /aters | |
| Milliken and their suppliers. | vided due to the variation in face weight of the SULFURIC ACID, MONO-C10-16-ALKYL EST | | and to protec | t the proprietar | y information of both ID: 68081-96-9 |
| HAZARD SCREENING METHOD: Pharos (| Chemical and Materials Library | | HAZARD S | CREENING DATE: 2 | 2020-05-12 |
| %: 0.00 - 0.10 | gs: NoGS | | RC: None | NANO: NO | ROLE: Additives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | IGS | | |
| None found | | | No warnir | ngs found on HP | D Priority Hazard Lists |
| SUBSTANCE NOTES: Ranges are pro Milliken and their suppliers. | vided due to the variation in face weight of the | e carpet | and to protec | t the proprietar | y information of both |

| TRIETHANOLAMINE | | | | ID: 102-71-6 |
|--------------------------|---------------------------------------|-----------------------------------|----------------------|---------------------|
| HAZARD SCREENING METHOD: | HAZARD SCREEN | HAZARD SCREENING DATE: 2020-05-12 | | |
| %: 0.00 - 0.10 | GS: LT-P1 | RC: None | NANO: NO | ROLE: Additives |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| RESPIRATORY | AOEC - Asthmagens | Asthmagen (F | Rs) - sensitizer-ind | uced |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential End | ocrine Disruptor | |
| | | | | |

| BUTYL ACRYLATE/METHYL (18000 MW) | METHACRYLATE/METHACRYLIC ACII | O COPOLYMER | | | ID: 25035-69-2 |
|---|--|------------------------|-----------------|-------------------|------------------------|
| HAZARD SCREENING METHOD: Pha | ros Chemical and Materials Library | | HAZARD SCREE | NING DATE: 20 | 20-05-12 |
| %: 0.00 - 0.10 | GS: LT-UNK | | RC: None | NANO: NO | ROLE: Additive |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | | No warnings fo | ound on HPD | Priority Hazard Lists |
| SUBSTANCE NOTES: A range is | based on varying face weights and backi | ng add on. | | | |
| BM-1, PLATELET AGGREGA POLYMER) | ATION INHIBITOR (METHACRYLIC ACID | , BUTYL ACRYLATE | | | ID: 25035-82-9 |
| HAZARD SCREENING METHOD: Pha | ros Chemical and Materials Library | | HAZARD SCRE | ENING DATE: 2 | 020-05-12 |
| %: 0.00 - 0.10 | GS: LT-UNK | | RC: None | NANO: NO | ROLE: additive |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | | No warnings for | ound on HPD | Priority Hazard Lists |
| SUBSTANCE NOTES: A range is | based on varying face weights and backi | ng add on. | | | ID: 222173-52-6 |
| HAZARD SCREENING METHOD: Pha | ros Chemical and Materials Library | HAZARD SCRE | ENING DATE: 202 | 20-05-12 | |
| %: 0.00 - 4.00 | GS: NoGS | RC: None | NANO: NO | ROLE | Face Fiber |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | | No warnings for | ound on HPD | Priority Hazard Lists |
| SUBSTANCE NOTES: Ranges are Milliken and their suppliers | e provided due to the variation in face we | ight of the carpet and | to protect the | proprietary | information of both |
| | IC ACID, POLYMER WITH HEXAHYDRO R WITH OXIRANE BIS(2-AMINOPROPYI RMOPLASTIC RESIN) | | AND 2- | | id: 97953-26-9 |
| HAZARD SCREENING METHOD: Pha | ros Chemical and Materials Library | | H | AZARD SCREEN | ING DATE: 2020-05-12 |
| %: 0.00 - 3.00 | - | | | | |
| | gs: NoGS | | | C: NAN Ione No | |

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | CRI Green Label F | Plus - Carpets | | | |
|--|----------------------------|-----------------------------|---|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Americas CERTIFICATE URL: https://services.carpet- rug.org/api/GLPCertificate/0793 | ISSUE DATE: 2004- 09-15 | EXPIRY DATE: 2020- 09-30 | CERTIFIER OR LAB: The Carpet and Rug Institute | | |

CERTIFICATION AND COMPLIANCE NOTES: WellBAC[™] Comfort and Comfort Plus - Digital Dyed Injected modular tile

| OTHER | ILFI Declare - Red List Free - Third Party Verified | | | | | |
|--|---|-----------------------------|---|--|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Americas CERTIFICATE URL: https://floors.milliken.com/docs/default- source/americas- documents/segments/sustainability/declare/declare- americas/wellbac-comfort.pdf? sfvrsn=bc723f7c_42 | ISSUE DATE: 2019- 08-01 | EXPIRY DATE: 2020- 08-01 | CERTIFIER OR LAB: WAP Sustainability | | | |

CERTIFICATION AND COMPLIANCE NOTES: WellBAC™ Comfort Carpet Tile

| MULTI-ATTRIBUTE | Cradle to Cradle Certified - Silver (V3.1) | | | | | |
|--|--|-------------------------|--|--|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Americas CERTIFICATE URL: https://floors.milliken.com/docs/default- source/americas- documents/segments/sustainability/cradle-to- cradle/milliken-cradle-to-cradle-02-25-19.pdf? sfvrsn=bf4fb4c4_8 | ISSUE DATE: 2019- 02-25 | EXPIRY DATE: 2020-03-20 | CERTIFIER OR LAB: Cradle to Cradle Products Innovation Institute | | | |
| CERTIFICATION AND COMPLIANCE NOTES: WellBAC TM C | Comfort and Comfor | rt Plus Carpet Tile | | | | |
| MULTI-ATTRIBUTE | -ATTRIBUTE NSF/ANSI 140-2015 Sustainability Assessment for Carpet Standard | | | | | |
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2008- | EXPIRY DATE: 2020- | CERTIFIER OR LAB: NSF | | | |

CERTIFICATION AND COMPLIANCE NOTES: WellBAC™ Comfort and Comfort Plus with standard ES backing

ISO 14001:2004 Environmental management systems

| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Americas CERTIFICATE URL: https://floors.milliken.com/docs/defau source/americas- documents/segments/sustainability/iso14001/ameri iso-14001-certificate.pdf?sfvrsn=8a34fb40_15 CERTIFICATION AND COMPLIANCE NOTES: | | ISSUE DATE: 2009- 06-27 | | EXPIRY DATE: 2021-06-20 | CERTIFIER OR LAB: UL |
|--|----------------------|----------------------------|-----------------------|----------------------------|---------------------------|
| MANAGEMENT | | ISO 9001:2015 G | Qual | ity managemen | t systems |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Americas CERTIFICATE URL: https://floors.milliken.com/docs/defau source/americas- documents/segments/sustainability/iso9001/americ qms-certificate.pdf?sfvrsn=84c62761_13 CERTIFICATION AND COMPLIANCE NOTES: | | ISSUE DATE: 2012- 06-01 | _ | xpiry date: 2021- 05-01 | CERTIFIER OR LAB: Audit3, |
| LCA | Env | ironmental Produ | uct [| Declaration (EP | D) by UL |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Americas CERTIFICATE URL: https://spot.ul.com/main- app/products/detail/5c58538155b0e81fc81f6d72? | ISSUE 01-(| | EXPIR' 01-0 | y date: 2024- 1 | CERTIFIER OR LAB: UL |

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Type III Product Specific EPD Document #: 135695-4150

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MILLIKEN MODULAR ADHESIVE

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Renovations: Little or no floor prep Unlike many hardback products, Milliken does not require the removal of old adhesives. This can significantly reduce expenditures of both time and money. • Non-reactive backing eliminates adhesive failures from plasticizer migration • Unlike some products with thin thermoplastic backings, the thickness of our cushion will result in virtually no telegraphing • No grinding, no solvents — a big plus for indoor air quality • Simply knock down the high ridges of the existing adhesive and start installing immediately Industry-best moisture management Milliken has seen ZERO moisture claims over the last 20+ years. The reason? Our cushion backing. • Non-Reactive Standard adhesive with our standard cushion backing handles up to 95% RH for on-grade installations • NO moisture testing required for ANY above-grade install • There is NO pH limit • Milliken modular products are warrantied for life against adhesive breakdown due to moisture vapor emissions New construction: Install sooner Construction schedules often force a choice between less-than-perfect options: 1) Delay installation to comply with recommended concrete curing times or moisture levels 2) Decide to chance an early installation, or 3) Pay extra for concrete admixtures or for third-party moisture-mitigation Not with Milliken. Exceptional moisture management allows installations to start sooner than most other manufacturers are comfortable with — for Non-Reactive Standard adhesive, as soon as 60 days after a completed pour, with no RH or pH limits.

All ingredient data down to 100ppm is third party verified.

MANUFACTURER INFORMATION

MANUFACTURER: Milliken ADDRESS: 300 Lukken Industrial Dr. LaGrange GA 30240, United States WEBSITE: https://floors.milliken.com/floors/enus/home CONTACT NAME: Jennifer Smith TITLE: Sustainability Development Leader PHONE: 7063500964 EMAIL: jenniferg.smith@milliken.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

WellBAC Comfort Print Works (DDI)/Print Carpet Tile - US hpdrepository.hpd-collaborative.org