MAJOR FREQUENCY: ONE (WELLBAC® COMFORT)

Distortion | Vibration



Modular Planks

PRODUCT SPECIFI	CATION									
Standard Backing			Cushion Backing WellBAC [®] Comfort (PVC FREE) (Non-Reactive Cushion Backing)							
A			Noise Reduction Coefficient - NRC ≥ 0.25							
Acoustic Value			Impact Sound Pressure Level – Ln,w ≤ 47dB							
Concrete Slab Moisture Mitigation			Site-Related Solutions (SRS): Milliken cushion-backed tile + Non-Reactive Standard Adhesive means installation 45 days after a new concrete pour, fully warranted no moisture testing required. Refer to www.millikenfloors.com.au							
Ν	1illiken WellBA	√C [®] open cel	l foam cushion pro		LBAC® superior durability, app	pearance reter	ntion and cushior	ning.		
UNDERFOOT COMFORT Up to 24% greater underfoot comfort for enhanced ergonomics whilst standing.	ACOUSTIC Up to 50% acoustics fo more product	improved r quieter,	INDOOR AIR QUALITY Enhanced Indoor Air Quality (Green Label Plus™ Certified Low VOC) for improved occupant and installer well-being.		MOISTURE MITIGATI Industry leading moist management with no reactive backings to enh the installation process, s time and money.	ure 3 n- Dec ance produ	ATERIAL HEALTH Brd party Verified Ilare™ Red-List Free Jucts for occupant and staller well-being.	CIRCULARITY 100% Recyclable through the Milliken N/XT LIFE circularity program for both installation waste and end-of-life.		
Construction Tufted, Te:			kture Loop		Flammability		$CHF/CRF = 5.8 kW/m^2$			
		25cm x 100cm		_	(Radiant Panel Test) Lightfastness (AATCC 16E)		Smoke Value = 211%. min ≥ 4.0 at 80 Hours			
Yarn Type		90% Recycled Solution Dyed Nylon			Static Electricity (AATCC-134) 20% R.H., 70° F		≤3.5KV			
Stain Resist Soil Release		Built-In Protection			Indoor Air Quality CRI Green Label Plus™		≤ 0.5mg/m ³ (GLP100130)			
Dye Method		Solution Dyed			VOC		Pass (ISO 10580:2010)			
Embodied Carbon		4.1 kg/m ² co ² E			ACCS Grading		CEHD(S) 4*, REHD2 (S) 6*, Suitable for Stairs			
Gauge		1/12			Environmental		ECS Grading - Level 4 + (Core +			
Stitches Per Inch		9.5					No Chemicals of Concern + EPD + Carbon Neutral)			
		114/in ² (1,766/100cm ²)					Declare - RED LIST FREE			
		100% 60.3%					Cradle to Cradle - Silver M/PACT™ Carbon Neutral Program			
, , ,		8.8mm					Environmental Product Declaration (EPD			
Nominal Pile Thickness 2.0mm						Health Product Declaration (HPD)				
Nominal Total Weight 95 oz/yd		(3,220/m ²)				Works With W	VELL			
The recognised Product Certification Initiatives in the tools that contribute to the responsible product valu- tiles are as listed. The Green Building Council of Aus Responsible Products that may contribute to a Green through its Responsible Credits (rpv).			ue of Milliken carpet 2. stralia recognises 3. en Star rating 4.		1. ECS Carpet Standard v2.2 2. Cradle to Cradle 3. Declare 2.0 - Red List Free 4. Science-Based Targets Initiative (SBTi)		GBCA Responsible Product Value 30 rpv			
	commended	All Plank N	Nethods							
Installation Methods Recommended Area of Use Commerce		ial Extra Heavy Duty								
Warranties		20-year Wear Warranty		Ant			Dimensional / Warranty	20-year Castor Chair Wear Warranty		
				Situ Static Warranty Stability		, wananty				



Declare.





WORKS WITH WELL

Milliken's commitment to advancing products and solutions that support human health and well-being is long-standing.

As a founding member of the **Well Living Lab** and a **Well Portfolio Member**, we aspire to design products that enhance the well-being and quality of life of indoor spaces.

We are proud to have been granted the **Works with WELL™** licence across an extensive selection of our global product portfolio, demonstrating how Milliken floor covering products align with specific strategies in the WELL Standard, the leading global standard for health and well-being.

The Works with WELL trademark licensing program recognises products and solutions that contribute to achieving specific features in the WELL Standard. Products that have earned the Works with WELL mark have been validated through one or more review cycles to give specifiers the maximum confidence in their material selections, whether working on a WELL-certified project or simply wanting to ensure they are adopting best practices for healthy, sustainable, people-first spaces for their clients.

CONCEPT		FEATURE	FEATURE NAME		
	WATER	W07.2	Design Interiors for Moisture Management		
3	MOVEMENT	V02.4	Provide Support at Standing Workstations		
	MATERIALS	X05.2	Select Compliant Architectural and Interiors Products		
		X06.2	Restrict VOC Emissions from Furniture, Architectural and Interior Products		
		X07.1	Select Products and Disclosed Ingredients		
		X07.2	Select Products with Enhanced Ingredients Disclosure		
		X07.3	Select Products with Third-Party Verified Ingredients		
		X08.1	Select Materials with Enhanced Chemical Restrictions		
		X08.2	Select Optimised Products		

Driven by the global demand for healthier places and healthier organisations that support people to thrive, WELL adoption has grown exponentially since its launch in 2014. WELL strategies have been used in over 5 billion square feet of space, supporting the health and well-being of an estimated 17 million people in more than 74,000 locations spanning over 130 countries.

Contact one of our team of WELL Accredited Professionals for support with your next WELL Certified project at <u>millikenanzenquiries@milliken.com</u>.



