GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

Milliken & Company

Milliken Industrials Limited Milliken Textile (Zhangjiagang) Co., Ltd Milliken (Australia) Pty Ltd

920 Milliken Road M-620, Spartanburg, SC 29304, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-21 Water-Based Acrylic Adhesive

Adhesive Applied in Mass Per Surface Area: 8.62 g of product per 0.0361 m^2
Private Office Range of Total VOCs: 0.5 mg/m^3 or less
School Classroom Range of Total VOCs: 0.5 mg/m^3 or less
Type of Product: Single Part Wet Adhesive

Description: Milliken Modular Adhesive, Milliken Modular Carpet Adhesive - 100V, Milliken Non-Reactive Standard Adhesive

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 5/21/2026
Expiration Date: 3/31/2027

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts

THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES

GREEN LABEL +PLUS® Indoor Air Quality Testing Program

GLP101283

ANAB ANSI National Accreditation Board ACCREDITED ISO/IEC 17065 PRODUCT CERTIFICATION BODY #0754

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.